# Interação Pessoa-Máquina

Teresa Romão tir\_at\_fct.unl.pt DI/FCT/UNL

2022/2023

# **Evaluation - Dates**

Tests (will be on Clip when confirmed):

- T1: November 7, 19h
- T2: December 13, 19h

#### Mandatory lab classes:

- Prototype testing day: October 18, 19 and 20
- · Heuristic evaluation
- Project presentation

Interacção Pessoa-Máquina (DI-FCT/UNL)

# **Testing Day**

October 18/19/20

Interacção Pessoa-Máquina (DI-FCT/UNL)

3

# **Sketching**

Interacção Pessoa-Máquina (DI-FCT/UNL)

# The role of design

- · Explicit design process
  - Preproduction in film making
  - Development of a new automobile
- Need to insert a design process at the front end of product development
  - The cost and time lost due to this additional stage will be significantly less than the cost and time lost due to the poor planning and overruns that will result if it is not included.
- Dangerous assumptions:
  - We know what we want at the start of a project
  - We know enough to start building it

Interacção Pessoa-Máquina (DI-FCT/UNL)

12

# The role of design

- Problem setting
  - What is the right thing to build?
- Problem solving
  - How do we build this?
- You must get the right design as well as the design right.

Interacção Pessoa-Máquina (DI-FCT/UNL)

- · Communicate ideas
- Aid of thought

Interacção Pessoa-Máquina (DI-FCT/UNL)

14

# Sketching

#### Attributes of sketches:

- · Quickly / Timely
- Inexpensive / Disposable
- Plentiful
- Clear vocabulary
- · Minimal detail
- · Appropriate degree of refinement
- Suggests and explore rather than confirm
- Ambiguity

Interacção Pessoa-Máquina (DI-FCT/UNL)

- To get the most out of a sketch, we need to leave big enough holes
- Ambiguity creates the holes
- It enables a sketch to be interpreted in different ways, even by the person who created it.

Interacção Pessoa-Máquina (DI-FCT/UNL)

16

# Sketching Create (seeing that) Read (seeing as) From Sketching user experiences, Buxton, 2007 Interacção Pessoa-Máquina (DI-FCT/UNL)

"...designers do not draw sketches to externally represent ideas that are already consolidated in their minds. Rather, they draw sketches to **try out ideas**, usually vague and uncertain ones. By examining the externalizations, designers can **spot problems they may not have anticipated**. More than that, they can see new features and relations among elements that they have drawn, ones not intended in the original sketch. These unintended discoveries **promote new ideas and refine current ones**. This process is iterative as design progresses."

Suwa and Tversky, 2002

Interacção Pessoa-Máquina (DI-FCT/UNL)

18

# Sketching

"The best way to a good idea is to have lots of ideas"

Linus Pauling

- Exercising the imagination and understanding (mental and experiential)
- Chose appropriate materials

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Sketches and prototypes

#### Ceramic class

Group 1 – Quantity

How many pots of which level of quality?

Group 2 – Quality

One pot... one perfect pot (?)

Who produced the highest quality work?

From Bayles and Orland, 2001

Interacção Pessoa-Máquina (DI-FCT/UNL)

20

# Sketching

IF Sketching is Fundamental to DesignAND We are Designing Interactive Systems

**THEN** How do you sketch interaction?

What are the fundamental skills? What is the fundamental process?

Sketching in interaction design can be though of analogous to traditional sketching. Sketches need to be able to capture the essence of design concepts around transitions, dynamics, feel, ...

Interacção Pessoa-Máquina (DI-FCT/UNL)

#### Sketching in Interaction Design

- · Analogous to traditional sketching
- · Shares all of the same key attributes
- More feel than look
- · Must accommodate time & dynamics


Interacção Pessoa-Máquina (DI-FCT/UNL)

22

# Sketches and prototypes

#### Sketching Prototyping

Time



Interacção Pessoa-Máquina (DI-FCT/UNL)

# Sketches and prototypes

#### Sketching

#### **Prototyping**

Time

Low investment More opportunities to explore

Fail early ... and learn


Interacção Pessoa-Máquina (DI-FCT/UNL)

24

# Sketches and prototypes

- · Objective:
  - design products that people want, need, like and can use.
- Mean
  - earlier iterative user involvement
    - user input should begin early enough to influence the design

Interacção Pessoa-Máquina (DI-FCT/UNL)



Interacção Pessoa-Máquina (DI-FCT/UNL)

- The requirements of an interactive system can not be completely specified on the first SLC activity.
- To be sure about some potential design functionalities, you have to build and test them with real users.
- The design can then be modified in order to correct some false assumptions revealed during the tests.
- Iterative design:
  - "a purposeful design process which tries to overcome the inherent problems of incomplete requirements specification by cycling through several designs, incrementally improving upon the final product with each pass."

Human-Computer Interaction, Alan Dix et al., 1998

Interacção Pessoa-Máquina (DI-FCT/UNL)

28

# **Prototyping**

- Why?
  - Faster development, earlier feedback
  - Cheap
  - Makes parallel design easier
  - Easy to modify and throw away
  - The activity of building prototypes encourages reflection in design
  - User-centered design
    - "Experience shows that it is not possible to involve the users in the design process by showing them abstract specification documents, since they do not understand them nearly as well as concrete prototypes".

      From Jakob Nielsen, Usability Engineering, 1993


Interacção Pessoa-Máquina (DI-FCT/UNL)

#### Fidelity

- Low: omits details, uses cheap materials.
- High: more like the final product.

#### **Dimensions**

- Breadth: Number of features in the prototype
  - · Only enough features for certain tasks
- Depth: Implementation degree of each feature
  - · conditioned responses, no error handling



Interacção Pessoa-Máquina (DI-FCT/UNL)

30


# **Prototyping**

#### Fidelity

#### **Dimensions**

- "Look": Appearance, graphic design
- "Feel": Sensation, physical method of interaction
  - Point and write ≠ mouse and keyboard

Interacção Pessoa-Máquina (DI-FCT/UNL)



- Prototypes can be produced faster by:
  - placing less emphasis on the efficiency of the implementation
  - accepting less reliable or poor quality code
  - using simplified algorithms
  - wizard of Oz approach
  - using low-fidelity media
  - using fake data and other content
  - using paper mock-ups instead of a running computer system

Jakob Nielsen, 1993.

Interacção Pessoa-Máquina (DI-FCT/UNL)

- 3 approaches to prototyping:
  - "Throw-away"
  - Incremental
  - Evolutionary


Dix, Alan, et al., 1998.

Interacção Pessoa-Máquina (DI-FCT/UNL)

34

# **Prototyping**


- "Throw-away":
  - The prototype is built and tested. The knowledge gained by this exercise is used to develop the final product, but the prototype is thrown away.



Interacção Pessoa-Máquina (DI-FCT/UNL)

#### Incremental

The final product is built as separate components, one at a time.
 There is one overall design for the final product, it is partitioned into independent and smaller components. The final product is then released as a series of products, each subsequent release including one more component.



Interacção Pessoa-Máquina (DI-FCT/UNL)

36

# **Prototyping**

#### Evolutionary

 The prototype is not discarded and serves as the basis for the next design iteration. The system is seen as evolving from a very limited initial version to its final release.



Interacção Pessoa-Máquina (DI-FCT/UNL)

- · Interactive paper mock-up
  - Sketches of screens appearance
  - Paper pieces showing interface elements, such as windows, menus, dialog boxes
  - Allows for the expression of the first design ideas.
- Natural interaction
  - Point with a finger → mouse click
  - Write → typing
- · The designer simulates the computer's behaviour
  - Rearranging the interface elements
  - Writing answers
  - Describing effects that are difficult to demonstrate on paper
- · Low fidelity in look and feel
- High fidelity in the number of features and implementation degree (depth person simulates the computer).

Interacção Pessoa-Máquina (DI-FCT/UNL)

38

# Papel prototyping

- Why?
  - Faster to build (Sketch vs. program)
  - Easy to change
    - · During user tests or between user tests
    - · No code investment, can be thrown away
  - Focuses on the global design
    - · Designer don't waste time on details
    - User makes more creative comments and suggestions (less reluctant in asking for changes)
  - Allow parallel design
  - Everyone can make a contribution

Interacção Pessoa-Máquina (DI-FCT/UNL)

#### Tools

- Poster paper
- Paper (A4)
- Post-it
- White correction tape
- Overhead transparencies
- Pens, pencils, scissors, tape
- Photocopier

Interacção Pessoa-Máquina (DI-FCT/UNL)

4٢

# Papel prototyping

#### • Building

- Bigger than real size
- Markers are better than pencil
- Monochrome
- Large fonts sizes and dark lettering
- Replace visual effects by audible explanations
  - Tooltips, animations, progress bar: 20%, 50%, 100%).
- Keep pieces organized
  - · Folders and envelops
- ... Rehearsal

Interacção Pessoa-Máquina (DI-FCT/UNL)

- Building
  - Hand-sketching or computer drawn (or an hybrid approach)?

Interacção Pessoa-Máquina (DI-FCT/UNL)

42

# Papel prototyping



https://www.mockplus.com/blog/post/iphone-wireframe-template

Interacção Pessoa-Máquina (DI-FCT/UNL)

- Test
  - Roles for design team:
    - Computer
      - Simulates the prototype
      - Doesn't give any feedback that the computer wouldn't
    - Facilitator
      - Presents the interface and the tasks to the user
      - Encourages the user to think aloud by asking questions
      - Leads the test
    - Observer
      - Makes no comments
      - Observes and takes notes

Interacção Pessoa-Máquina (DI-FCT/UNL)

11

# Papel prototyping

- · Organizing the results
  - Sort comments and suggestions by priorities
  - Create a written report with the results
  - Move to the next cycle: Change the design accordingly ...

Interacção Pessoa-Máquina (DI-FCT/UNL)

#### Results

- Functionality
  - · Does it do what is needed? Missing features?
- Navigation and task flow
  - · Can users find their way around?
  - · Are information pre-conditions met?
- Terminology
  - · Do users understand labels?
- Screen contents
  - · What?
  - · Where?
  - · Grouping

Interacção Pessoa-Máquina (DI-FCT/UNL)


16


# Papel prototyping

#### Limitations

- Look: colour, font, ...
- Feel: Fitt's law issues
- Response time
- Dynamic feedback: animations, progress bar, mouseover events....
- Context of use
- Subtle feedback
  - Even the more subtle change in a paper prototype is noticed by the users.
- Users tend to think much more before acting when interacting with a paper prototype.

Interacção Pessoa-Máquina (DI-FCT/UNL)





#### **Hanmail paper prototype**

http://www.youtube.com/watch?v=GrV2SZuRPv0

#### **Trouble paper prototype**

http://www.youtube.com/watch?v=dTR7gbsF7Os

#### Paper protype usability test

http://www.youtube.com/watch?v=ppnRQD06ggY

#### **UX Design TimeOut and Primark**

https://www.youtube.com/watch?v=3oBebzxbnGk

Interacção Pessoa-Máquina (DI-FCT/UNL)

50


# Papel prototyping





Hanmail paper prototype


http://www.youtube.com/watch?v=GrV2SZuRPv0

Interacção Pessoa-Máquina (DI-FCT/UNL)









# Paper interfaces

- Distinct design language...
- ... but same level of resolution and same functionality
- A group of users performed the same set of tasks on all interfaces (distinct order)
- Other groups saw only one interface
- They all performed the same set of tasks and answer the same questionnaire

Interacção Pessoa-Máquina (DI-FCT/UNL)

57

# Paper interfaces

- Paper interfaces allows parallel testing of alternatives.
   they make it affordable to make and compare alternative design solutions through the design process.
- We should not commit to a design too soon
- Comparing the ratings given to the lowest rated interface of the three, as judged by users who had seen all three, that rating was significantly lower than the rating given to that same interface by users who saw only that interface.

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Paper interfaces

- · People are reluctant to be critical of designs
- It is easier to rate several designs (comparing) than to rate one single design solution.
- Constructive solutions... (Tohidi et al., 2006b)
  - ask users to make a simple sketch of their ideal home climate interface
  - users have original ideas about alternative designs
  - ...let them communicate them in the appropriate language.

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Paper interfaces

- Quickly explore a concept and show it to colleagues
  - · designer is both the user and the facilitator
  - changes on-the-fly, based on comments \( \rho \) \( \rangle \)
- · Informal testing
  - designer as facilitator and a representative user
  - changes on-the-fly, based on comments
- · Usability testing
  - more to uncover errors and determine usability than come up with new design concepts
  - several users
  - interface can't be changed during test otot

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Paper interfaces

- Sketches are not prototypes (remember sketches attributes)
- Sketching ≠ using inexpensive prototypes to do usability engineering.
- Sketching is what you use, how, when, where and why you use it.

Interacção Pessoa-Máquina (DI-FCT/UNL)

61

# Dynamic paper interfaces






Interacção Pessoa-Máquina (DI-FCT/UNL)

# Physical mock-ups

3 versions of a remote control



Interacção Pessoa-Máquina (DI-FCT/UNL)

63

# Mixing styles

The limiting factor is your imagination... There is always a way to express an idea appropriately within your means.







Phone graffiti



Hybrid photo-graphic composition

The main drawbacks of conventional sketching has to do with its limitations in **capturing time and dynamics**— temporal experience related issues.

Interacção Pessoa-Máquina (DI-FCT/UNL)

Make three sketches that capture:

- 1. the physical nature of your mobile phone
- 2. the behaviour of the user interface of your mobile phone

3. the experience of using your mobile phone

ALMOS

Interacción Passona-Máguina (DI-ECT/UNI )

65

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Interaction dynamics

- We need to use more than one image to tell the story
  - Storyboard and comics (image sequence)
  - State transition diagram (global view)
  - "PowerPoint" slide show

Interacção Pessoa-Máquina (DI-FCT/UNL)

- Storyboard time is distributed in space and you can see all screens simultaneously.
- Slide show screens are seen sequentially

Interacção Pessoa-Máquina (DI-FCT/UNL)

67

# Interaction dynamics

#### **Transitions**

- use of arrows to describe the motion
- Why not just use video or animation?
  - dynamic is much better captured, but....
  - comics/storyboard approaches are faster, cheaper and enable to explore more alternatives in a given amount of time.

Interacção Pessoa-Máquina (DI-FCT/UNL)

- picture-driven-animation (Baecker, 1969)
  - use hand-draw line to define both objects and motion paths along which those objects move.
  - using this technique in PowerPoint to animate a sketch of Fitzmaurice Chameleon technique to view a map.



Interacção Pessoa-Máquina (DI-FCT/UNL)


From Buxton, 2007


69


# Prototyping Interaction <u>Dynamics</u>



Interacção Pessoa-Máquina (DI-FCT/UNL)







# Prototyping Interaction Dynamics

Bifocal Display
(Apperley and Spence, 1982)













http://www.youtube.com/watch?v=qlzlA17ZN5o

Interacção Pessoa-Máquina (DI-FCT/UNL)

From Buxton, 2007

Bifocal Display (Apperley and Spence, 1982)

This way you can explore different aspects of the concept by manipulating:


- % flat display vs % receding display
- the impact on different media (text, images,...)
- Horizontal scroll vs vertical scroll
- Receding angle

Interacção Pessoa-Máquina (DI-FCT/UNL)

75

# Design is choice

- The purpose of design is to establish the trajectory
- · Precedes usability engineering and is complement to it




From Buxton, 2007

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Usability engineering

- The trajectory is already established (by the basic design already done)
- Iterative process that converges on a complete product (iterations allow testing and refinement of implementation)



From Buxton, 2007

Interacção Pessoa-Máquina (DI-FCT/UNL)

77

# Design / Usability

- The role of design is to get the right design
- The role of usability engineering is to get the design right

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Computational prototypes

- · Interactive simulation of software
- · High-fidelity look and feel
- Horizontal (low-fidelity in depth)

Interacção Pessoa-Máquina (DI-FCT/UNL)

79

# Computational prototypes

- Results
  - The same as from the paper prototypes + :
    - Efficiency
      - Control size, location,...
    - Screen layout
      - Is it clear, overwhelming, complicated?
      - Interface components are easy to find and distinguish?
    - · Colours, fonts, icons, ...
      - Appropriate?
    - Interactive feedback
      - Do users notice the status bar messages, cursor changes or other interface feedback?

Interacção Pessoa-Máquina (DI-FCT/UNL)

# **Computational Prototyping**

- Prototyping techniques
  - Storyboards tools
    - Sequence of screen, possibly connected by hyperlinks
  - Form builders
    - tool for drawing real, working interfaces by dragging widgets from a palette and positioning them on a window.
  - Wizard of OZ
    - Human operator simulates and controls the system in the backstage.

Interacção Pessoa-Máquina (DI-FCT/UNL)

84

# **Computational Prototyping**

- Storyboards tools
  - Marvel <a href="https://marvelapp.com/">https://marvelapp.com/</a>



- Figma <a href="https://www.figma.com/">https://www.figma.com/</a>
- Justinmind <a href="http://www.justinmind.com/">http://www.justinmind.com/</a>
- Mockingbird http://gomockingbird.com/mockingbird
- Balsamiq <a href="http://balsamiq.com/products/mockups">http://balsamiq.com/products/mockups</a>

Interacção Pessoa-Máquina (DI-FCT/UNL)

# **Computational Prototyping**

- Prototyping techniques
  - Storyboards
    - Advantages
      - You can create anything, be creative
    - Disadvantages
      - No text entry
      - Widgets aren't functional
      - "hunt for the hotspot"

Interacção Pessoa-Máquina (DI-FCT/UNL)

87

# **Computational Prototyping**

- Prototyping techniques
  - Form builders
    - tool for drawing real, working interfaces by dragging widgets from a palette and positioning them on a window.
    - HTML
    - Java GUI builders
    - Visual Basic
    - · Mac Interface Builder
    - · Qt Designer
    - •

Interacção Pessoa-Máquina (DI-FCT/UNL)

# **Computational Prototyping**

- Prototyping techniques
  - Form builders
    - Advantages
      - Working widgets, not just static pictures
      - Implementation languages allow backend development
    - Disadvantages
      - Limits creativity (fixed palette of standard widgets)
      - Not so useful for prototyping rich graphical interfaces.

Interacção Pessoa-Máquina (DI-FCT/UNL)

89

# Wizard of OZ


- Human operator simulates and controls the system in the backstage.
- "Wizard of OZ" = "man behind the curtain"
  - The wizard is hidden
- Create systems that let users have a real and valid experience before the system exists.
- The person using it is unaware that the system functions are performed by a human operator hidden "behind the curtains".

Interacção Pessoa-Máquina (DI-FCT/UNL)

### Wizard of OZ

- · Often used to test new or future Technologies
  - Gould, Conti and Hovanyecz, <u>Composing letters with a simulated listening typewriter</u>, CACM v.26, n. 4, Abril, 1983.
  - Suede A Wizard of Oz Prototyping Tool for Speech **User Interfaces**
  - OMS


2 interfaces (user and wizard)



From Gould et al., 1983

Interacção Pessoa-Máquina (DI-FCT/UNL)

# Further reading



Interacção Pessoa-Máquina (DI-FCT/UNL)

## References

- Apperley, M. D. and Spence, R., A bifocal display technique for data presentation. Proceedings of Eurographics' 82, 1982, pp. 27-43.
- Baecker, R., Picture-driven-animation. Proceedings of the AFIPS 1969, pp. 273-288
- Bayles, D. and Orland T., Art Fear: Observations On the Perils (and Rewards) of Artmaking, Image Continuum Press, 2001.
- Buxton, Bill, Sketching User Experiences, Morgan Kaufmann, 2007.
- Dix, Alan, Finlay, Janet, Abowd, Gregory, Beale, Russel. Human-Computer Interaction. Prentice Hall Europe, London, 1998.
- Gonçalves, D., Jesus, R., Grangeiro, F., Romão, T. and Correia N., Tag Around: A 3D Gesture Game for Image Annotation, in Proceedings of ACM ACE 2008, Tokyo, Japan, 3-5- December, 2008, pp. 259-262.
- Gould, Conti and Hovanyecz, <u>Composing letters with a simulated listening typewriter</u>, CACM v.26, n. 4, Abril, 1983.
- Pugh, S. Total design: Integrated methods for succefull product engineering, Reading MA: Addison-Wesley, 1990.

Interacção Pessoa-Máquina (DI-FCT/UNL)

98

## References

- Klemmer, S. R., Sinha, A. K., Chen, J., Landay, J. A., Aboobaker, N., and Wang, Suede - A Wizard of Oz Prototyping Tool for Speech User Interfaces Proceedings of UIST '00 (November 6–8, San Diego, CA), 2000, pp. 1–10.
- Gould, J., Boies, S., Levy, S., Richards, J. and Schoonard, J., <u>The 1984</u>
   Olympic Message System: a test of behavioral principles of system design,
   Communications of ACM, v.30 n.9, 1987.
- Gould, Conti and Hovanyecz, Composing letters with a simulated listening typewriter, CACM v.26, n. 4, Abril, 1983.
- · Jakob Nielsen, Usability Engineering, Academic Press, 1993.
- Suwa, M. and Tversky, B. External representations contribute to the dynamic construction of ideas. In M. Hegarty, B. Meyer and N. H. Narayanan (eds) Diagrams 2002, NY, Springer-Verlag, p. 341-343.
- Tohidi, M., Buxton, W., Baecker, R. and Sellen, A., Getting the right design and the design right: Testing many is better than one. Proceedings of ACM CHI, 2006, pp. 1243-1252.
- Tohidi, M., Buxton, w., Baecker, R. and Sellen, A., User sketches: a quick, inexpensive, and effective way to elicit more reflective user feedback. Proceedings of NordiCHI, 2006, pp. 105-114.

Interacção Pessoa-Máquina (DI-FCT/UNL)