
Laravel и шаблоны проектирования out of the box v. 0.1

Паша Иванов, пишу кодики МГППУ/Mobupps

Доменная область

- Маркетинговое агентство полного цикла
- У нас есть источники трафика аффилиаты
- Есть клиенты, которым нужнен трафик и установки приложений адвертайзеры
- Есть трекинговая платформа HasOffers с API для создания предложения за конверсию - оффера
- Наша задача их выгрузить от наших адвертайзеров, отфильтровать лучшие из них и выгрузить посредством API в HasOffers, актуализируя уже существующие

Задача



https://domino.com/?API-Key=Mobupps-1345

```
"status": "ok",
   "id": 228274881,
   "offername": "Goodrich-The Right Value of Insurance CPE IOS KR",
   "description": "registration>70% RR>35% full payment, when below them, pay proportion",
   "previewurl": "https://play.google.com/store/apps/details?id=com.efunkr.krlh.google",
   "trackurl": "http://tracking.domino.com/a/c?a=10026&c=522222666&device id={android id}&click id={transaction id}&affsub={affiliate id} {source}",
   "os": "Android",
   "payout": 1.08,
    "geo": "KR",
    "payouttype": "CPI",
```


Паттерны

- Command
- MVC
- Adapter
- Observer
- Facade
- Active Record

Что есть у Laravel

- Команды
- MVC
- Адаптер для Драйверов к API партнёров
- Фасады (для API клиентов HasOffers & OfferTest)
- Observer (для добавления jobs в очередь при создании/изменении оффера)
- Active Record

Паттерн Command




https://habr.com/ru/post/114455/

Команды в Laravel

- https://laravel.com/docs/mas ter/artisan
- https://laravel.com/docs/mas ter/queues
- php artisan make:command
 SendEmails
- Простое описание сигнатур
- В нашем случае шаблон "команда" реализуют и сами Commands, и Jobs, отправляемые в очередь

```
php
namespace App\Console\Commands;
use App\User;
use App\DripEmailer;
use Illuminate\Console\Command;
class SendEmails extends Command
    protected $signature = 'email:send {user}';
    protected $description = 'Send drip e-mails to a user';
    public function construct()
        parent:: construct();
    public function handle(DripEmailer $drip)
        $drip->send(User::find($this->argument('user')));
```

Шаблон MVC



https://habr.com/ru/post/215605/

MVС в Laravel

- Model B Laravel: https://laravel.com/docs/master/eloquent
- php artisan make:migration add_fligh_table
- php artisan make:model Flight

```
namespace App;
use Illuminate\Database\Eloquent\Model;
class Flight extends Model
    protected $table = 'my flights';
    protected $primaryKey = 'flight id';
    public $incrementing = false;
    protected $keyType = 'string';
    public $timestamps = false;
    protected $dateFormat = 'U';
```

MVС в Laravel


- View B Laravel https://laravel.com/docs/master/views
- Routes в Laravel https://laravel.com/docs/master/routing
- Views хранятся в resources/views
- Routes описываются в routes

MVС в Laravel

- Controller в Laravel
 https://laravel.com/docs/mas
 ter/controllers
- php artisan make:controller
 AdvertiserController
- Хранятся в app/Http/Controllers


```
namespace App\Http\Controllers;
use App\Http\Controllers\Controller;
use App\User;
class UserController extends Controller
     * @param int Sid
     * @return View
    public function show($id)
        return view('user.profile', ['user' => User::findOrFail($id)]);
```

Шаблон Adapter




https://habr.com/ru/post/85095/

Adapter в Laravel



Шаблон Observer




https://habr.com/ru/post/270339/

Observer в Laravel

- https://laravel.com/docs/master/eloquent# observers
- php artisan make:observer UserObserver --model=User
- Хранятся в App/Observers

```
namespace App\Observers;
use App\User;
class UserObserver
      @param \App\User $user
      @return void
    public function created(User $user)
      @param \App\User $user
      @return void
    public function updated(User $user)
```

Шаблон Facade



https://habr.com/ru/post/87110/

Facade в Laravel


- https://laravel.com/docs/5.8/ facades
- Фасад упрощённый интерфейс к чему-то
- Хранятся вIlluminate\Support\Facade
- Хороший пример Cache

```
namespace App\Facades;
use Illuminate\Support\Facades\Facade;
class HasoffersApiClientFacade extends Facade {

    Получить зарегистрированное имя компонента.

   * @return string
  protected static function getFacadeAccessor() { return 'hasoffers api client'; }
```

Шаблон Active Record



Active Record B Laravel

- https://laravel.com/docs/master/ eloquent
- https://laravel.com/docs/master/ eloquent-relationships

```
<?php

class Poster extends Command {
  public function handle() {
    $user = User::find($id);
    $allpost = $user->posts()->get();
    var_dump($allpost);
  }
}
```

```
<?php
namespace App;
use Illuminate\Database\Eloquent\Model;

class User extends Model {
  public function posts()
  {
    return $this->belongsToMany('App\Post', 'post_users', 'user_id', 'post_id');
  }
}
```

Что почитать?

- https://github.com/kamranahmedse/design-patterns-for-humans
- https://www.oreilly.com/library/view/design-patterns-elements/0201633612/
- https://martinfowler.com/books/eaa.html
- http://shop.oreilly.com/product/9780596007126.do

Павел Иванов - pavel@ivanov.io - Пишите

Подберу литературу и выпью с вами.

Спасибо.