JetBrains Astella Default Keymap



Editing

Editing	`
^ Space	Basic code completion (the name of any class, method,
·	variable, MXML tag, attribute etc.)
^ ∖ Space	Class name or MXML tag completion (from all
.,	namespaces available in project)
器☆↩	Complete statement
₩ P	Parameter info (within method call arguments)
^ J or Mid. button click	Quick documentation lookup
↑ F1	Open External Documentation in browser
₩ + mouse over code	Brief Info
⋇ F1	Show descriptions of error or warning at caret
#N,^↔,^N	Generate code (constructor, getter, setter, event
, , ,	handler, toString(), implement and override methods)
^0	Override methods
^1	Implement methods
#∵T	Surround with (if / else, try / catch / finally, while, for,
	function expression etc.)
₩/	Comment/uncomment with line comment
#\\	Comment/uncomment with block comment
\tag{\tag{\tag{\tag{\tag{\tag{\tag{	Select successively increasing code blocks
X.†	Decrease current selection to previous state
^ û Q	Context info
4 7	Show intention actions and quick-fixes
₩∖L	Reformat code
^\\0	Optimize imports
^7[Auto-indent line(s)
→ı, û →ı	Indent/unindent selected lines
%X	Cut current line or selected block to clipboard
жC	Copy current line or selected block to clipboard
₩ûC	Copy path
₩V	Paste from clipboard
ж û V	Paste from recent buffers
¥∵ûV	Paste simple
₩ D	Duplicate current line or selected block
#≪	Delete line at caret
^û J	Smart line join
· ·	Start new line
Ж☆U	Toggle case for word at caret or selected block
ж ☆], ж ☆ [Select till code block end/start
∀ ⊠	Delete to word end
	Delete to word start
₩+,₩-	Expand/collapse code block
光	Expand all
光 ① -	Collapse all
≋W	Close active editor tab
光 ☆↑/↓	Move statement up / down
₩Z	
#ûZ	Undo Redo

Search/Replace

жF	Find
₩ G	Find next
ж f G	Find previous
 #R	Replace
₩☆F	Find in path
# û R	Replace in path

www.jetbrains.com/astella

JetBrains Astella Default Keymap



Compile and Run

Compile and Run	<u> </u>
⋇F9	Make project (compile modified and dependent)
ж û F9	(at module node in Project view) force rebuild selected
	module only
^~R	Select configuration and run
^~D	Select configuration and debug
^R	Run
^D	Debug
^	Run context configuration from editor
Debugging	
F8	Cham aver
• •	Step over
F7	Step into
⊕ F7	Smart step into
☆ F8	Step out
₹ F9	Run to cursor
₹ F8	Evaluate expression
ж ∖ R	Resume program
₩ F8	Toggle breakpoint
ж û F8	View breakpoints
Navigation	
#0	Go to class
ж ☆ 0	Go to file
% ∠ 0	Go to symbol
^ ←, ^ →	Go to next/previous editor tab
F12	Go back to previous tool window
5)	Go to editor (from tool window)
<u>ひ</u> む	Hide active or last active window
ж ☆ F4	Close active run/messages/find/ tab
₩L	Go to line
₩E	Recent files popup
#ûE	Recently changed files
TûC	Recent changes
V + ,#\ → X #	Navigate back/forward
#û⊗	Navigate back forward Navigate to last edit location
₹ F1	Select current file or symbol in any view
₩ B or ₩ Click	Go to declaration
# ∠ B	Go to implementation(s)
∑ Space, # Y	Open quick definition lookup
^ û B	Go to type declaration
жU	Go to super-method/super-class
^↑,^↓	Go to previous/next method
 ₩],₩[Move to code block end/start
₩ F12	File structure popup
^H	Type hierarchy
ж _公 Н	Method hierarchy
^_ H	Call hierarchy
F2 . ☆ F2	Next/previous highlighted error
F4/₩↓	Edit source / View source
₹ Home	Show navigation bar
F3	Toggle bookmark
	Toggle bookmark with mnemonic
^0^9	
	Go to numbered bookmark
⋇F3	Show bookmarks
# \ U	Show UML popup
₩℃ûU	Show UML diagram

JetBrains Astella Default Keymap



Usage Search

Usage Search	,	
∵ F7	Find usages	
⋇F 7	Find usages in file	
# c F7	Highlight usages in file	
ж ∵ F7	Show usagess	
Refactoring	3	
F5	Conv	
F6	Copy	
	Move Cofe Poleto	
₩ Delete	Safe Delete Rename	
# ∠ N	Inline Variable	
# / M	Extract Method	
# \ V	Introduce Variable	
# \ F	Introduce Variable	
# ℃ C	Introduce Constant	
# ∠ P	Introduce Constant Introduce Parameter	
# ☆ Delete	Unwrap code block	
	Oliwiap code block	
VCS/Local History		
жK	Commit project to VCS	
жT	Update project from VCS	
VŮC	View recent changes	
^ V	'VCS' quick popup	
Live Templates		
жJ	Insert Live Template	
iter	Iterate (for eachin)	
itin	Iterate (forin)	
itar	Iterate elements of array	
ritar	Iterate elements of array in reverse order	
pf	public function	
prf	private function	
psf	public static function	
prsf	private static function	
pv	public var	
prv	private var	
psv	public static var	
prsv	private static var	
рс	public constant	
prc	private constant	
psc	public static constant	
prsc	private static constant	
General		
#0#9	Open corresponding tool window	
₩\$	Save all	
₩\\Y	Synchronize	
# \ F11	Toggle full screen mode	
# û F12	Toggle maximizing editor	
τ 0F	Add to Favorites	
TΔI	Inspect current file with current profile	
^§ or ^`	Quick switch current scheme	
₩,	Open Settings dialog	
₩;	Open Project Structure dialog	
☆ ₩ A	Find Action	
^→I	Switch between tabs and tool window	

Copyright © JetBrains, Inc. 2000-2011. All Rights Reserved.