LaTeX class `jfp-epi` for the *Journal of Functional Programming*

Jeremy Gibbons and Derek Dreyer,
after `acmart` by Boris Veytsman

2026/05/27, v1.2

Abstract

This document presents a LaTeX class, `jfp-epi`, for typesetting articles in the Journal of Functional Programming under its new publication platform, Episciences. It is based on Boris Veytsman's `acmart`.

1 Introduction

The *Journal of Functional Programming* (JFP) was published by Cambridge University Press (CUP) from its founding in 1991 until the end of 2025. At that point CUP ceased publication of the journal, and transferred ownership of the title to the UK charity *Journal of Functional Programming* (Charity Number 1215989), via a brief tenure under the *Foundation Mathematics in Open Access* (MathOA). JFP is now published as a Diamond Open Access journal via the *Episciences* platform.

From January 2026, JFP is using a new LaTeX document class `jfp-epi.cls`. The class is a thin skin over Boris Veytsman's `acmart.cls`, written for ACM publications, but to a large extent mimicking the layout that JFP had under CUP. In particular, this approach is intended to simplify the task of transforming a paper originally published in PACMPL (and presented at a conference such as ICFP) into an extended version for JFP.

The interface for `jfp-epi.cls` is almost identical to that of `acmart.cls`; so the main source of documentation for `jfp-epi` is the documentation file `acmguide.pdf` that comes with `acmart.cls`. Except where noted here, features of `acmart` are also expected to work for `jfp-epi`. The purpose of this short document is to explain the differences. It also explains explicitly how to take an existing article written either for `acmart` or for CUP's original `jfp.cls` and revise it for the new JFP style.

Included in the `jfp-epi` distribution are two example files, `jfptemplate.tex` and `jfptemplate-biblatex.tex`, which show how to set up the basic macros for a JFP paper (depending on whether one is using BibTeX or BibLaTeX, respectively). In this document, we focus on the instructions for BibTeX, which (as with `acmart`) is the preferred setup. The adaptations for BibLaTeX are essentially the same as described in the `acmart` documentation.

2 Preparing a draft paper in the JFP style

To create a submission to JFP, you should use the document class `jfp-epi.cls`. In contrast to `acmart.cls`, there is only one article type, so the simplest way to start your

document is as follows:

```
\documentclass[review]{jfp-epi}
```

By default, the JFP style is set to "draft" mode, so the above incantation will produce a paper that says "DRAFT PAPER UNDER REVIEW" at the bottom and has line numbers. The line numbers are mandatory for papers undergoing review for publication in JFP, but if you wish to prepare the document for other purposes and do not want line numbers, simply omit the `review` option.

Also by default, the JFP style will produce a document bearing the Creative Commons license, as this is required for all published JFP papers. If this is not what you want for a draft paper, include the following in your preamble:

```
\setcopyright{none}
```

The author names and affiliations are set in almost the same way as with `acmart.cls`. The only difference is that the email address should be specified as part of the affiliation, not separately, and it should use the `\authoremail` macro instead of `\email`. For example:

```
\author{Ben Trovato}
\orcid{1234-5678-9012}
\affiliation{%
  \institution{Institute for Clarity in Documentation}
  \city{Dublin}
  \state{Ohio}
  \country{USA}
  \authoremail{trovato@corporation.com}
}
```

Please note that ORCIDs are required for all authors on JFP submissions.

JFP has a number of special article types in addition to standard research papers: functional pearls, theoretical pearls, and "education matters" papers. These are specified via an option given to the document class; for example:

```
\documentclass[pearl]{jfp-epi}
```

Valid choices are `pearl`, `theory`, `education`, and `research`, of which the last is the default option.

JFP now uses the `ACM-Reference-Format` bibliography style. The incantations required for setting up the bibliography style are different depending on whether you are using BibTeX or BibLaTeX. As noted above, we will assume here that you are using BibTeX, but the accompanying example file `jfptemplate-biblatex.tex` shows how to set things up for BibLaTeX. Assuming you are using BibTeX, you should include the following:

```
\bibliographystyle{ACM-Reference-Format}
```

JFP does not mandate which citation style you use. Standard options are numeric and author-year. Numeric citations are the default. If you wish to switch to author-year citations, you may instead specify

```
\citestyle{acmauthoryear}
```

As with `acmart`, there is a `\received` command with which to specify dates of submission, revision, acceptance, and so on, which will appear at the bottom of the first page. These do not need to be specified for draft papers, but authors are free to do so, e.g.

```
\received[Submitted]{2026-03-06}
\received[revised]{2026-09-13}
```

3 Preparing a final document for publication in JFP

To prepare the final version of your paper, begin your document as follows:

```
\documentclass[final]{jfp}
```

There are macros to set other standard metadata, which are analogous to similar macros in `acmart`, e.g.

```
\jfpVolume{99}
\jfpArticle{13}
\jfpDOI{10.46298/jfp.01234}
\jfpYear{2089}
```

Authors of accepted papers will be given instructions for how to fill these in.

There are several sections that may appear at the end of a JFP article, such as acknowledgments, a data availability statement, and a link to supplementary material. There are no dedicated macros for these sections; they can be formatted simply using the `\section*` macro, e.g. `\section*{Acknowledgments}`.

4 Style guidelines for JFP

In the interest of simplifying life for authors, JFP imposes only minimal style guidelines, most of which are baked into the style file.

One notable exception, inherited from the CUP incarnation of JFP, is that the title of the paper, as well as all `section`, `subsection`, `subsubsection`, and `paragraph` headings, and all figure and table captions, should be in sentence case rather than title case. That means that only the first word (or the first word after a colon), as well as proper nouns, should be capitalized. The section headings of the present document are an example of this style.

5 Adapting a document written using `acmart`

If you had written a paper for a SIGPLAN conference such as ICFP, formatted using the document class declaration

```
\documentclass[acmsmall,screen]{acmart}
```

as specified in the call for papers, and based on the template `sample-acmsmall.tex` provided by ACM, the necessary changes to adapt the document for submission to JFP would be to:

- change the document class from `acmart` to `jfp-epi`
- delete the optional arguments `[acmsmall,screen]` from the document class and add `review`
- delete the `\setcopyright` declaration or set it to `none`
- delete the `\acmJournal` declaration
- modify the author email addresses: replace each `\email` outside an `\affiliation` block with a corresponding `\authoremail` at the end of the block.
- delete any ACM category classifications, as well as keywords

6 Adapting a document written using CUP's JFP class

If you had written a paper for JFP using the CUP document class `jfp.cls`, based on the template `jfpguide.tex` provided by CUP, the necessary changes to adapt the document for the new JFP publisher would be to:

- change the document class from `jfp` to `jfp-epi`
- if the paper is a functional pearl, delete the optional argument `[F]` from the `\maketitle`, and add instead the `[pearl]` option to the `\documentclass` (and similarly for theoretical pearls and "education matters" papers)
- manually edit the author information according to the new interface, *i.e.,* following the style of `acmart` except for email addresses, as described in Section 2
- change any `\bibliographystyle` declaration to use `ACM-Reference-Format`
- add the line

  ```
  \usepackage{jfp-cup2epi}
  ```

  after the `\documentclass` line

This final step provides synonyms for some of the macros to match CUP expectations; as an alternative to using this small package, you can make the changes manually:

- change `\journalTitle` to `\jfpJournal`
- change `\jnlDoiYr` to `\jfpYear`
- change `\doival` to `\jfpDOI`
- delete the `\cpr`, `\totalpg`, `\lefttitle`, and `\righttitle` declarations

Older versions of CUP's `jfp.cls` supported a `\subtitle`, but the latest version did not. However, `acmart.cls` does, so that feature is again available if desired.