


Fenster

glazing



Viewed Outside



Frame Specification: SHEERLINE

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:

Glazing:

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 2863


Dimensions: Overall Size: 1200 x 3000 Actual Frame Size: 1200 x 2975

Qty: 1 Prestige Casement

Location: Item 1

Location:

Viewed Outside



Frame Specification: SHEERLINE

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 93mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:

Glazing:

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158

Qty: 1 Prestige Casement

Location: Item 2

Location:


Viewed Outside**Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 2863


Dimensions: Overall Size: 1200 x 3000 Actual Frame Size: 1200 x 2975
Qty: 1 Prestige Casement**Location: Item 3****Location:****Viewed Outside****Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 93mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 4****Location:****Viewed Outside****Frame Specification: SHEERLINE**


Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 5****Location:**


Viewed Outside**Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046


Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 6****Location:****Viewed Outside****Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 7****Location:****Viewed Outside****Frame Specification: SHEERLINE**


Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 8****Location:**


Viewed Outside**Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046


Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 9****Location:****Viewed Outside****Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None

Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1088 Height 1046

Dimensions: Overall Size: 1200 x 1183 Actual Frame Size: 1200 x 1158
Qty: 1 Prestige Casement**Location: Item 10****Location:****Viewed Outside****Frame Specification: SHEERLINE**

Ext Colour: 9910HG Hipca White -G
 Outer: SP104 70mm Large Outer
 Cill: CILL 158mm (72)
 Beading: 28mm Shuffle Square Bead - 991
 Drainage: Concealed
 Reinforcing: None


Additional Frame Details:**Glazing:**

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon

Width 1888 Height 1963

Dimensions: Overall Size: 2000 x 2100 Actual Frame Size: 2000 x 2075
Qty: 1 Prestige Casement**Location: Item 11****Location:**

Viewed Outside



Frame Specification: SHEERLINE

Additional Frame Details:

Ext Colour: 9910HG Hipca White -G
Outer: SP104 70mm Large Outer
Cill: CILL 93mm (72)
Beading: 28mm Shuffle Square Bead - 991
Drainage: Concealed
Reinforcing: None

Glazing:

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon (SHAPED UNIT) Width 1375 Height 587
6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon (SHAPED UNIT) Width 1375 Height 1415


Dimensions: Overall Size: 2900 x 2400 Actual Frame Size: 2900 x 2375

Qty: 1 Prestige Casement

Location: Item 12

Location:

Viewed Outside



Frame Specification: SHEERLINE

Additional Frame Details:

Ext Colour: 9910HG Hipca White -G
Outer: SP104 70mm Large Outer
Cill: No Cill
Beading: 28mm Shuffle Square Bead - 991
Drainage: Face
Reinforcing: None

Glazing:

6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon (SHAPED UNIT) Width 1375 Height 2221
6 SKN 176 Tuff/16/6 HP Neutral Low E tuff Argon (SHAPED UNIT) Width 1375 Height 1393

Dimensions: Overall Size: 2900 x 2375 Actual Frame Size: 2900 x 2375

Qty: 1 Prestige Casement

Location: Item 13


Location:

Position

Quantity Description

001 1 Pcs 1,200 x 2,100 mm Single Pivoted Anti Fingertrap Doors

Exterior view



Door Element 1200 mm x 2100 mm, Consisting of a Single Pivoted Anti Fingertrap Door.

System: SMA Smart Wall Pocket

Door Description:

Single Pivoted Anti Fingertrap Door Left Hinged

Colours:

Profiles: WP

Glazing:

2 x 8+6mm ----8.8 Lami / 6mm Tuff Anti Sun Grey

Profiles:

Frame: IMP210 SHUFFLE GLAZED PROFILE, IMP013 BEADED POCKET CLOSER, IMP110 HEADER BAR WITH SCREW PORTS

Bottom Rail: IMP027 122MM BOTTOM RAIL DOOR

Internal Rail: IMP034 MIDRAIL DOOR

Door Leaf: IMP041 76M STILE CONCEALED PANIC BAR, IMP037N ANTI FINGER TRAP FOR PUSH BAR, IMP120 90MM DOOR TOP RAIL

Door hardware:

1 x ACIM071 485 LEVER UNIVERSAL OAD + SCREW IN CYLINDER


1 x ACIM453 CONCEALD PANIC BAR 705-1050MM

1 x ACIM424A DOOR CLOSER NON HOLD OPEN

Bottom Configuration:

002 1 Pcs 4,588 x 2,100 mm Door Element

Exterior view




Door Element 4588 mm x 2100 mm, Consisting of a Single Pivoted Anti Fingertrap Door and two Fixed Fields.

System: SMA Smart Wall Pocket

Door Description:

Single Pivoted Anti Fingertrap Door Left Hinged

Colours:

Position	Quantity	Description
		Profiles: WP Glazing: 2 x 4+6mm ----4mm Coolite SKN176II Tuff 6.8 Lami 2 x 8+6mm ----8.8 Lami / 6mm Tuff Anti Sun Grey Profiles: Frame: IMP210 SHUFFLE GLAZED PROFILE, IMP013 BEADED POCKET CLOSER, IMP614 28MM GLAZING BEAD, IMP219 CILL / TRANSOM, IMP110 HEADER BAR WITH SCREW PORTS Bottom Rail: IMP027 122MM BOTTOM RAIL DOOR Mullion: IMP016 CLIP PLATE Internal Rail: IMP034 MIDRAIL DOOR Door Leaf: IMP041 76M STILE CONCEALED PANIC BAR, IMP037N ANTI FINGER TRAP FOR PUSH BAR, IMP120 90MM DOOR TOP RAIL Door hardware: 1 x ACIM071 485 LEVER UNIVERSAL OAD + SCREW IN CYLINDER 1 x ACIM453 CONCEALD PANIC BAR 705-1050MM 1 x ACIM424A DOOR CLOSER NON HOLD OPEN Bottom Configuration:
003	1 Pcs	5,900 x 2,300 mm Door Element Exterior view  Door Element 5900 mm x 2300 mm, Consisting of two Fixed Fields and a Double Pivoted Anti Fingertrap Door. System: SMA Smart Wall Pocket Door Description: Double Pivoted Anti Fingertrap Door LH Master Leaf Colours: Profiles: WP Glazing: 2 x 8+6mm ----8.8 Lami / 6mm Tuff Anti Sun Grey 4 x 4+6mm ----4mm Coolite SKN176II Tuff 6.8 Lami Profiles: Frame: IMP210 SHUFFLE GLAZED PROFILE, IMP013 BEADED POCKET CLOSER, IMP614 28MM GLAZING BEAD, IMP219 CILL / TRANSOM, IMP110 HEADER BAR WITH SCREW PORTS Bottom Rail: IMP027 122MM BOTTOM RAIL DOOR Mullion: IMP016 CLIP PLATE Internal Rail: IMP034 MIDRAIL DOOR Door Leaf: IMP041 76M STILE CONCEALED PANIC BAR, IMP037N ANTI FINGER TRAP FOR PUSH BAR, IMP120 90MM DOOR TOP RAIL, IMP040 65MM DOOR SLAVE STILE Door hardware: 4 x ACET190 DBL PITCH SCREW 4.3 X 45 1 x ACIM453 CONCEALD PANIC BAR 705-1050MM 1 x ACIM071 485 LEVER UNIVERSAL OAD + SCREW IN CYLINDER 2 x ACVL432 EXTENDED BOLT 1 x ACIM424A DOOR CLOSER NON HOLD OPEN

Position	Quantity	Description
		1 x ACIM424A DOOR CLOSER NON HOLD OPEN
		2 x ACIM016BL SHOOTBOLT PACKER PVC10 BL
		Bottom Configuration: