

San Francisco | April 16-20 | Moscone Center

SESSION ID: SP03-R14




#RSAC

#### **Elizabeth Lawler**

Vice President, DevOps Security CyberArk @ElizabethLawler @CyberArk

#### Code Delivery = Revenue Growth





Companies with faster code delivery were

**62**%


more likely to see YoY revenue growth of 25% or more

Source: EMA, "DevOps/Continuous Delivery Tooling: Launchpad for the Digital Enterprise," 2017.



#### The New Norm









**51**%

of security pros says there is no relationship between IT security and business innovation

**75**%

of organizations don't have a privileged account security strategy in place for DevOps


**50**%

don't have a privileged account security strategy in place for for Cloud

BUT


**Sources:** F5 "The Evolving Role of CISOs and the Importance to the Business" CyberArk "2018 Threat Landscape Report"





## The New Norm: Customer And Industry Realities






- More Infrastructure
- More Applications
- More Privileged Actors
- More Automation

## The Expanded Attack Surface






- More Infrastructure
- More Applications
- More Privileged Actors
- More Automation
- More Privileged Security
  Risk

#### Security Islands: Different Locations & Rules








## Managing Secrets in One Flow








#### Vault Cluster Architecture and Secret Rotation








# Application Enrollment Flow for Secrets Retrieva








#### "Secret 0"








## Use the Right Size Vault for the Environment







RS/Conference2018

## The Maturity Level of Secrets Solutions




#### **DevOps Vault Product Evolution Generations**

- "Oth" No strong encryption, robust authentication, authorization or audit
- 1st Encryption, authentication, authorization, CLI management and REST API, single-site HA
- 2<sup>nd</sup> Add declarative policy, user interface, multi-site HA, integrations with 3rd party tools
- 3<sup>rd</sup> Add extensible authentication (delegation of "Secret-0" root of trust), and enrollment workflows to support separation of duties
- 4<sup>th</sup> Remove developers and code from the secrets workflows. Secure the "last mile" delivery of connectivity to applications



### Securing Devops Initiatives is a Team Sport







## Simple Steps to Secure Devops



- Assess secrets and management approaches across cloud and DevOps environments.
  - Mitigate poorly secrets as basic DevOps hygiene.
  - Embed security with developers and DevOps teams to facilitate better secrets management practices.
- Embrace security engineering and security automation.





#### **Elizabeth Lawler**

Vice President, DevOps Security CyberArk @ElizabethLawler @CyberArk

#### Rotate, Repave and Repair





Rotate datacenter credentials every few minutes or hours



Repave every server and application every few hours from a known good state



Repair vulnerabilities consistently within hours of patch availability

BUT there are always exceptions.

No one has every environment set fully on automate

If it is fit for purpose, use it.

