
BEST MongoDB collections · 1. User creation and login

Draft for review · 28 October 2026



Master · Transactional · Short-lived / history · Configuration

→ reference to another collection · [ ] = embedded array · Every clinic document carries orgId (only some arrows drawn) · TTL = removed automatically after expiry

BEST MongoDB collections · 2. Platform master data (D-022)

Draft for review · 28 October 2026 · organizations and locations are on page 1

assessment_types — BEST

_id	PK e.g. VBMAPP
name	
scoreFields[ ]	key, label, type
levels[ ]	code, label (open)
defaultValidityMonths	6
status	Active | Retired

organizations — page 1

_id	PK = orgId
...	see page 1

locations — page 1

_id	PK
...	see page 1

signal_types — BEST clinical lead

_id	PK e.g. HR
name	
unit	bpm
deviceKind	
status	

clinic_settings — Org Admin + BEST

_id	PK = orgId
assessmentValidity	months, warningDays
consentValidity[ ]	→ consent_item_types
checklistOverrides[ ]	→ checklists

devices — BEST registry

_id	PK
modelId	→ device_models
serialNumber	unique
orgId	→ organizations
locationId	→ locations
label	
status	InStock ... Retired
currentSessionId	set per session

reference_ranges — BEST clinical lead

_id	PK
signalTypeId	→ signal_types
ageBand	
low / high	
version	approved set
approvedBy / At	
status	Draft | Active | Superseded

client_profiles — BEST clinical lead

_id	PK
name	
ageBand	minYears, maxYears
assessmentTypeId	→ assessment_types
levelCode	one of levels[ ]
defaultChecklistId	→ checklists
status	

consent_item_types — BEST + clinic items

_id	PK
orgId	→ organizations (empty = BEST)
code / name	
source	BEST | Clinic
blocks	Wearable | Audio | Telehealth | None
defaultValidityMonths	
requiresSignedForm	bool
status	

device_models — BEST

_id	PK
kind	Wearable | RoomAudio
manufacturer / model	
signalTypeIds[ ]	→ signal_types
integration	API | SDK
status	

clinical_parameters — BEST clinical lead

_id	PK
version	one Active
sustainedTrendWindowSec	
alertThrottleWindowSec	
maxDataAgeSec	
approvedBy / At	

checklists — BEST + clinic copies

_id	PK
orgId	→ organizations (empty = BEST)
name	
profileId	→ client_profiles
copiedFromChecklistId	→ checklists
items[ ]	order, text, area
version	sessions keep a copy
status	

reason_codes — BEST + clinic

_id	PK
orgId	→ organizations (empty = BEST)
list	NoShow | Cancellation | ItemNotDone
label	
isOther	free text
status	

client_field_definitions — Org Admin

_id	PK
orgId	→ organizations
label	unique per clinic
type	Text | Number | Date | Dropdown
mandatory	bool
status	never sent to AI

display_phrases — BEST clinical lead

_id	PK e.g. ELEVATED
text	Elevated
usage[ ]	Label | Alert | Summary
status	

Master · Configuration · From page 1

→ reference · [ ] = embedded array · orgId empty = BEST entry, set = clinic entry · Clinic documents carry orgId (only some arrows drawn) · Clinically approved lists change only by a new approved version