

Methods for estimating global and regional sea level change from satellite altimetry observations

Thomas Holland
Jesus College, Cambridge

March 2026

5961 words.

All work and data found within this report can be found at
https://github.com/0thomasholland/Part_III_Project.

I declare that the submitted work is my own, except where acknowledgement is
given to the work of others or to work done in collaboration.

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Contents

1	Introduction	2
2	Previous methods	3

1 Introduction

1. Problem space
2. What the benefits/importance of this area is
3. Current group's work
4. what the aims were

2 Previous methods

- satalite data range = error
- in ternary space how different contributions of three main ice sheets affect error
-