

**TOP**

**500**

**.NET**

**INTERVIEW**

**QUESTIONS**

**2022**



**OOPS C#**

**SQL**

**ASP.NET**

**.NET CORE**

**WEB API**

**MVC**

**HAPPY RAWAT**

## PREFACE

### ABOUT THE BOOK

This book contains 500 .NET Interview Questions.

This book is based on the research of .NET interview questions asked in top IT and Tech companies like Microsoft, TCS, Accenture, Infosys, Wipro, HCL, IBM, Tech Mahindra, CTS, HP.

### ABOUT THE AUTHOR

Happy Rawat have more than 13 years of experience in .NET technologies. He helps candidates in clearing technical interview in tech companies.

This book is divided into two parts:

Part I – Top 200 interview questions

Part II – 300 more questions

Topic	Number of Questions	
	Part I	Part II
OOPS/ C#	51	47
.NET FRAMEWORK	16	28
SQL	27	29
ASP.NET MVC	15	53
ASP.NET WEBFORMS	7	35
ADO.NET	4	10
ENTITY FRAMEWORK	7	0
JAVASCRIPT	0	27
DESIGN PATTERNS	16	9
WEB API / WEB SERVICE / WCF	20	38
.NET CORE	37	24
TOTAL	200	300

## PART I

# TOP 200 INTERVIEW QUESTIONS

# INDEX

PART I .....	4
Chapter 1 – OOPS/ C# .....	13
Q1.     WHAT ARE THE MAIN CONCEPTS OF OOPS? WHAT ARE CLASSES AND OBJECTS? ....	13
Q2.     WHAT IS INHERITANCE? WHY INHERITANCE IS IMPORTANT? .....	16
Q3.     WHAT ARE THE DIFFERENT TYPES OF INHERITANCE?.....	18
Q4.     HOW TO PREVENT A CLASS FROM BEING INHERITED?.....	22
Q5.     WHAT IS ABSTRACTION? .....	23
Q6.     WHAT IS ENCAPSULATION? .....	26
Q7.     WHAT IS POLYMORPHISM AND WHAT ARE ITS TYPES? .....	29
Q8.     WHAT IS METHOD OVERLOADING? IN HOW MANY WAYS A METHOD CAN BE OVERLOADED?.....	32
Q9.     WHAT IS THE DIFFERENCE BETWEEN OVERLOADING AND OVERRIDING? .....	33
Q10.    WHAT IS THE DIFFERENCE BETWEEN METHOD OVERRIDING AND METHOD HIDING? 35	
Q11.    WHAT ARE THE ADVANTAGES AND LIMITATIONS OF OOPS? .....	36
Q12.    WHAT IS THE DIFFERENCE BETWEEN AN ABSTRACT CLASS AND AN INTERFACE?....	37
Q13.    WHEN TO USE INTERFACE AND WHEN ABSTRACT CLASS? .....	38
Q14.    WHY TO EVEN CREATE INTERFACES? .....	40
Q15.    DO INTERFACE CAN HAVE A CONSTRUCTOR? .....	42
Q16.    CAN YOU CREATE AN INSTANCE OF AN ABSTRACT CLASS OR AN INTERFACE? .....	43
Q17.    WHAT ARE ACCESS SPECIFIERS? WHAT IS THE DEFAULT ACCESS MODIFIER IN A CLASS? 44	
Q18.    WHAT IS BOXING AND UNBOXING? .....	46
Q19.    WHAT IS THE DIFFERENCE BETWEEN “STRING” AND “STRINGBUILDER”? WHEN TO USE WHAT? .....	47
Q20.    WHAT ARE THE BASIC STRING OPERATIONS IN C#? .....	49

Q21.	WHAT ARE NULLABLE TYPES? .....	51
Q22.	EXPLAIN GENERICS IN C#? WHEN AND WHY TO USE THEM? .....	52
Q23.	HOW TO IMPLEMENT EXCEPTION HANDLING IN C#?.....	55
Q24.	CAN WE EXECUTE MULTIPLE CATCH BLOCKS? .....	56
Q25.	WHAT IS A FINALLY BLOCK AND GIVE AN EXAMPLE WHEN TO USE IT? .....	57
Q26.	CAN WE HAVE ONLY “TRY” BLOCK WITHOUT “CATCH” BLOCK? .....	58
Q27.	WHAT IS THE DIFFERENCE BETWEEN “THROW EX” AND “THROW”?.....	59
Q28.	WHAT ARE THE LOOP TYPES IN C#? .....	61
Q29.	WHAT IS THE DIFFERENCE BETWEEN “CONTINUE” AND “BREAK” STATEMENT? .....	63
Q30.	WHAT IS THE DIFFERENCE BETWEEN ARRAY AND ARRAYLIST? .....	64
Q31.	WHAT IS THE DIFFERENCE BETWEEN ARRAYLIST AND HASHTABLE? .....	65
Q32.	WHAT ARE COLLECTIONS IN C# AND WHAT ARE THEIR TYPES?.....	66
Q33.	WHAT IS IENUMERABLE IN C#?.....	67
Q34.	WHAT IS THE DIFFERENCE BETWEEN IENUMERABLE AND IENUMERATOR IN C#?....	69
Q35.	WHAT IS THE DIFFERENCE BETWEEN IENUMERABLE AND IQUERYABLE IN C#? WHY TO USE IQUERYABLE IN SQL QUERIES?.....	70
Q36.	WHAT IS THE DIFFERENCE BETWEEN “OUT” AND “REF” PARAMETERS? .....	71
Q37.	WHAT IS THE PURPOSE OF “PARAMS” KEYWORD? .....	72
Q38.	WHAT IS A CONSTRUCTOR AND WHAT ARE ITS TYPES? .....	73
Q39.	WHEN TO USE PRIVATE CONSTRUCTOR? .....	79
Q40.	WHAT ARE EXTENSION METHODS IN C#? WHEN TO USE THEM? .....	80
Q41.	WHAT YOU MEAN BY DELEGATE? WHEN TO USE THEM? .....	82
Q42.	WHAT ARE MULTICAST DELEGATES? .....	83
Q43.	WHAT ARE ANONYMOUS DELEGATES IN C#?.....	84
Q44.	WHAT ARE THE DIFFERENCES BETWEEN EVENTS AND DELEGATES? .....	85
Q45.	WHAT IS “THIS” KEYWORD IN C#? WHEN TO USE IT? .....	86
Q46.	WHAT IS THE PURPOSE OF “USING” KEYWORD IN C#? .....	88
Q47.	WHAT IS THE DIFFERENCE BETWEEN “IS” AND “AS” OPERATORS? .....	89
Q48.	WHAT IS THE DIFFERENCE BETWEEN “READONLY” AND “CONSTANT” VARIABLES ?	90
Q49.	WHAT IS “STATIC” CLASS? WHEN TO USE IT?.....	92
Q50.	WHAT IS THE DIFFERENCE BETWEEN “VAR” AND “DYNAMIC” IN C#? .....	93

Q51. WHAT IS ENUM KEYWORD USED FOR? .....	94
<b>Chapter 2 - .NET FRAMEWORK .....</b>	<b>95</b>
Q52. WHAT ARE THE IMPORTANT COMPONENTS OF .NET FRAMEWORK? WHAT ARE THEIR ROLES? .....	95
Q53. WHAT IS AN ASSEMBLY? WHAT ARE THE DIFFERENT TYPES OF ASSEMBLY IN .NET? .....	97
Q54. WHAT IS GAC? .....	98
Q55. WHAT IS GARBAGE COLLECTION(GC)? .....	98
Q56. WHAT ARE GENERATIONS IN GARBAGE COLLECTION?.....	100
Q57. WHAT IS THE DIFFERENCE BETWEEN “DISPOSE” AND “FINALIZE”? .....	101
Q58. WHAT IS THE DIFFERENCE BETWEEN “FINALIZE” AND “FINALLY” METHODS? .....	103
Q59. CAN WE FORCE GARBAGE COLLECTOR TO RUN? .....	104
Q60. WHAT IS THE DIFFERENCE BETWEEN PROCESS AND THREAD?.....	104
Q61. EXPLAIN MULTITHREADING? .....	106
Q62. WHAT IS THE DIFFERENCE BETWEEN THREADS AND TASKS? .....	107
Q63. WHAT IS THE ASYNC AND AWAIT IN TASK?.....	108
Q64. WHAT IS REFLECTION?.....	109
Q65. WHAT IS SERIALIZATION? .....	110
Q66. WHAT IS MEANT BY GLOBALIZATION AND LOCALIZATION? .....	111
Q67. WHAT ARE WINDOW SERVICES?.....	112
<b>Chapter 3 - SQL .....</b>	<b>113</b>
Q68. WHAT IS THE DIFFERENCE BETWEEN DBMS AND RDBMS? .....	113
Q69. WHAT IS A CONSTRAINT IN SQL? WHAT ARE ITS TYPES.....	114
Q70. WHAT IS THE DIFFERENCE BETWEEN PRIMARY KEY AND UNIQUE KEY? .....	115
Q71. WHAT ARE TRIGGERS AND TYPES OF TRIGGERS? .....	116
Q72. WHAT IS A VIEW? .....	117
Q73. WHAT IS THE DIFFERENCE BETWEEN HAVING CLAUSE AND WHERE CLAUSE? .....	118
Q74. WHAT IS SUB QUERY OR NESTED QUERY OR INNER QUERY IN SQL? .....	119
Q75. WHAT IS AUTO INCREMENT/ IDENTITY COLUMN IN SQL SERVER? .....	120
Q76. WHAT ARE JOINS IN SQL? .....	121
Q77. WHAT ARE THE TYPES OF JOINS IN SQL SERVER? .....	122
Q78. WHAT IS SELF-JOIN? .....	123

Q79.	WRITE A SQL QUERY TO FETCH ALL THE EMPLOYEES WHO ARE ALSO MANAGERS?	125
Q80.	WHAT ARE INDEXES IN SQL SERVER? .....	126
Q81.	WHAT IS CLUSTERED INDEX? .....	127
Q82.	WHAT IS NON-CLUSTERED INDEX? .....	128
Q83.	WHAT IS THE DIFFERENCE BETWEEN CLUSTERED AND NON-CLUSTERED INDEX? ..	129
Q84.	HOW TO CREATE CLUSTERED AND NON-CLUSTERED INDEX IN A TABLE?.....	130
Q85.	IN WHICH COLUMN YOU WILL APPLY THE INDEXING TO OPTIMIZE THIS QUERY....	130
Q86.	WHAT IS THE DIFFERENCE BETWEEN STORED PROCEDURE AND FUNCTIONS? .....	131
Q87.	HOW TO OPTIMIZE A STORED PROCEDURE OR SQL QUERY? .....	132
Q88.	WHAT IS A CURSOR? WHY TO AVOID THEM? .....	133
Q89.	WHAT IS THE DIFFERENCE BETWEEN SCOPE_IDENTITY AND @@IDENTITY? .....	134
Q90.	WHAT IS CTE IN SQL SERVER? .....	135
Q91.	WHAT IS THE DIFFERENCE BETWEEN DELETE, TRUNCATE AND DROP COMMANDS?	136
Q92.	HOW TO GET THE NTH HIGHEST SALARY OF AN EMPLOYEE?.....	137
Q93.	WHAT ARE ACID PROPERTIES?.....	138
Q94.	WHAT ARE MAGIC TABLES IN SQL SERVER? .....	138
	<a href="#">Chapter 4 - ASP.NET MVC</a> .....	139
Q95.	WHAT IS MVC (MODEL VIEW CONTROLLER)? EXPLAIN MVC LIFE CYCLE. .....	139
Q96.	WHAT ARE THE ADVANTAGES OF MVC OVER WEB FORMS? .....	139
Q97.	WHAT ARE THE DIFFERENT RETURN TYPES OF A CONTROLLER ACTION METHOD? 142	142
Q98.	WHAT ARE FILTERS AND THEIR TYPES IN MVC? .....	144
Q99.	WHAT IS AUTHENTICATION AND AUTHORIZATION IN ASP.NET MVC? .....	146
Q100.	WHAT ARE THE TYPES OF AUTHENTICATION IN ASP.NET MVC? .....	147
Q101.	WHAT IS OUTPUT CACHING IN MVC? HOW TO IMPLEMENT IT?.....	148
Q102.	WHAT IS THE DIFFERENCE BETWEEN VIEWDATA, VIEWBAG & TEMPDATA? .....	149
Q103.	HOW CAN WE PASS THE DATA FROM CONTROLLER TO VIEW IN MVC? .....	149
Q104.	WHAT IS PARTIAL VIEW? .....	150
Q105.	WHAT ARE AREAS IN MVC? .....	150
Q106.	HOW VALIDATION WORKS IN MVC? .....	151

Q107.	EXPLAIN THE CONCEPT OF MVC SCAFFOLDING? .....	151
Q108.	WHAT IS BUNDLING AND MINIFICATION IN MVC? .....	152
Q109.	HOW TO IMPLEMENT SECURITY IN WEB APPLICATIONS IN MVC? .....	153
<b>Chapter 5 - ASP.NET WEBFORMS .....</b>		<b>154</b>
Q110.	WHAT ARE THE EVENTS IN PAGE LIFE CYCLE? IN WHICH EVENT ARE THE CONTROLS FULLY LOADED? .....	154
Q111.	WHAT IS THE DIFFERENCE BETWEEN SERVER.TRANSFER() AND RESPONSE.REDIRECT()? .....	156
Q112.	WHERE THE VIEWSTATE IS STORED AFTER THE PAGE POSTBACK? .....	157
Q113.	WHAT ARE THE DIFFERENT TYPES OF CACHING?.....	158
Q114.	WHAT ARE THE DIFFERENT SESSION STATE MANAGEMENT OPTIONS AVAILABLE IN ASP.NET? 158	
Q115.	WHAT IS COOKIE LESS SESSION? .....	159
Q116.	HOW TO FORCE ALL THE VALIDATION CONTROLS TO RUN IN A PAGE IN WEB FORMS? 159	
<b>Chapter 6 - ADO.NET .....</b>		<b>160</b>
Q117.	WHAT ARE THE MAIN COMPONENTS OF ADO.NET?.....	160
Q118.	WHAT IS CONNECTED ARCHITECTURE AND DISCONNECTED ARCHITECTURE?....161	
Q119.	WHAT ARE THE DIFFERENT EXECUTE METHODS OF ADO.NET? .....	162
Q120.	WHAT ARE THE AUTHENTICATION TECHNIQUES USED TO CONNECT TO SQL SERVER? 162	
<b>Chapter 7 – ENTITY FRAMEWORK .....</b>		<b>163</b>
Q121.	WHAT IS ORM? WHAT ARE THE DIFFERENT TYPES OF ORM? .....	163
Q122.	WHAT IS ENTITY FRAMEWORK? .....	164
Q123.	HOW WILL YOU DIFFERENTIATE ADO.NET FROM ENTITY FRAMEWORK? .....	165
Q124.	HOW ENTITY FRAMEWORK WORKS? OR HOW TO SETUP EF? .....	166
Q125.	WHAT IS MEANT BY DBCONTEXT AND DBSET? .....	168
Q126.	WHAT ARE THE DIFFERENT TYPES OF APPROACHES USED IN ENTITY FRAMEWORK? 169	
Q127.	WHAT IS THE DIFFERENCE BETWEEN LINQ TO SQL AND ENTITY FRAMEWORK? .170	
<b>Chapter 8 - DESIGN PATTERNS &amp; SOLID PRINCIPLES .....</b>		<b>171</b>
Q128.	WHAT ARE SOLID PRINCIPLES? WHAT IS THE DIFFERENCE BETWEEN SOLID PRINCIPLES AND DESIGN PATTERNS?.....	171

Q129.	WHAT IS SINGLE RESPONSIBILITY PRINCIPLE? .....	173
Q130.	WHAT IS OPEN-CLOSED PRINCIPLE? .....	174
Q131.	WHAT IS LISKOV SUBSTITUTION PRINCIPLE? .....	176
Q132.	WHAT IS INTERFACE SEGREGATION PRINCIPLE?.....	178
Q133.	WHAT IS DEPENDENCY INVERSION PRINCIPLE?.....	180
Q134.	WHAT IS DRY PRINCIPLE? .....	181
Q135.	WHAT ARE DESIGN PATTERNS AND WHAT PROBLEM THEY SOLVE?.....	182
Q136.	WHAT ARE THE TYPES OF DESIGN PATTERNS? .....	183
Q137.	WHAT ARE CREATIONAL DESIGN PATTERNS? .....	184
Q138.	WHAT ARE STRUCTURAL DESIGN PATTERNS? .....	184
Q139.	WHAT ARE BEHAVIORAL DESIGN PATTERNS?.....	184
Q140.	WHAT IS SINGLETON DESIGN PATTERN? .....	185
Q141.	HOW TO MAKE SINGLETON PATTERN THREAD SAFE? .....	186
Q142.	WHAT IS FACTORY PATTERN? WHY TO USE FACTORY PATTERN? .....	187
Q143.	HOW TO IMPLEMENT FACTORY METHOD PATTERN? .....	188
<b>Chapter 9 – WEB API</b>	<b>.....</b>	<b>189</b>
Q144.	WHAT IS WEB API? WHAT IS THE PURPOSE OF WEB API? .....	189
Q145.	WHAT ARE WEB API ADVANTAGES OVER WCF AND WEB SERVICES? .....	190
Q146.	WHAT IS REST AND RESTFUL? .....	191
Q147.	IS IT POSSIBLE TO USE WCF AS RESTFUL SERVICES?.....	192
Q148.	WHAT ARE HTTP VERBS OR HTTP METHODS? .....	192
Q149.	HOW TO CONSUME WEB API FROM A .NET MVC APPLICATION? .....	193
Q150.	WHAT IS THE DIFFERENCE BETWEEN WEB API AND MVC CONTROLLER? .....	194
Q151.	WHAT IS BASIC AUTHENTICATION IN WEB API? .....	195
Q152.	WHAT IS API KEY AUTHENTICATION IN WEB API?.....	196
Q153.	WHAT IS TOKEN BASED AUTHENTICATION? .....	197
Q154.	WHAT IS OAUTH?.....	198
Q155.	WHAT IS JWT AUTHENTICATION? .....	199
Q156.	WHAT ARE THE PARTS OF JWT TOKEN?.....	200
Q157.	WHERE JWT TOKEN RESIDE IN THE REQUEST? .....	201
Q158.	HOW TO TEST WEB API? WHAT ARE THE TOOLS? .....	202


Q159.	WHAT ARE MAIN RETURN TYPES SUPPORTED IN WEB API? .....	202
Q160.	WHAT IS THE DIFFERENCE BETWEEN HTTPRESPONSEMESSAGE AND IHTTPACTIONRESULT? .....	203
Q161.	WHAT IS CONTENT NEGOTIATION IN WEB API? .....	204
Q162.	WHAT IS MEDIATYPEFORMATTER CLASS IN WEB API? .....	205
Q163.	WHAT ARE RESPONSE CODES IN WEB API? .....	206
<a href="#">Chapter 10 - .NET CORE</a>	.....	207
Q164.	WHAT IS .NET CORE? .....	207
Q165.	WHAT IS .NET STANDARD?.....	207
Q166.	WHAT ARE THE ADVANTAGES OF .NET CORE OVER .NET FRAMEWORK?.....	208
Q167.	WHAT IS THE ROLE OF PROGRAM.CS FILE IN ASP.NET CORE? OR WHAT IS CREATEHOSTBUILDER / CREATEDefaultBUILDER? .....	209
Q168.	WHAT IS THE ROLE OF STARTUP.CS FILE?.....	210
Q169.	WHAT IS THE ROLE OF CONFIGURESERVICES METHOD? .....	211
Q170.	WHAT IS THE ROLE OF CONFIGURE METHOD? .....	212
Q171.	WHAT IS THE DIFFERENCE BETWEEN CONFIGURESERVICES & CONFIGURE METHOD? 213	
Q172.	WHAT IS DEPENDENCY INJECTION?.....	213
Q173.	WHY TO USE DEPENDENCY INJECTION? OR WHAT PROBLEMS DOES DEPENDENCY INJECTION SOLVE? .....	214
Q174.	HOW CAN WE INJECT THE DEPENDENCY INTO THE CONTROLLER? .....	215
Q175.	WHAT ARE THE TYPES OF DEPENDENCY INJECTION?.....	215
Q176.	HOW TO USE DEPENDENCY INJECTION IN VIEWS IN ASP.NET CORE? .....	216
Q177.	WHAT ARE THE TYPES OF SERVICE LIFETIMES OF AN OBJECT/ INSTANCE IN ASP.NET CORE?.....	217
Q178.	WHAT IS ADDSINGLETON, ADDSOPED AND ADDTRANSIENT METHOD? .....	218
Q179.	WHAT IS MIDDLEWARE IN ASP.NET CORE? .....	220
Q180.	HOW ASP.NET CORE MIDDLEWARE IS DIFFERENT FROM HTTPMODULE? .....	221
Q181.	WHAT IS CUSTOM MIDDLEWARE? HOW TO ADD CUSTOM MIDDLEWARE IN ASP.NET CORE?.....	222
Q182.	WHAT IS REQUEST DELEGATE?.....	225
Q183.	WHAT IS RUN(), USE() AND MAP() METHOD?.....	226

Q184. WHAT ARE THE TYPES OF HOSTING IN ASP.NET CORE? WHAT IS IN PROCESS AND OUT OF PROCESS HOSTING? .....	229
Q185. WHAT IS KESTREL? WHAT IS THE DIFFERENCE BETWEEN KESTREL AND IIS? .....	231
Q186. WHAT IS ROUTING? EXPLAIN ATTRIBUTE ROUTING IN ASP.NET CORE? .....	232
Q187. DESCRIBE THE COMPLETE REQUEST PROCESSING PIPELINE FOR ASP.NET CORE MVC? .....	234
Q188. EXPLAIN DEFAULT PROJECT STRUCTURE IN ASP.NET CORE APPLICATION?.....	235
Q189. HOW ASP.NET CORE SERVE STATIC FILES?.....	236
Q190. WHAT ARE THE MAIN JSON FILES AVAILABLE IN ASP.NET CORE? .....	238
Q191. WHAT ARE THE ROLES OF APPSETTINGS.JSON AND LAUNCHSETTING.JSON FILE IN ASP.NET CORE?.....	239
Q192. WHAT IS THE DIFFERENCE BETWEEN APPSETTING.JSON AND LAUNCHSETTING.JSON FILE?.....	241
Q193. WHAT ARE THE VARIOUS TECHNIQUES TO SAVE CONFIGURATION SETTINGS IN ASP.NET CORE?.....	241
Q194. WHAT IS CACHING IN ASP.NET CORE?.....	242
Q195. WHAT IS IN-MEMORY CACHING & DISTRIBUTED CACHING? WHEN TO USE IN-MEMORY CACHING AND WHEN TO USE DISTRIBUTED CACHING? .....	243
Q196. WHAT IS CROSS-ORIGIN REQUESTS (CORS) IN ASP.NET CORE? WHY CORS RESTRICTION IS REQUIRED? HOW TO FIX CORS ERROR? .....	244
Q197. HOW TO HANDLE ERRORS IN ASP.NET CORE? .....	246
Q198. WHAT IS METAPACKAGE? WHAT IS THE NAME OF METAPACKAGE PROVIDED BY ASP.NET CORE? .....	247
Q199. WHAT IS THE DIFFERENCE BETWEEN .NET CORE AND .NET 5? .....	248
Q200. WHAT ARE RAZOR PAGES IN .NET CORE? .....	248

# Chapter 1 – OOPS/ C#

## Q1. WHAT ARE THE MAIN CONCEPTS OF OOPS? WHAT ARE CLASSES AND OBJECTS?


Here are the main concepts of OOPS:



In this question we will cover Classes and Objects only. Rest will be covered in upcoming questions

- CLASS - A class is a **LOGICAL UNIT** or **BLUEPRINT** that contains fields, methods and properties.

*Simple employee class and its member's:*



1. **Constructor** is a method in the class which gets executed when a class object is created.
2. A **field** is a **variable of any type**. It is basically the data.
3. A **property** is a member that provides helps in read and write of private field.
4. A **method** is a code block that contains a series of statements.

 **OBJECT** - An object is an **INSTANCE** of a class.

*Below is the object of employee class created above.*

```
0 references
static void Main(string[] args)
{
    Employee objEmployee = new Employee();

    objEmployee.Experience = 3;

    objEmployee.CalculateSalary();

    Console.ReadLine();
}
```

Object

## Q2. WHAT IS INHERITANCE? WHY INHERITANCE IS IMPORTANT?

Inheritance is creating a **PARENT-CHILD** relationship between two classes where child automatically get the properties and methods of the parent.

For example, in below code Employee is a Parent class and PermanentEmployee is a child class. Now when we will create the object of the PermanentEmployee (derived class) then it will automatically get this CalculateSalary() method, even though this CalculateSalary method is not present in the PermanentEmployee class but it will automatically get it from its parent class Employee.

```
1 reference
public class Employee { → Base/ Parent/ Super class
{
    2 references
    public int Experience { get; set; }

    1 reference
    public void CalculateSalary()
    {
        int salary = Experience * 300000;

        Console.WriteLine("salary:{0} ", salary);
    }
}

2 references
public class PermanentEmployee : Employee → Derived/ Child/ Sub class
{
    //No method or Property here
}

0 references
static void Main(string[] args)
{
    PermanentEmployee pEmployee = new PermanentEmployee();
    pEmployee.Experience = 5;
    pEmployee.CalculateSalary(); → CalculateSalary() method is not
    Console.ReadLine();      present in PermanentEmployee
}                                class, but it will get it automatically
                                    from its parent
```

## Inheritance Use:

- ⊕ Inheritance is good for: **REUSABILITY** and **ABSTRACTION** of code

*For example, if tomorrow you get a new type of Employee and that is Contract employee then you can derive from the same base class Employee for getting its' methods and properties.*

```
0 references
public class ContractEmployee : Employee
{
    //No method or Property here
}
```

*If you will not use inheritance, then you have to remove this base Employee class and write these methods and properties inside both PermanentEmployee and ContractEmployee which is basically duplicity of code.*

### Q3. WHAT ARE THE DIFFERENT TYPES OF INHERITANCE?


Below are the types of inheritance we have in C#:

- ➊ **Single Inheritance** - One Base class with one Derived class



- Multiple Inheritance - In this case Multiple Base classes can be there for single derived class.

*Remember in C#, multiple inheritance can only be achieved with the help of interfaces. Which means only one base or abstract class is allowed, and rest must be interfaces.*



```


class BaseClass2
{
    0 references
    public void Animal() {
        Console.WriteLine("Animal");
    }
}
1 reference
interface I2
{
    1 reference
    public void Fly();
}
0 references
class DerivedClass2 : BaseClass2, I2
{
    0 references
    public void Eagle() {
        Console.WriteLine("Eagle");
    }
    1 reference
    public void Fly() {
        Console.WriteLine("Fly");
    }
}

```

- ❖ **Multilevel inheritance** – In this, there is a GrandParent class then there is a Parent class which is derived from GrandParent class and then there is Child class which is derived from Parent class.

**Grandparent class -> Parent class -> Child class**

Here the Child class will get the properties of both Parent class and GrandParent class automatically.



```


class BaseClass3
{
    0 references
    public void Animal() {
        Console.WriteLine("Animal");
    }
}

1 reference
class DerivedClass3 : BaseClass2
{
    0 references
    public void Dog() {
        Console.WriteLine("Dog");
    }
}

0 references
class DerivedClass4 : DerivedClass3
{
    0 references
    public void Labrador() {
        Console.WriteLine("Labrador");
    }
}
  
```

- **Hierarchical inheritance** - In this One, child class is derived more from than one base class. This is the most used type of inheritance.

*Just to remind you Base/ Parent/ Super classes are same and Child/ Derived/ Subclasses are same.*



```

class BaseClass4
{
    0 references
    public void Animal()    {
        Console.WriteLine("Animal");
    }
}

0 references
class DerivedClass5 : BaseClass4
{
    0 references
    public void Dog()       {
        Console.WriteLine("Dog");
    }
}
0 references
class DerivedClass6 : BaseClass4
{
    0 references
    public void Cat()       {
        Console.WriteLine("Cat");
    }
}
  
```

## Q4. HOW TO PREVENT A CLASS FROM BEING INHERITED?

- + By using **SEALED** keyword in class.

See the screenshot below, you marked the class ABC as sealed. If you will try to derive this class "ABC" in a child class "XYZ" then it will give a compiler error because ABC is marked as Sealed.

The screenshot shows a code editor window with the following code:

```
1 reference
sealed class ABC { }
0 references
class XYZ : ABC { } //Invalid
```


A tooltip is displayed over the line `class XYZ : ABC { }`, indicating it is invalid due to the sealed class `ABC`. The tooltip contains:

- A small icon of a class with a red X.
- The text `class SealedClassEx.ABC`
- The error message `CS0509: 'XYZ': cannot derive from sealed type 'ABC'`
- The text `Show potential fixes (Alt+Enter or Ctrl+.)`

## Q5. WHAT IS ABSTRACTION?

- Abstraction means showing only required things and hide the **BACKGROUND** details.

*For example, a car driver only knows about few things like starting, gear and break, but things like working of engine is hidden from him, but still he can drive the car.*



One more example, in the below code, inside the Main method object of Employee class has been created and then CalculateSalary() method is called.

Now if you look at this Employee class then the CalculateSalary() method is internally using CalculateBasicSalary() and CalculateHra() methods.

These methods are doing their job but they are not visible to the client here inside the Main method.

So, they are kind of hidden methods or background methods.

So, this is abstraction. Hiding the background details.

```
0 references
static void Main(string[] args)
{
    Employee employee = new Employee();

    employee.Experience = 5;
    employee.CalculateSalary();

    Console.ReadLine();
}

public class Employee
{
    2 references
    public int Experience { get; set; }

    1 reference
    public void CalculateSalary()
    {
        int salary = Experience * 300000;


        Console.WriteLine("salary:{0} ", salary);

        CalculateBasicSalary(); →
        CalculateHra(); →
    }
    1 reference
    public void CalculateBasicSalary() {
        //some logic
    }
    1 reference
    public void CalculateHra() {
        //some logic
    }
}
```

Background/Hidden  
methods. Client not  
aware about them.

If you have ever used a LIST collection of .NET framework then you know how to add items in it and how to iterate it but do you know how it is internally using `IEnumerable` and `IEnumerator` and other interfaces.

So that is abstraction. Hiding the background details.



## Q6. WHAT IS ENCAPSULATION?

- Encapsulation means **WRAPPING** of data and methods/properties into a single unit.

Why I included properties here because properties are nothing else but special methods only.

Why they special methods, because they just do one thing and that is getting and setting private fields.

*For example, here is an Employee class which have a field empExperience which is basically employee experience.*

*Remember in C# when we say field then it represents the data only.*

*This field cannot be accessed from outside because it is a private field.*

*We have to create a public property "EmpExperience" which will wrap this field and then only this is accessible from outside this class.*

*So, see the definition again, encapsulation is wrapping of data which is field here and the function which is property here into a single unit.*

*Without this wrapping this data or field should not be available outside this class.*

*So this is encapsulation.*

*Now you can see in the main method, we are accessing the property EmpExperience not the field so this is encapsulation.*

*In short, field or data can be only accessed outside the class via the property only.*

```
public class Employee
{
    private int empExperience;
    1 reference
    public int EmpExperience
    {
        get
        {
            return empExperience;
        }

        set
        {
            empExperience = value;
        }
    }
}
```

```
static void Main(string[] args)
{
    Employee objEmployee = new Employee();

    //objEmployee.empExperience = 3; //Not Possible;

    objEmployee.EmpExperience = 3;
}
```

This field cannot be accessed from outside without the property

Why encapsulation required?

Because here it is making your field or data secured as it is not directly accessible.

And via property you can put some additional logic with this field value like encryption/ decryption so it's a kind of wrapper.

## Violating Encapsulation

For example, in this code, Employee class do not have any property.  
See there is no property in it.

And in main method field is accessed without property.

It will work but it is violating encapsulation concept of OOPS, which is not good as your data and fields are exposed directly and it is not good for security.

```
public class Employee
{
    public int empExperience;
}

0 references
static void Main(string[] args)
{
    Employee objEmployee = new Employee();

    objEmployee.empExperience = 3;
}
```

No property or function in this class

Field/Data is accessed without property or function. It will work but it violating encapsulation

## Q7. WHAT IS POLYMORPHISM AND WHAT ARE ITS TYPES?

- ❖ Polymorphism is the ability of a variable, object, or function to take on **MULTIPLE FORMS**.

What is multiple forms?

For example, in English “RUNNING” word can be used for “running a race” or “running a business”. In both cases the meaning is different but the name “RUNNING” is same.

This is multiple forms – where same name thing can be used for different purpose.

Multiple forms can be achieved in C# via polymorphism.

*Below you can see, two functions with same name “ADD” but having multiple forms, meaning both functions are doing different things, one is adding 2 integers other one is adding 2 strings.*

*This is one type of polymorphism, and the name of this type is method overloading.*

```
2 references
public class Polymorphism
{
    1 reference
    public int Add(int a, int b)
    {
        return a + b;
    }

    1 reference
    public string Add(string str1, string str2)
    {
        return str1 + str2;
    }
}
```

Functions with same name but having multiple forms

```
0 references
static void Main(string[] args)
{
    Polymorphism obj = new Polymorphism();

    int i = obj.Add(50, 60);

    string str = obj.Add("Interview", "Happy");

    Console.WriteLine(i + " - " + str);


    Console.ReadLine();
}
```

Now there are two types of polymorphism. Compile time and Run time.

Overloading is a type of Compile time polymorphism and Overriding is a type of run time polymorphism.

Compile time means when you build your project then .NET framework started converting your C# code into machine language and create a dll for that. This duration of conversion is compile time.

Now when the build is complete and now you will run your project to see the output then that duration is run time.



## Q8. WHAT IS METHOD OVERLOADING? IN HOW MANY WAYS A METHOD CAN BE OVERLOADED?

- Method overloading is a type of polymorphism in which we can create multiple methods of the **same name in the same class**, and all methods work in different ways.

It's a compile time polymorphism. Why it is called compile time polymorphism? Because .Net compiler(CLR) at the time of compiling or building the C# code to machine language knows that the method with same names are different and will do different things.

Method overloading can be done in 3 ways:

```
public class MethodOverloading
{
    1 reference
    public int Add(int a, int b)
    {
        return a + b;
    }
    1 reference
    public int Add(int a, int b, int c)
    {
        return a + b + c;
    }
    1 reference
    public double Add(double a, double b, int c)
    {
        return a + b + c;
    }
    1 reference
    public double Add(double a, int c, double b)
    {
        return a + b + c;
    }
}
```

1. Number of parameters are different

2. Type of parameters are different

3. Order of parameters are different

## Q9. WHAT IS THE DIFFERENCE BETWEEN OVERLOADING AND OVERRIDING?

1. Method overloading is a type polymorphism, in which we can create multiple methods of the **same name in the same class**, and all methods work in different ways.

1. Method overriding is having methods with the **SAME NAME and SIGNATURE** but in different classes.

```
2 references
public class BaseClass
{
    3 references
    public virtual void Greetings()
    {
        Console.WriteLine("BaseClass Saying Hello!");
    }
}
2 references
public class SubClass : BaseClass
{
    3 references
    public override void Greetings()
    {
        Console.WriteLine("SubClass Saying Hello!");
    }
}

0 references
static void Main(string[] args)
{
    SubClass objSubClass = new SubClass();
    objSubClass.Greetings(); →
    Console.ReadLine();
}

//Output: SubClass Saying Hello!
```

Same method name but one is in base class and another is in derived class

This will call subclass Greetings() method because of overriding.

2. Method Overloading will not use any special keywords.

2. Overriding uses **VIRTUAL** keyword for base class method and **OVERRIDE** keyword for derived class method.
3. Method overloading doesn't need inheritance. It is in same class.
3. Method overriding **NEEDS INHERITANCE (Base class/ Derived class)**. It is not possible in same class.

## Q10. WHAT IS THE DIFFERENCE BETWEEN METHOD OVERRIDING AND METHOD HIDING?

- ❖ In Method overriding is having methods with the **SAME NAME** and **SIGNATURE** but in different classes.

```
public class BaseClass
{
    2 references
    public virtual void Print()
    {
        Console.WriteLine("BaseClass Print");
    }
}
1 reference
public class DerivedClass : BaseClass
{
    2 references
    public override void Print()
    {
        Console.WriteLine("ChildClass Print");
    }
}
```

- ❖ In Method Hiding, you can hide the implementation of the methods of a base class from the derived class using the **new keyword**.

```
public class BaseClass
{
    1 reference
    public void Print()
    {
        Console.WriteLine("BaseClass Print");
    }
}
1 reference
public class DerivedClass : BaseClass
{
    0 references
    public new void Print()
    {
        Console.WriteLine("ChildClass Print");
    }
}
```

## Q11.      WHAT ARE THE ADVANTAGES AND LIMITATIONS OF OOPS?

Advantages of OOPS:

1. **Reuse** of code through inheritance
2. **Flexibility** through polymorphism
3. **Security** of data through Data hiding/ Encapsulation.
4. **Simple to upgrade/ scale** from smaller to larger applications.
5. **Modularity** for easier troubleshooting.

Limitations of OOPS:

- ➡ It is not suitable for **small** applications.

*The reason is simple, if you are creating a small application then why to create base classes and derive classes. Why to care about polymorphism and other stuff. Implementation of OOPS needs planning and if the project is very small then why to spend so much time on planning.*

## Q12. WHAT IS THE DIFFERENCE BETWEEN AN ABSTRACT CLASS AND AN INTERFACE?

1. Abstract class contains both **DECLARATION & DEFINITION** of methods.

```
public abstract class Employee
{
    0 references
    public Employee()
    {
    }
    private string Name;
    1 reference
    public abstract void Project(); → Method Declared

    0 references
    public void Role() → Method Defined
    {
        Console.WriteLine("Software Engineer");
    }
}
```

Interface contains **ONLY DECLARATION** of methods.

```
interface IEmployee
{
    1 reference
    public void Project(); → Only method
    1 reference
    public void Manager(); → Declaration is
                            allowed
}
```

2. Abstract class keyword: **ABSTRACT**, Interface keyword: **INTERFACE**

3. Abstract class can contain methods, fields, constants, constructor.

Interface can contain **undefined methods only** nothing else.

4. Abstract class does not Support **MULTIPLE INHERITANCE**

Interface supports multiple inheritance

## Q13. WHEN TO USE INTERFACE AND WHEN ABSTRACT CLASS?

- Abstract class is a good choice when you are sure some methods are concrete/defined and must be implemented in the **SAME WAY** in all derived classes.

For example, here you can see we have an abstract class Employee. So whenever an employee is hired then might be the Project he is going to work with is not fixed. May be there are multiple projects in the company.

But the role of that employee is fixed based on the designation and the Role of Employee here is Software Engineer which is kind of fixed. So, this Role method is concrete and defined in advance.

In such scenario we prefer abstract classes where some methods are defined and some just declared.

```
public abstract class Employee
{
    0 references
    public abstract void Project();

    0 references
    public void Role()
    {
        Console.WriteLine("Software Engineer");
    }
}
```

- An interface is a good choice when you know a method has to be there, but it can be implemented **DIFFERENTLY** by independent derived classes.

See here we have the IEmployee interface in which we have two method Project and Manager and both are just declared.

Because these methods can vary for project to project. In one project the Project name and Manager name is different and for other project it can again be different.

*So these details are not fixed or concrete so we have just declared these methods not defined it.  
This is the use of interfaces.*

```
0 references
interface IEmployee
{
    0 references
    public void Project();
    0 references
    public void Manager();
}
```

Normally we prefer Interface because it gives use the flexibility to modify the behavior at later stage.

## Q14. WHY TO EVEN CREATE INTERFACES?

There are two reasons to create interfaces:

1. One is to achieve Multiple Inheritance in C#, as abstract classes do not support multiple inheritance.
2. Second reason is to maintain a consistency between different derived classes.

*Suppose we have an IT company and there are many Employees in it.*



*So, we will declare this interface for the Employee.*

*Why to create interface, because every employee must have the Salary and the Project he will be working on.*

```
2 references
interface IEmployee
{
    2 references
    public void SetSalary();

    2 references
    public void SetProject();
}
```

*And by inheriting this interface in the derived class we are making sure that all the methods must be implemented. Since every method of interface must be implemented in the derived class. Right now we have just two methods but we might have many methods.*

*See, if we will create an PermanentEmployee class then by inheriting this interface we are making sure that we are following the standard of the company and doing both things.*

*Setting salary and setting project.*

```
public class PermanentEmployee : IEmployee
{
    1 reference
    public void SetSalary()
    {
        Console.WriteLine("2000000");
    }
    1 reference
    public void SetProject()
    {
        Console.WriteLine("Citi Bank Project");
    }
}
```

*Similarly, if we will create an another type of employee class, ContractEmployee class then also by inheriting this interface we are following the contract.*

In short here, consistency will be maintained through out the application for all type of employee classes, and therefore the system or application can be easily managed.

## Q15. DO INTERFACE CAN HAVE A CONSTRUCTOR?

NO.

*Interface can only be derived from. Their object creation is not possible, so they don't have any constructor.*

**Q16.** CAN YOU CREATE AN INSTANCE OF AN ABSTRACT CLASS OR AN INTERFACE?

**NO.**

*Abstract class and Interface can only be used for inheritance not for object creation.*

## Q17. WHAT ARE ACCESS SPECIFIERS? WHAT IS THE DEFAULT ACCESS MODIFIER IN A CLASS?

- ⊕ Access specifiers are keywords to specify the accessibility of a class, method, property and field.
- ⊕ The keywords are – Public, Private, Protected, Internal and ProtectedInternal.

*Below is the table which will define what keyword will provide accessibility at what level.*

Access Specifier	Inside Same Assembly where member is declared			Other Assembly where containing Assembly is referenced	
	Inside Same Class	Inside Derived Class	Other Code	Inside Derived Class	Other Code
Public	✓	✓	✓	✓	✓
Private	✓	✗	✗	✗	✗
Internal	✓	✓	✓	✗	✗
Protected	✓	✓	✗	✓	✗
ProtectedInternal	✓	✓	✓	✓	✗

Internal is the default access modifier of a class.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Console.WriteLine("Hello World");
    }
}
```

## Q18. WHAT IS BOXING AND UNBOXING?

- **Boxing** - Boxing is the process of converting from value type to reference type.
- **Unboxing** - Unboxing is the process of converting reference type to value type.

Unboxing is explicit conversion process.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        int num = 100;

        object obj = num;      //Boxing

        int i = (int)obj;      //Unboxing
    }
}
```

## Q19. WHAT IS THE DIFFERENCE BETWEEN “STRING” AND “STRINGBUILDER”? WHEN TO USE WHAT?

- String is IMMUTABLE in C# - It means if you defined one string then you couldn't modify it. Every time you will assign some value to it, it will create a new string.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        string str1 = "Interview";
        str1 = str1 + "Happy";
        Console.WriteLine(str1);
        Console.ReadLine();
    }
}
```

Both these strings are different and occupy different memory in process

- StringBuilder is MUTABLE - This means that if any manipulation will be done on string, then it will not create a new instance every time.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {

        StringBuilder str2 = new StringBuilder();
        str2.Append("Interview1");
        str2.Append("Happy1");
        Console.WriteLine(str2);
        Console.ReadLine();
    }
}
```

Both these strings will remain same in memory.

- + If you want to change a string multiple times, then **StringBuilder** is a better option from **performance** point of view because it will not require new memory every time.

## Q20. WHAT ARE THE BASIC STRING OPERATIONS IN C#?

### ❖ **Concatenate:**

Two strings can be concatenated either by using a `System.String.Concat` or by using + operator.

```
string str1 = "This is one";
string str2 = "This is two";
string str2 = str1 + str2;

//Output: This is one This is two
```

### ❖ **Replace:**

`Replace(a,b)` is used to replace a string with another string.

```
string str1 = "This is one";
string str2 = str1.Replace("one", "two");

//Output: This is two
```

### ❖ **Trim:**

`Trim()` is used to trim the white spaces in a string at the end.

```
string str1 = "This is one  ";
str1.Trim();

//Output: "This is one"
```

❖ **Contains:**

Check if a string contains a pattern of substring or not.

```
string str = "This is test";
```

```
if (str.Contains("test"))
```

```
{
```

```
    Console.WriteLine("The 'test' was found.");
```

```
}
```

*//Output: The 'test' was found.*

## Q21. WHAT ARE NULLABLE TYPES?

- ❖ Nullable types - To **hold the null values** we have to use nullable types because variable types does not hold null values.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {

        int i = null;

        // Valid declaration
        Nullable<int> j = null;

        // Valid declaration
        int? k = null;
    }
}
```

## Q22. EXPLAIN GENERICS IN C#? WHEN AND WHY TO USE THEM?

- ❖ Generics allows us to make classes and methods - **type independent or type safe**.

In the below code, if you want to make AreEqual() method type independent. Meaning it can compare both integer and strings then we have to use generics.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        bool equal = Calculator.AreEqual(4, 4); // Will work
        bool strEqual = Calculator.AreEqual("Interview", "Happy"); // Will not work
    }
}

2 references
public class Calculator
{
    2 references
    public static bool AreEqual(int value1, int value2)
    {
        return value1.Equals(value2);
    }
}

2 references
public class Calculator
{
    2 references
    public static bool AreEqual(object value1, object value2)
    {
        return value1.Equals(value2);
    }
}
```

See the code below we have converted the method to a generic method and now it can compare integers as well as strings.

```
class Program
{
    0 references
    static void Main(string[] args)
    {
        bool equal = Calculator.AreEqual<int>(4, 4);

        bool strEqual = Calculator.AreEqual<string>("Interview", "Happy");

        Console.WriteLine(equal + " " + strEqual);

        Console.ReadLine();
    }
}

2 references
public class Calculator
{
    2 references
    public static bool AreEqual<T>(T value1, T value2)
    {
        return value1.Equals(value2);
    }
}
```

Now we can also achieve the same result by making the class generic. Below is the code to make the class generic.

```
class Program
{
    0 references
    static void Main(string[] args)
    {
        bool equal = Calculator.AreEqual<int>(4, 4);

        bool strEqual = Calculator.AreEqual<string>("Interview", "Happy");

        Console.WriteLine(equal + " " + strEqual);

        Console.ReadLine();
    }
}

2 references
public class Calculator
{
    2 references
    public static bool AreEqual<T>(T value1, T value2)
    {
        return value1.Equals(value2);
    }
}
```

## Q23. HOW TO IMPLEMENT EXCEPTION HANDLING IN C#?

- Exception handling in Object-Oriented Programming is used to **MANAGE ERRORS**.

```
0 references
static void Main(string[] args)
{
    try
    {
        int i = 0;
        int j = 0;

        int k = i / j;
    }
    catch (Exception ex)
    {
        Console.WriteLine("Catch called: " + ex.Message);
        throw;
    }
    finally
    {
        Console.WriteLine("Finally called");
        Console.ReadLine();
    }
}
```

- TRY** – A try block is a block of code inside which any error can occur.
- CATCH** – When any error occurs in TRY block then it is passed to catch block to handle it.
- FINALLY** – The finally block is used to execute a given set of statements, whether an exception is thrown or not thrown.
- THROW** – Inside the catch block you can use throw keyword to pass the stack trace to one level up.

## Q24. CAN WE EXECUTE MULTIPLE CATCH BLOCKS?

**NO**

We can write multiple catch blocks but **only one** out of them will executed.

```
0 references
static void Main(string[] args)
{
    try
    {
        int i = 0;
        int j = 0;

        int k = i / j;
    }
    catch (ArithmetiException ex)
    {
    }

    catch (ArgumentOutOfRangeException ex)
    {
        Console.WriteLine("Exception 2: " + ex.Message);
    }
}
```

Why we need multiple catch blocks?

The reason is, might be you want to handle different errors in different ways.

For example, suppose you don't want to show or log any error if any arithmeticexception will occur then you can keep the catch block blank.

So that is the purpose of the multiple catch blocks.

## Q25.

## WHAT IS A FINALLY BLOCK AND GIVE AN EXAMPLE WHEN TO USE IT?

- + Finally block will be executed IRRESPECTIVE of exception.

For example, you are opening a sql connection to do some database operation in your application. Now this `con.Open` will open the connection. Now due to any reason some error has occurred then your connection will remain open which is not good for performance.

So, for that reason we have the `finally` block.

Whether error will occur at any line of the or no error will occur. In both cases the `finally` block will execute.

```
0 references
static void Main(string[] args)
{
    SqlConnection con = new SqlConnection("connectionString");
    try
    {
        con.Open();
        //Some logic
        // Error occurred
        //...

        //con.Close();
    }
    catch(Exception ex)
    {
        // error handled
    }
    finally
    {
        // Connection closed
        con.Close();
    }
}
```

## Q26. CAN WE HAVE ONLY “TRY” BLOCK WITHOUT “CATCH” BLOCK?

YES.

We can have only try block without catch block but we have to have **finally** block then.

```
0 references
static void Main(string[] args)
{
    SqlConnection con = new SqlConnection("connectionString");
    try
    {
        con.Open();
        Random rnd = new Random();
        int num = rnd.Next();

        if(num == 5)
        {
            return; → Finally, will execute even this
            //After this nothing will execute function return from here.
        }
        con.Close();
    }
    finally
    {
        con.Close();
    }
}
```

## Q27. WHAT IS THE DIFFERENCE BETWEEN "THROW EX" AND "THROW"?

- ❖ Throw ex will change the stack trace, whereas throw will preserve the whole stack trace.

See here in the code we have used throw.

DivideByZero method is dividing 0 by 0 and it will throw an error. Now we will catch this error in the catch block and then throw to the Main method where it will goes inside the catch block and then exception stack trace will be printed.

It will tell the error is at line 24 and that is right.

So this is good because throw will preserve the whole stack trace.

```
0 references
10 static void Main(string[] args)
11 {
12     try {
13         DivideZeroByZero();
14     }
15     catch (Exception ex) {
16         Console.WriteLine(ex.StackTrace);
17         Console.ReadLine();
18     }
19 }
1 reference
20 public static void DivideZeroByZero()
21 {
22     try {
23         int i = 0, j = 0;
24         int k = i / j;
25     }
26     catch (Exception ex) {
27         throw;
28     }
29 }
```

```
at What_is_the_difference_between_throw_ex_and_throw_.Program.DivideZeroByZero()
in D:\InterviewHappy-10.0\Code\InterviewHappy\What is the difference between "throw ex"
and "throw"\Program.cs:line 24
```

```
at What_is_the_difference_between_throw_ex_and_throw_.Program.Main(String[] args)
in D:\InterviewHappy-10.0\Code\InterviewHappy\What is the difference between "throw ex"
and "throw"\Program.cs:line 13
```

Now let's see throw ex example.

See here in code we have just replaced throw with throw ex and rest of the code is same. Now when we will run it, it will print this error in console.

See it is showing that the error occurred at line 27 which is not correct, therefore we say that throw ex will change the stack trace and will be difficult for developer to locate the right position of error inside the method.

```
0 references
10 static void Main(string[] args)
11 {
12     try {
13         DivideZeroByZero();
14     }
15     catch (Exception ex) {
16         Console.WriteLine(ex.StackTrace);
17         Console.ReadLine();
18     }
19 }
1 reference
20 public static void DivideZeroByZero()
21 {
22     try {
23         int i = 0, j = 0;
24         int k = i / j;
25     }
26     catch (Exception ex) {
27         throw ex;
28     }
29 }
```

at  
What\_is\_the\_difference\_between\_throw\_ex\_and\_throw\_.Program.DivideZeroByZero()  
in D:\\_InterviewHappy-10.0\Code\InterviewHappy\What is the difference between "throw ex" and "throw"\Program.cs:line 27  
at What\_is\_the\_difference\_between\_throw\_ex\_and\_throw\_.Program.Main(String[]  
args) in D:\\_InterviewHappy-10.0\Code\InterviewHappy\What is the difference between  
"throw ex" and "throw"\Program.cs:line 13

- ❖ Its a best practice to use *throw* as it **PRESERVE the whole stack trace.**

## Q28. WHAT ARE THE LOOP TYPES IN C#?

- While Loop – Initialization, Condition and Increment happening at different lines in while loop.

```
class Program
{
    static void Main(string[] args)
    {
        int i = 0;           → Initialize
        while(i < 5)        → Condition
        {
            Console.WriteLine(i);
            i++;             → Increment
        }

        Console.ReadLine();
    }
}
```

- Do-While Loop – The only difference between while and do while is the statement inside do, will must execute first time irrespective of while condition whether it is true or not.

```
0 references
class Program
{
    static void Main(string[] args)
    {
        int j = 100;          This statement executes at least one
                            time irrespective of while condition
        do
        {
            Console.WriteLine("Do While: " + j);
            j++;
        }
        while(j < 10);

        Console.ReadLine();
    }
}
```

- For Loop - Initialization, condition and Increment all will happen along with the for keyword, in the same line.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Initialize Condition Increment
        for(int k = 0 ; k < 5; k++)
        {
            Console.WriteLine(k);
        }

        Console.ReadLine();
    }
}
```

- Foreach Loop - This is mostly used to iterate any collections like array, arraylist, List, Hashtable etc.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {

        int[] arr = new int[] { 10, 20, 30, 40 };

        foreach(int items in arr)
        {
            Console.WriteLine(items);
        }

        Console.ReadLine();
    }
}
```

## Q29. WHAT IS THE DIFFERENCE BETWEEN “CONTINUE” AND “BREAK” STATEMENT?

- Continue statement is used to **skip** the remaining statements inside the loop and transfers the control to the **beginning** of the loop.
- Break statement breaks the loop. It makes the control of the program to **exit** the loop.

```
0 references
static void Main(string[] args)
{
    for (int i = 0; i < 5; i++)
    {
        if (i == 3)
        {
            continue;
        }
        Console.WriteLine("Print: " + i);
    }

    Console.ReadLine();
}
```

//Output:  
Print: 0  
Print: 1  
Print: 2  
Print: 4

```
0 references
static void Main(string[] args)
{
    for (int i = 0; i < 5; i++)
    {
        if (i == 3)
        {
            break;
        }
        Console.WriteLine("Print: " + i);
    }

    Console.ReadLine();
}
```

//Output:  
Print: 0  
Print: 1  
Print: 2

Q30.

WHAT IS THE DIFFERENCE BETWEEN ARRAY AND ARRAYLIST?

❖ Array

1. Array is **STRONGLY** typed.  
This means that an array can store only specific type of items/ elements.

2. Array can contain **FIXED** number of items.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        int[] array;
        array = new int[10];
        array[0] = 1;
        array[1] = "Happy";
    }
}
```

❖ ArrayList

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        ArrayList arrayList;
        arrayList = new ArrayList();
        arrayList.Add(1);
        arrayList.Add("Happy");
    }
}
```

1. ArrayList can store ANY type of items\elements.

2. ArrayList can store ANY number of items.

## Q31. WHAT IS THE DIFFERENCE BETWEEN ARRAYLIST AND HASHTABLE?

### ArrayList

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        ArrayList arrList = new ArrayList();

        arrList.Add(7896);
        arrList.Add("Happy");
    }
}
```

1. In ArrayList we can only add Items/ Values to the list.

### Hashtable

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {

        Hashtable hashTable = new Hashtable();


        hashTable.Add("Number", 1);
        hashTable.Add("Car", "Ferrari");
    }
}
```

Key      Value

1. In Hashtable we can add Items/Values with the Keys.

## Q32. WHAT ARE COLLECTIONS IN C# AND WHAT ARE THEIR TYPES?

- ❖ C# collection are designed to **store, manage and manipulate** similar DATA more efficiently.  
*For example ArrayList, Dictionary, List, Hashtable etc.*
- ❖ Data manipulation meaning adding, removing, finding, and inserting data in the collection.



## Q33. WHAT IS IENUMERABLE IN C#?

- ❖ **IEnumerable** interface is used when we want to **ITERATE** among our collection classes using a **FOREACH** loop.

*For example, in below code there is a List of Employees then you are adding new Employees in the list here. Then you are running a foreach loop to print the employee id and names one by one.*

*Now how this loop is working. This is enabled by the **IEnumerable** only because internally List is using **IEnumerable**.*

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        var employees = new List<Employee>()
        {
            new Employee(){ Id = 1, Name="Bill" },
            new Employee(){ Id = 2, Name="Steve" }
        };

        foreach (var employee in employees)
        {
            Console.WriteLine(employee.Id + ", " + employee.Name);
        }
        Console.ReadLine();
    }
}

3 references
public class Employee
{
    3 references
    public int Id { get; set; }
    3 references
    public string Name { get; set; }
}
```

If you got the definition of List then you will see the below code where List is inherited from IEnumerable interface.

```
namespace System.Collections.Generic
{
    public class List<T> : ICollection<T>, IEnumerable<T>, IEnumerable, IList<T>,
    {
        public List();
        public List(IEnumerable<T> collection);
        public List(int capacity);
```

And if you see the definition of IEnumerable, then you will see the below definition where it states that it supports iteration of non-generic collection.

```
namespace System.Collections
{
    // Summary:
    //     Exposes an enumerator, which supports a simple iteration over a non-generic collection.
    public interface IEnumerable
    {
        // Summary:
        //     Returns an enumerator that iterates through a collection.
        //
        // Returns:
        //     An System.Collections.IEnumerator object that can be used to iterate through
        //     the collection.
        IEnumerator GetEnumerator();
    }
}
```


## Q34. WHAT IS THE DIFFERENCE BETWEEN IENUMERABLE AND IENUMERATOR IN C#?

- List is using IEnumerable internally and similarly IEnumerable will use IEnumerator internally. So IEnumerator is like a part of IEnumerable.

Suppose you don't want to use .NET Framework List collection and want to create your own custom collection.

Then you have to explicitly implement first IEnumerable interface and then IEnumerator interface for iterating in for loop.

See the diagram. At the top it is IList then it is ICollection then IEnumerable and then the IEnumerable use the GetEnumerator method of the IEnumerator interface.



- For simplicity, just say that IEnumerable is a box that contains Enumerator functionality inside it.


### Q35. WHAT IS THE DIFFERENCE BETWEEN IENUMERABLE AND IQUERYABLE IN C#? WHY TO USE IQUERYABLE IN SQL QUERIES?

- + IQueryable is also like IEnumerable and is used to iterate sql query collection from data. It is under SYSTEM.LINQ namespace.

Let's compare IEnumerable and IQueryable working:

- + If you use **IEnumerable** then, request will go to the database and bring the whole data from database and then FILTER the result at server side.  
So, bringing up whole data from the network will impact the **PERFORMANCE** in negative way.
- + On the other hand, **IQueryable** will go to the database, filter the data there only and send back the filtered data only, not the whole data which is good for performance. Network load will be less.

So that's is the reason IQueryable is better than IEnumerable for sql queries.



## Q36. WHAT IS THE DIFFERENCE BETWEEN “OUT” AND “REF” PARAMETERS?

- ❖ By using ref and out keywords we can pass parameters by reference.
- ❖ When you want to return more than one values from a method then you can use out and ref parameters.

*Here are the differences between ref and out*

```
0 references
static void Main(string[] args)
{
    int a; -----> 1. No need to initialize out
    int b = 5; -----> parameter before passing it.

    WithRefOut q = new WithRefOut();
    int y = q.Update(out a, ref b);

    Console.WriteLine("WithRefOut "+a+" "+b);

    Console.ReadLine();
}

2 references
public class WithRefOut
{
    public int Update(out int c, ref int d)
    {
        c = 100;
        return c + d; -----> 2. Initialize not necessary, you
    }                                can comment this line still fine.
}
```

- ❖ In short you will use out parameter to assign a new value.  
Whereas you will use ref to modify a value

## Q37. WHAT IS THE PURPOSE OF “PARAMS” KEYWORD?

- Params is used as a parameter which can take the **VARIABLE NUMBER OF ARGUMENTS**.

```
class Program
{
    0 references
    static void Main(string[] args)
    {
        int y = Add(5, 10, 15, 20); → You can pass any
        Console.WriteLine(y);      number of
                                    parameters here.

        Console.ReadLine();
    }

    1 reference
    public static int Add(params int[] listNumbers)
    {
        int total = 0;

        foreach (int i in listNumbers)
        {
            total += i;
        }
        return total;
    }

}
```

It is useful when programmer don't have any prior knowledge about the number of parameters to be passed.

## Q38. WHAT IS A CONSTRUCTOR AND WHAT ARE ITS TYPES?

- ⊕ Constructor is a special METHOD of the class that is **AUTOMATICALLY** invoked when an instance of the class is created.
- ⊕ The name of the constructor must be same as of the class name, otherwise it will be hard to identify it from other methods.



- 1. Default constructor
- 2. Parameterized constructor
- 3. Copy constructor
- 4. Static constructor
- 5. Private constructor

- + **DEFAULT CONSTRUCTOR** - A constructor without any parameters is a default constructor.

```
using System;
class Program
{
    0 references
    static void Main(string[] args)
    {
        DefaultConstructor defaultConstructor = new DefaultConstructor();

        Console.ReadLine();
    }
}

3 references
public class DefaultConstructor
{
    1 reference
    public DefaultConstructor()
    {
        Console.WriteLine("Default Constructor Invoked");
    }
}

//Output: Default Constructor Invoked
```

- + **PARAMETERIZED CONSTRUCTOR** - A constructor with at least one parameter is a parameterized constructor.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {

        ParaConstructor paraConstructor = new ParaConstructor(100);

        Console.ReadLine();
    }
}

3 references
public class ParaConstructor
{
    1 reference
    public ParaConstructor(int x)
    {
        Console.WriteLine("ParaConstructor numbers: " + x);
    }
}

//Output: ParaConstructor numbers: 100
```

- + **STATIC CONSTRUCTOR** - Static constructor is used to be called before any static member of a class is called.

```
class Program
{
    0 references
    static void Main(string[] args)
    {

        StaticConstructor.Print();

        Console.ReadLine();
    }
}

2 references
public class StaticConstructor
{
    //Static constructor
    0 references
    static StaticConstructor()
    {
        Console.WriteLine("Static Constructor Invoked");
    }

    1 reference
    public static void Print()
    {
        Console.WriteLine("Static Print method called");
    }
}
```

//Output: Static Constructor Invoked  
Static Print method called

- + **PRIVATE CONSTRUCTOR** - When a constructor is created with a private specifier, it is not possible for other classes to derive from this class, neither is it possible to create an instance of this class.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        PrivateConstructor privateConstructor = new PrivateConstructor();

        Console.ReadLine();
    }
}
4 references
public class PrivateConstructor
{
    1 reference
    private PrivateConstructor()
    {
        Console.WriteLine("Private Constructor Invoked");
    }
}
0 references
public class InheritePrivateConstructor : PrivateConstructor
{
}
```

- + **COPY CONSTRUCTOR** - The constructor which creates an object by copying variables from another object is called a copy constructor.

```
class Program
{
    0 references
    static void Main(string[] args)
    {
        CopyConstructor copyConstructor = new CopyConstructor("Happy");

        CopyConstructor copyConstructor1 = new CopyConstructor(copyConstructor);

        Console.WriteLine("Name: " + copyConstructor1.name);
        Console.ReadLine();
    }
}
7 references
public class CopyConstructor
{
    public string name;

    //Parametrized Constructor
    1 reference
    public CopyConstructor(string name)
    {
        this.name = name;
    }

    //Copy Constructor
    1 reference
    public CopyConstructor(CopyConstructor copy)
    {
        name = copy.name;
    }
}
```

//Output: Name: Happy

## Q39. WHEN TO USE PRIVATE CONSTRUCTOR?

- ❖ Private constructor is a special instance constructor which is used in a class that contains only **static** members.

*Below is the code example*

```
class Program
{
    0 references
    static void Main(string[] args)
    {
        Employee.GetManager();

        Console.ReadLine();
    }
}

2 references
public class Employee
{
    0 references
    private Employee()
    {

    }
    1 reference
    public static void GetManager()
    {
        Console.WriteLine("Happy");
    }
}
```

- ❖ Private constructor is used in singleton class pattern

## Q40. WHAT ARE EXTENSION METHODS IN C#? WHEN TO USE THEM?

- Extension method concept allows you to add new methods in the existing class **WITHOUT MODIFYING** the source code of the original class.

For example, we need this method – `RightSubstring()` for `String` class. In this method we will pass the value like 5 and it will get the last 5 characters of the string.

Now we need this method but .Net `String` class do not have any such method and we even can't add this method in the .Net class as `String` is a base class library which code we can't change.

So how to add this method now.

The answer is with the help of extension method.

```
class Program
{
    static void Main(string[] args)
    {
        string test = "HelloWorld";
        string left = test.Substring(0, 5);
        string right = test.RightSubstring(5);
        Console.WriteLine(left + " " + right);
        Console.ReadLine();
    }
}
```

RightSubstring()  
method is not present  
in String class. But we  
can add it by using  
extension method.

We will create a static class `StringExtension` and will define a `RightSubstring` method inside it. This method will get the string “HelloWorld” in its parameter and one another parameter for the count which is 5 here.

Then inside the method you can write the logic for getting the right most 5 characters from the string.

That's it, you have added a new method in `String` class without even modifying the `String` class.

Now if you run this then the output will be Hello World. As the right string will be the "World".

```
0 references
public static class StringExtensions
{
    1 reference
    public static string RightSubstring(this String s, int count)
    {
        return s.Substring(s.Length - count, count);
    }
}

//output: Hello World
```

- + Now few important thing, extension method must be static because this will be directly called from the class name, not by the object creation.  
And since the method is static therefore class StringExtesnions is also static.
- + Second thing is, this keyword is used for binding this method with the String class.  
If you are creating the extension method of some other class, then you must give the name of that class along with this keyword.

**USE** - Use them when you don't have CODE of the class and you want to add a new method in that class.

## Q41. WHAT YOU MEAN BY DELEGATE? WHEN TO USE THEM?

- A Delegate is a variable that holds the **REFERENCE TO A METHOD**. Or you can say it's a pointer to a function.
- A delegate can refer to more than one methods of same return type and parameters.

See below we have two static methods *add* and *mul*. These methods have same return type and same number of parameters. So, you can group them together with the help of a delegate.

We can declare a delegate *Calculator* over them using keyword *delegate*.

```
delegate void Calculator(int x, int y);
0 references
class Program
{
    1 reference
    public static void Add(int a, int b)
    {
        Console.WriteLine(a + b);
    }
    0 references
    public static void Mul(int a, int b)
    {
        Console.WriteLine(a * b);
    }

    0 references
    static void Main(string[] args)
    {
        Calculator calc = new Calculator(Add);
        calc(20, 30);

        Console.ReadLine();
    }
}
```

When to use them - When we need to pass a method as a parameter.

## Q42. WHAT ARE MULTICAST DELEGATES?

- + A Multicast Delegate is a delegate that holds the references of more than one function.

*Below is the code of multicast delegate. 99% it is similar to delegate example. Except this addition of a new line here.*

*calc += Mul.*

*This means after calling Add method, the delegate will immediately call this Mul method also. You can say this chaining of delegates also.*

*So in multicast delegates, multiple methods will be called one by one.*

```
delegate void Calculator(int x, int y);
0 references
class Program
{
    1 reference
    public static void Add(int a, int b)
    {
        Console.WriteLine(a + b);
    }
    1 reference
    public static void Mul(int a, int b)
    {
        Console.WriteLine(a * b);
    }
    0 references
    static void Main(string[] args)
    {
        Calculator calc = new Calculator(Add);

        calc += Mul;

        calc(20, 30);

        Console.ReadLine();
    }
}
```

//Output: 50 600

## Q43. WHAT ARE ANONYMOUS DELEGATES IN C#?

- + In Anonymous Delegates, you can create a delegate, but there is no need to declare the method associated with it.

*See in the below code, there is not Add method or any other method. But the logic of adding is written inline using delegate keyword.*

```
public delegate void Calculator(int x, int y);
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Calculator calcAdd = delegate(int a, int b)
        {
            //Inline content of the method;
            Console.WriteLine(a + b);
        };


        calcAdd(20, 30);

        Console.ReadLine();
    }
}
```

## Q44.      WHAT ARE THE DIFFERENCES BETWEEN EVENTS AND DELEGATES?

- ❖ A Delegate is a variable that holds the **REFERENCE TO A METHOD** or **POINTER TO A FUNCTION**.
- ❖ The event is a notification mechanism that depends on delegates
- ❖ An event is dependent on a delegate and cannot be created without delegates.
- ❖ Event is like a wrapper over the delegate to improve its security.

*So Delegate depends on function and Events depends on Delegates.*



## Q45.      WHAT IS “THIS” KEYWORD IN C#? WHEN TO USE IT?

- + *this* keyword is used to refer to the **CURRENT INSTANCE** of the class.

For example in below code, how to differentiate between constructor parameters – id, name and Class fields id and name.  
The class fields can be referenced by this keyword.

```
3 references
class Student
{
    public int id;
    public string name;
1 reference
    public Student(int id, string name)
    {
        //id = id;
        //name = name;
        this.id = id;
        this.name = name;
    }
1 reference
    public void GetStudent()
    {
        Console.WriteLine(id + " : " + name);
        Console.ReadLine();
    }
}
```

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Student std1 = new Student(001, "Jack");
        std1.GetStudent();
    }
}
```

- ❖ *this* keyword avoids the name confusion between class fields and constructor parameters.

## Q46. WHAT IS THE PURPOSE OF “USING” KEYWORD IN C#?

There are two purpose of using keyword in C#:

- ❖ USING DIRECTIVE

```
using System.IO;
```

- ❖ **USING STATEMENT** - The using statement ensures that DISPOSE() method of the class object is called even if an exception occurs.

This is mostly used while creating database connections.

*Below code will make sure that connection.Dispose will be called even if it is not written.*

```
0 references
static void Main(string[] args)
{
    using(var connection = new SqlConnection("ConnectionString"))
    {
        var query = "UPDATE YourTable SET Property = Value";
        var command = new SqlCommand(query, connection);

        connection.Open();
        command.ExecuteNonQuery();

        //connection.Dispose();
    }
}
```

## Q47. WHAT IS THE DIFFERENCE BETWEEN “IS” AND “AS” OPERATORS?

- ❖ The **IS** operator is **USED TO CHECK** the type of an object.

```
0 references
static void Main(string[] args)
{
    int i = 5;

    bool check = i is int;

    Console.WriteLine(check);
    Console.ReadLine();
}
```

//Output: true

- ❖ The **AS** operator is used to **PERFORM CONVERSION** between compatible reference type.

```
0 references
static void Main(string[] args)
{
    object obj = "Hello";

    string str1 = obj as string;

    Console.Write(str1);
    Console.ReadLine();
}
```

//Output: Hello

- ❖ The **IS** operator is of boolean type.  
The **AS** operator is not of boolean type.

## Q48. WHAT IS THE DIFFERENCE BETWEEN “READONLY” AND “CONSTANT” VARIABLES ?

Below are the code and differences of Readonly and Constant:

### ❖ Readonly

```
3 references
class Example
{
    public readonly int myReadonly1 = 100;
    public readonly int myReadonly2;
    1 reference
    public Example(int b)
    {
        myReadonly2 = b * 100; ----->
        Console.WriteLine(myReadonly1);
        Console.WriteLine(myReadonly2);
    }
}
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Example objExample = new Example(20);
        Console.ReadLine();
    }
}
```

1. Using **readonly** fields, we can assign values in DECLARATION as well as in the CONSTRUCTOR PART.

## ❖ Constant

```
1 reference
class Program
{
    public const int myConst = 10; →
    public const int myConst1;
0 references
public Program()
{
    myConst = 20;
}
0 references
static void Main(string[] args)
{
    Console.WriteLine(myConst);
    Console.ReadLine();
}
```

1. Using const fields,  
we can assign values in  
DECLARATION PART  
ONLY.

2. The value of readonly field can be changed but the value of the const field can not be changed.
3. Readonly fields can be created using readonly keyword and Constant fields are created using const keyword.
4. ReadOnly is a RUNTIME constant and Constant is a COMPILE time constant.

## Q49.      WHAT IS “STATIC” CLASS? WHEN TO USE IT?

- ❖ A static class is a class which object cannot be created and which cannot be inherited also.

```
3 references
public static class MyCollege
{
    //static fields
    public static string collegeName;
    public static string address;

    //static constructor
0 references
    static MyCollege()
    {
        collegeName = "ABC College";
    }

    // static method
1 reference
    public static void CollegeBranch()
    {
        Console.WriteLine("Computers");
    }
}
```

Then what is the use of creating Static classes?

- ❖ Static classes are used as containers for static members like methods, constructors and others.

## Q50. WHAT IS THE DIFFERENCE BETWEEN “VAR” AND “DYNAMIC” IN C#?

- ❖ VAR - The type of the variable is decided by the compiler at compile time.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        var a = 10;

        a = "Happy" ;

        Console.WriteLine(a);
        Console.ReadLine();
    }
}
```

- ❖ DYNAMIC - The type of the variable is decided at run time.

```
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        dynamic b = 10;

        b = "Happy" ;

        Console.WriteLine(b);
        Console.ReadLine();
    }
}
```

## Q51. WHAT IS ENUM KEYWORD USED FOR?

- ❖ An **enum** is a special "class" that represents a group of constants.


```
2 references
enum Level
{
    Low,
    Medium,
    High
}
0 references
class Program
{
    0 references
    static void Main(string[] args)
    {
        Level myVar = Level.Medium;

        Console.WriteLine(myVar);
        Console.ReadLine();
    }
}
```

```
0 references
enum Weekdays
{
    Sunday,
    Monday = 0,
    Tuesday,
    Wednesday,
    Thursday,
    Friday,
    Saturday
}
```

## Chapter 2 - .NET FRAMEWORK

**Q52.** WHAT ARE THE IMPORTANT COMPONENTS OF .NET FRAMEWORK?  
WHAT ARE THEIR ROLES?



- **CLR** – Common Language Runtime (CLR) manages the **execution of programs** written in any language that uses the .NET Framework, for example C#, VB.Net, F# and so on.  
*CLR does various operations like memory management, security checks etc.*
  
- **CTS** – CTS stands for Common Type System. It has a set of rules which state how a **data type** should be declared, defined and used in the program.  
*For example, int, string, double, all are types managed by CTS.*

- **CLS** – CLS stands for Common Language Specification and it is a **subset of CTS**. It defines a set of rules and restrictions that every language must follow which runs under .NET framework.

*For example, you write a program in different .NET languages C#, VB.NET, J# but if their logic and output is same, then the compiled output assembly will be same for all of them.*

- **FCL or BCL** – Framework Class Library is the collection of classes, namespaces, interfaces and value types that are used for .NET applications.  
*For example, String class and its methods like Replace, Substring is provided by .NET framework only and it resides in Base or Framework class library.*

## Q53. WHAT IS AN ASSEMBLY? WHAT ARE THE DIFFERENT TYPES OF ASSEMBLY IN .NET?


**Assembly** is unit of deployment like EXE or a DLL.

*When you create a code and build the solution then the .NET Framework convert it into assembly which you can see inside bin folder.*

There are 3 types of assemblies:

1. **PRIVATE ASSEMBLY** - A private assembly is normally used by a single application only. It is not accessible outside.
2. **SHARED ASSEMBLY** - Shared assemblies are usually libraries of code, which multiple applications will use. A shared assembly is normally stored in the global assembly cache.
3. **SATELLITE ASSEMBLY** - A satellite Assembly is defined as an assembly with resources only, no executable code.

*Below resx files are the example of satellite assembly.*



## Q54.      WHAT IS GAC?

GAC stands for Global Assembly Cache.

GAC is the **place where shared assemblies get stored in a system**.

---

## Q55.      WHAT IS GARBAGE COLLECTION(GC)?

The garbage collector (GC) manages the allocation and release of memory.

*For example, in below code you will create object object1 and object2 of classes Employee and Manager in your application. Now you will use these objects for calling any method of that class or assigning some property.*

```
public static void Main(string[] args)
{
    Employee object1 = new Employee();
    object1.GetSalary();

    Manager object2 = new Manager();
    object2.GiveSalary();


}
```

*But after the use you did not destroy these objects. Destroying or disposing the objects is necessary, because it is occupying memory which has to be released.*

*So that is what garbage collector do. Release the objects when their work is done. It is done AUTOMATICALLY, no need to code for it.*

Here is the diagram, see how there are so many objects present in the memory and so less free memory space is there before Garbage Collector run.

And after Garbage collector run many unused objects or resources are released and the free memory level has increase which is good for the performance.



## Q56.

### WHAT ARE GENERATIONS IN GARBAGE COLLECTION?


Generation is a mechanism used by Garbage Collection to collect the short-lived objects more frequently than the longer-lived object.

There are 3 types of generations generation 0 ,1 and 2.

*See in the below diagram, when garbage collection will run first time, it will put the newly created objects in Generation 0. Then when the garbage collector will run second time then it will destroy the objects from Generation 0 which are no more used and moves the object to Generation 1 which are frequently used.*

*Garbage collector will do the same process with Generation 1 also.*

*Now the Garbage collector will more frequently visit Generation 0 to dispose the less used objects and then less frequently visit the Generation 1 and 2 because it have object which are more in use.*



## Q57. WHAT IS THE DIFFERENCE BETWEEN “DISPOSE” AND “FINALIZE”?

- + Dispose is a method of IDisposable interface. Inside this method developer has to write the code to clean or destroy the objects which are no more required.
- + Finalize is called by **GARBAGE COLLECTOR** automatically and need not to be called by the user code to run.

There is no **performance** cost associated with Dispose method, as the developers know when the objects will be created and where to clean up them.

There is performance cost associated with Finalize method.

*For example, if GC is running in every 10 minutes but there are no objects for cleaning then it is just wasting the memory which it is using for running.*

*Dispose method Example*

```
public class Demo : IDisposable
{
    private bool disposed = false;

    public void Dispose(){

        Dispose(true);

        GC.SuppressFinalize(this);

    }

    protected virtual void Dispose(bool disposing)
    {

        if (!disposed){

            if (disposing){
                //clean up managed objects
            }

            //clean up unmanaged objects
            disposed = true;
        }
    }
}
```

## Q58. WHAT IS THE DIFFERENCE BETWEEN “FINALIZE” AND “FINALLY” METHODS?

- + **Finalize** – This method is used for **garbage collection**.  
So before destroying an object this method is called as part of clean up activity by GC.
- + **Finally** – This method is used for executing the code irrespective of exception occurred or not. It is a part of **exception handling**.

```
try
{
    SqlConnection con = new SqlConnection(connectionString);
    //Some logic
    //Error occurred
}
catch(ExceptionName ex) {
    //Error handled
}
finally
{
    //Connection closed
    con.Close();
}
```

## Q59. CAN WE FORCE GARBAGE COLLECTOR TO RUN?


YES. By this method GC.COLLECT() but this is not recommended, instead use Dispose method.

---

## Q60. WHAT IS THE DIFFERENCE BETWEEN PROCESS AND THREAD?

- A Process is an **execution** of a specific program/application.
- A thread is **the smallest unit of process that can be performed in an OS**.

See the diagram below, how t1, t2, t3 threads are linked inside Process1, 2 and 3. But Process 1,2,3 are not linked. They are isolated.




## Q61. EXPLAIN MULTITHREADING?


- Multithreading in C# is a process in which multiple threads work **SIMULTANEOUSLY**.

It is a way to achieve **MULTITASKING**. It saves time because multiple tasks are being executed at a time.

To create multithreaded application in C#, we need to use **SYSTEM.THREDING** namespace.



Single Process P with single thread



Single Process P with three threads

## Q62. WHAT IS THE DIFFERENCE BETWEEN THREADS AND TASKS?

Task are **WRAPPER** around Thread classes.

Thread is a computer programming concept, whereas Task is not a computer programming concept. Task is created by Microsoft(.NET Framework) in order to work easily with threads.

Task internally uses Threads only.

*You can also say that Thread is like a bicycle with which you can go anywhere, but it will need hard work and time. Whereas Task is like a motorcycle, it will also take you to anywhere but with speed and easiness.*



Below are some advantages of Tasks over Threads:

- ⊕ A Task can **RETURN A RESULT** but there is no proper way to return a result from Thread.
- ⊕ We can apply **CHAINING** on multiple tasks but we can not in threads.
- ⊕ We can apply **PARENT/CHILD** relationship in Tasks. A Task at one time becomes parent of multiple tasks. Parent Task does not complete until its child tasks are completed. We do not have any such mechanism in Thread class.

## Q63. WHAT IS THE ASYNC AND AWAIT IN TASK?

This is the Microsoft definition:

**The `async` keyword turns a method into an `async` method, which allows you to use the `await` keyword in its body.** When the `await` keyword is applied, it suspends the calling method and yields control back to its caller until the awaited task is complete. `await` can only be used inside an `async` method.

I have explained the below example in my lecture video, so please visit my video for understanding this:

```
public class HelloWorld
{
    public static void Main(string[] args)
    {
        int i = Method1();
        Console.WriteLine (i);

        int j = Method2();
        Console.WriteLine (j);

        int k = Method3();
        Console.WriteLine (k);

        Console.Read();
    }

    public static int Method1() {
        Thread.Sleep(500);
        return 10;
    }

    public static int Method2() {
        return 20;
    }

    public static int Method3() {
        return 30;
    }
}

//Output: 10 20 30
```

Synchronous Programming

```
public class HelloWorld
{
    public static void Main(string[] args)
    {
        Task task1 = Task.Run(() => {
            int i = Method1();
            Console.WriteLine (i);
        });

        Task task2 = Task.Run(() => {
            int j = Method2();
            Console.WriteLine (j);
        });

        int k = Method3();
        Console.WriteLine (k);
        Console.Read();
    }

    public static int Method1() {
        Thread.Sleep(500);
        return 10;
    }

    public static int Method2() {
        return 20;
    }

    public static int Method3() {
        return 30;
    }
}

//Output: 30 20 10
```

Asynchronous Programming

```
public class HelloWorld
{
    public static void Main(string[] args)
    {
        Method1_2();
        int k = Method3();
        Console.WriteLine (k);
        Console.Read();
    }

    static async void Method1_2()
    {
        Console.WriteLine("Test");
        var i = await Task.Run(() =>
        {
            return Method1();
        });

        Console.WriteLine(i);
        int j = Method2(i);
        Console.WriteLine (j);
    }

    public static int Method1() {
        Thread.Sleep(500);
        return 10;
    }

    public static int Method2(int i) {
        return 20 * i;
    }

    public static int Method3() {
        return 30;
    }
}

//Output: Test 30 10 200
```

Asynchronous using Async & Await

## Q64.      WHAT IS REFLECTION?

Reflection is the ability of a code to access the metadata of the assembly during runtime. Metadata is information about data.

*For example, if a book is a data, then author name, book name, book size are metadata as it gives information about the book.*



*Real time use is - Suppose you have to check the version of the assembly at runtime then you can use reflection like this.*

```
using System;
using System.Reflection;
using System.Diagnostics;

public class HelloWorld
{
    public static void Main(string[] args)
    {

        Assembly assembly = Assembly.GetExecutingAssembly();

        FileVersionInfo fvi = FileVersionInfo.GetVersionInfo(assembly.Location);


        string version = fvi.FileVersion;

        Console.WriteLine(version);

    }
}
```

## Q65. WHAT IS SERIALIZATION?

Serialization is a process of converting object to its BINARY FORMAT (BYTES)



Once it is converted to bytes, it can be easily stored and written to a disk or any such storage devices.

*When to use it?*

It is mostly used in Web API to convert class objects into JSON string like this

```
private void JSONSerialize()
{
    // Serializaion
    Employee empObj = new Employee();
    empObj.ID = 1;
    empObj.Name = "Manas";
    empObj.Address = "India";

    // Convert Employee object to JOSN string format
    string jsonData = JsonConvert.SerializeObject(empObj);
    Response.Write(jsonData);
}
```

## Q66.      WHAT IS MEANT BY GLOBALIZATION AND LOCALIZATION?

Globalization is the process of designing and developing a software product that functions in **MULTIPLE CULTURES/LOCALES**.

Localization is the process of adapting a globalized application, which you have already processed for localizability, to a **particular** culture/locale.

*For example, you just started developing an application which supports multiple languages like English, German, French then you will architect your project as per globalization.*

*After you have created this application, one year later your manager asks you to add one more language like Japanese then you are doing localization for a particular language.*


- English
- French
- German
- Spanish
- Italian
- Portuguese



## Q67. WHAT ARE WINDOW SERVICES?

Windows service is a computer program that runs in the **BACKGROUND** to execute some tasks.

*You can see the window services in your system by running services.msc command.*



Windows services can be started **AUTOMATICALLY** or manually.

You can also manually pause, stop and restart Windows services.

Name	Description	Status	Startup Type	Log On As
ActiveX Installer (AxinstSV)	Provides User...	Running	Manual	Local System
Adobe Acrobat Update Servi...	Adobe Acro...	Running	Automatic	Local System
Agent Activation Runtime_b...	Runtime for ...	Running	Manual	Local System
AllJoyn Router Service	Routes Alljo...	Running	Manual (Trigg...	Local Service
App Readiness	Gets apps re...	Running	Manual	Local System
Application Identity	Determines th...	Running	Manual (Trigg...	Local Service
Application Information	Facilitates th...	Running	Manual (Trigg...	Local System
Application Layer Gateway S...	Provides sup...	Running	Manual	Local Service
Application Management	Processes in...	Running	Manual	Local System
AppX Deployment Service (A...	Provides infr...	Running	Manual (Trigg...	Local System
AssignedAccessManager Ser...	AssignedAcc...	Running	Manual (Trigg...	Local System
Auto Time Zone Updater	Automatically...	Disabled	Local Service	
AVCTP service	This is Audio...	Running	Manual (Trigg...	Local Service
Background Intelligent Tran...	Transfers file...	Running	Manual	Local System
Background Tasks Infrastruc...	Windows inf...	Running	Automatic	Local System
Base Filtering Engine	The Base Fil...	Running	Automatic	Local Service
BitLocker Drive Encryption S...	BDESVC hos...	Running	Manual (Trigg...	Local System
Block Level Backup Engine S...	The WBENGL...	Running	Manual	Local System

## Chapter 3 - SQL

### Q68.     WHAT IS THE DIFFERENCE BETWEEN DBMS AND RDBMS?


DBMS	RDBMS
1. DBMS stores data as file.	RDBMS stores data in <b>TABULAR</b> form.
2. No relationship between data.	Data is stored in the form of tables which are <b>RELATED</b> to each other. Eg: Foreign key relationship.
3. Normalization is not present.	<b>NORMALIZATION</b> is present.
4. It deals with small quantity of data.	It deals with <b>LARGE</b> amount of data.
5. Examples: XML	Examples: MySQL, PostgreSQL, SQL Server, Oracle etc.

## Q69. WHAT IS A CONSTRAINT IN SQL? WHAT ARE ITS TYPES.

SQL constraints are used to specify rules for the data in a table.

Constraints are used to limit the type of data that can go into a table.

Below in the diagram you can see 6 constraints and their role in SQL Server:




## Q70. WHAT IS THE DIFFERENCE BETWEEN PRIMARY KEY AND UNIQUE KEY?

	<b>Primary Key</b>	<b>Unique Key</b>
<b>1</b>	Primary Key <b>Can't Accept Null Values.</b>	Unique Key <b>Can Accept Only One Null Value</b>
<b>2</b>	Creates <b>Clustered Index</b>	Creates <b>Non-Clustered Index</b>
<b>3</b>	Only <b>One Primary key</b> in a Table	More than <b>One Unique Key</b> in a Table.

## Q71. WHAT ARE TRIGGERS AND TYPES OF TRIGGERS?


Triggers are stored programs, which are **AUTOMATICALLY** executed or fired when some events (insert, delete and update) occur.

### Types of triggers:



## Q72. WHAT IS A VIEW?

A view is a **VIRTUAL** table which consists of a subset of data contained in a table or more than one table.



Views are not stored in memory like tables then why to use views?

Because of 2 reasons:

1. Views can be easily Indexed to improve the **performance**.
2. **Extra security** – DBA can hide the actual table names and expose views for Read only operations.

Remember, in a view query is stored but the data is never stored like a table.

## Q73. WHAT IS THE DIFFERENCE BETWEEN HAVING CLAUSE AND WHERE CLAUSE?

1. WHERE Clause is used before GROUP BY Clause.

HAVING Clause is used after GROUP BY Clause.

2. WHERE Clause cannot contain AGGREGATE function.


HAVING Clause can contain aggregate function.

```
SELECT COUNT(CustomerID), Country
FROM Customers
WHERE Country = "India"
GROUP BY Country
HAVING COUNT(CustomerID) > 5;
```

## Q74. WHAT IS SUB QUERY OR NESTED QUERY OR INNER QUERY IN SQL?

A Subquery or Inner query or a Nested query is a query within another SQL query and **embedded** within the **WHERE** clause.

*Like this. See there is an outer query and an inner query is embedded in where clause:*



## Q75.      WHAT IS AUTO INCREMENT/ IDENTITY COLUMN IN SQL SERVER?


Auto-increment allows a unique number to be **generated automatically** when a new record is inserted into a table.

```
CREATE TABLE Persons (
    Personid int IDENTITY(1,1) PRIMARY KEY,
    FirstName varchar(255),
    Age int
);
```


## Q76.

## WHAT ARE JOINS IN SQL?

A join clause is used to **COMBINE** rows from two or more tables, based on a related column between them.



## Q77. WHAT ARE THE TYPES OF JOINS IN SQL SERVER?



- + **LEFT OUTER JOIN:** As you can see in the diagram – It returns all records from the left table, and the matched records from the right table.
- + **RIGHT (OUTER) JOIN:** Returns all records from the right table, and the matched records from the left table.
- + **FULL (OUTER) JOIN:** Returns all records when there is a match in either left or right table.
- + **(INNER) JOIN:** Returns records that have matching values in both tables. Inner join is the mostly used join in all joins.

## Q78. WHAT IS SELF-JOIN?

A self-join is a **join of a table to itself**.

When to use Self Join?

Suppose you have an employee table, here all the employees with their employee id are present. Managers are also employees, so they are also present with their employee id.

Now most of the employee will have a manager, therefore in the same table there is a manager id will be there which is nothing but employee id of the manager of that employee.

Now your task is to get the employee name with his/her manager name.

So, this will be solved by using self join because we don't have any other table here and there is no such column like manager name in this table.

employees	
* employee_id	
first_name	
email	
phone_number	
hire_date	
job_id	
salary	
manager_id	→ This manager id is employee id of the manager of an employee
department_id	

*This is the query and the example we will use to get the employee first name and his manager first name  
See employees table joining employees table and that is selfjoin.*

**SELECT**

```
e.first_name AS employee,  
m.first_name AS manager  
FROM  
employees e LEFT JOIN  
employees m  
ON m.employee_id = e.manager_id  
ORDER BY manager;
```

*This is the result we will get:*

	employee	manager
▶	Steven King	NULL
	Bruce Ernst	Alexander Hunold
	David Austin	Alexander Hunold
	Valli Pataballa	Alexander Hunold
	Diana Lorentz	Alexander Hunold
	Alexander Khoo	Den Raphaely

**Q79.** WRITE A SQL QUERY TO FETCH ALL THE EMPLOYEES WHO ARE ALSO MANAGERS?

Use self-join here

Table

employees	
*	employee_id
	first_name
	email
	phone_number
	hire_date
	job_id
	salary
	manager_id
	department_id

SQL Query using self join

SELECT

```
e.first_name AS employee,  
m.first_name AS manager  
  
FROM  
  
employees e  
INNER JOIN  
employees m ON m.employee_id = e.manager_id
```

This will be the output:

	employee	manager
▶	Steven King	NULL
	Bruce Ernst	Alexander Hunold
	David Austin	Alexander Hunold
	Valli Pataballa	Alexander Hunold
	Diana Lorentz	Alexander Hunold
	Alexander Khoo	Den Raphaely

## Q80.      WHAT ARE INDEXES IN SQL SERVER?

SQL Indexes are used in relational databases to retrieve data **VERY FAST**.

*They are like indexes at the start of the BOOKS, which purpose is to find a topic quickly.*

Table of Contents	
Acknowledgments .....	.ix
Introduction .....	.xi
<b>Part I Envision the Possibilities</b>	
<b>1 Welcome to Office 2010 .....</b>	<b>3</b>
Features that Fit Your Work Style .....	3
Changes in Office 2010 .....	4
Let Your Ideas Soar .....	5
Collaborate Easily and Naturally .....	5
Work Anywhere—and Everywhere .....	6
Exploring the Ribbon .....	7


## Q81.

## WHAT IS CLUSTERED INDEX?

### CLUSTERED INDEX

A clustered index defines the order in which data is **physically** stored in a table.

*Clustered index are similar to the Dictionary. See how you will find any word. There is only one way to find a word so similarly there can be only one clustered index per table possible.*



In SQL Server, if you set a primary key on a column then it will automatically create a clustered index on that column.

**Q82.**

## WHAT IS NON-CLUSTERED INDEX?

### NON-CLUSTERED INDEX

A non-clustered index is stored at one place and table data is stored in another place. So, this index is not physically stored.

*It is like the index of a BOOK.*

*A book can have multiple indexes like one at the start and one at the end like shown below:*

Table of Contents	
Acknowledgments .....	.ix
Introduction .....	.xi
<b>Part I Envision the Possibilities</b>	
1 Welcome to Office 2010 .....	.3
Features that Fit Your Work Style .....	.3
Changes in Office 2010 .....	.4
Let Your Ideas Soar .....	.5
Collaborate Easily and Naturally .....	.5
Work Anywhere—and Everywhere .....	.6
Exploring the Ribbon .....	.7

Index	
<b>A</b>	
accordion, layouts	
about 128	
movie form, adding 131	
nesting, in tab 128,129	
toolbar, adding 129-131	
adapters, Ext	
about 18	
using 18, 20	
Adobe AIR 285	
Adobe Integrated Run time. <i>See</i> Adobe AIR	
AJAX 12	
Asynchronous JavaScript and XML	
<i>See</i> AJAX	
<b>B</b>	
built-in features, Ext	
client-side sorting 86	
column, reordering 86, 87	
columns, hidden 86	
<b>D</b>	
data, filtering	
about 238	
remote, filtering 238-244	

Similarly, a table can have multiple non-clustered indexes in a table.

**Q83.**

WHAT IS THE DIFFERENCE BETWEEN CLUSTERED AND NON-CLUSTERED INDEX?

1. A clustered index defines the order in which data is **physically** stored in a table.  
*For example, Dictionary.*

A non-clustered index is stored at one place and table data is stored in another place.

*For example, Book Index.*

2. A table can have only one clustered index.

A table can have multiple non-clustered index.

3. Clustered index is faster.

Non-clustered index is slower.

## Q84. HOW TO CREATE CLUSTERED AND NON-CLUSTERED INDEX IN A TABLE?

### CLUSTERED INDEX

When you create a PRIMARY KEY constraint, a clustered index on the column or columns is automatically created.

```
CREATE CLUSTERED INDEX <index_name>
ON <table_name>(<column_name> ASC/DESC)
```

### NON-CLUSTERED INDEX

```
CREATE NONCLUSTERED INDEX <index_name>
ON <table_name>(<column_name> ASC/DESC)
```

---

## Q85. IN WHICH COLUMN YOU WILL APPLY THE INDEXING TO OPTIMIZE THIS QUERY.

*“select id, class from student where name=“happy””?*

The column **after WHERE** condition, which is “name” here.

---

## Q86. WHAT IS THE DIFFERENCE BETWEEN STORED PROCEDURE AND FUNCTIONS?

1. SP may or may not **return** a value, but function must return a value.
2. SP can have input/**output** parameters, but function only has input parameters.
3. We can **call** function inside SP, but cannot call SP from a function.
4. We cannot use SP in **SQL statements** like SELECT, INSERT, UPDATE, DELETE, MERGE, etc, but we can use them with function.  
*SELECT \*, dbo.fnCountry(city.long) FROM city;*
5. We can use try-catch exception handling in SP, but we cannot do that in function.
6. We can use transactions inside SP, but it is not possible in function.

--Stored Procedure

```
CREATE PROCEDURE proc_name
(@Ename varchar(50),
@EId int output)
AS
BEGIN
    INSERT INTO Employee (EmpName) VALUES (@En
ame)
    SELECT @EId= SCOPE_IDENTITY()
END
```

--UDF – User Defined Functions

```
CREATE FUNCTION function_name
(parameters) --only input parameter
RETURNS data_type AS
BEGIN
    SQL statements
    RETURN value
END;
```

## Q87. HOW TO OPTIMIZE A STORED PROCEDURE OR SQL QUERY?

Below are some techniques to optimize a stored procedure:

1. Use SET NOCOUNT ON
2. Specify column names instead of using \* in SELECT statement.
3. Use schema name before objects or table names.

*Example: SELECT EmpID, Name FROM dbo.Employee*

4. Do not use DYNAMIC QUERIES. They are vulnerable to SQL Injections.
5. Use EXISTS () instead of COUNT ().  
*Example: IF( EXISTS (SELECT 1 FROM db.Employees)) is better than  
SELECT Count(1) FROM dbo.Employee*
6. Use TRANSACTION when required only

## Q88. WHAT IS A CURSOR? WHY TO AVOID THEM?

A database Cursor is a control which enables **traversal/ iteration over the rows** or records in the table.

It's a 5-step process:

1. Declare
2. Open
3. Fetch using while loop
4. Close
5. Deallocate

---

```
DECLARE
    @product_name VARCHAR(MAX),
    @list_price    DECIMAL;

DECLARE cursor_product CURSOR
FOR SELECT
    product_name,
    list_price
FROM
    production.products;

OPEN cursor_product;

FETCH NEXT FROM cursor_product INTO
    @product_name,
    @list_price;

WHILE @@FETCH_STATUS = 0
BEGIN
    PRINT @product_name + CAST(@list_price AS varchar);
    FETCH NEXT FROM cursor_product INTO
        @product_name,
        @list_price;
END;

CLOSE cursor_product;

DEALLOCATE cursor_product;
```

## LIMITATION

A cursor is a **MEMORY** resident set of pointers -- meaning it occupies lots of memory from your system which is **not good for performance**.

---

### Q89. WHAT IS THE DIFFERENCE BETWEEN SCOPE\_IDENTITY AND @@IDENTITY?

scope\_identity and @@identity, both are used to get the **last value entered in the identity column** of the table.

The @@identity returns the last identity created **in the same session**. The session is the database connection.

```
SELECT @@IDENTITY
```

The scope\_identity() function returns the last identity created **in the same session and the same scope**. The scope is the current query or the current stored procedure.

```
SELECT SCOPE_IDENTITY()
```

Normally we have to use scope\_identity() function inside stored procedures.

---

## Q90.      WHAT IS CTE IN SQL SERVER?

A Common Table Expression, is a TEMPORARY named result set, that you can reference within a SELECT, INSERT, UPDATE, or DELETE statement.

```
WITH           ← CTE name
with engineers as (
    select *
    from employees
    where dept='Engineering'
)
select *
from engineers ← CTE Usage
where ...
```

## Q91. WHAT IS THE DIFFERENCE BETWEEN DELETE, TRUNCATE AND DROP COMMANDS?

### **DELETE**

1. It is a DML.

2. It is used to delete the one or more rows(data) of a table.

3. It can be rollback.

```
DELETE FROM Employees  
WHERE Emp_Id = 7;
```

### **TRUNCATE**

1. It is a DDL.

2. It is used to delete all rows from the table.

3. It can be rollback.

4. ~~Truncate~~ will remove all the records from the table Employees but **not** the structure/ schema.

```
TRUNCATE TABLE Employees;
```

### **DROP**

1. It is a DDL.

2. It is used to drop the whole table **with STRUCTURE/SCHEMA**.

3. It **can not** be rollback.

4. It will remove the structure/ schema also.

```
DROP TABLE Employees;
```

## Q92.

## HOW TO GET THE NTH HIGHEST SALARY OF AN EMPLOYEE?

Salary
5000
10000
6000
4000
2000
7000

With the below logic one can find 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup>, any highest salary. Below I did it for 3<sup>rd</sup> highest salary:

1. The logic is first select TOP 3 salaries in descending order.

```
SELECT DISTINCT TOP N SALARY  
FROM tbl_Employees  
ORDER BY SALARY DESC
```

2. Put the result in “Result” and then do order by asc

```
SELECT SALARY  
FROM (
```

```
SELECT DISTINCT TOP N SALARY  
FROM tbl_Employees  
ORDER BY SALARY DESC
```

```
) RESULT  
ORDER BY SALARY
```

3. Select top 1 salary from result set

```
SELECT TOP 1 SALARY  
FROM (
```

```
SELECT DISTINCT TOP N SALARY  
FROM tbl_Employees  
ORDER BY SALARY DESC
```

```
) RESULT  
ORDER BY SALARY
```


10000
7000
6000

Result
6000
7000
10000

Result
6000

## Q93.      WHAT ARE ACID PROPERTIES?

ACID properties are used when you are handling **transactions** in SQL.



---

## Q94.      WHAT ARE MAGIC TABLES IN SQL SERVER?

**Magic tables** are the temporary logical tables that are created by the SQL server whenever there are **insertion or deletion or update**( D.M.L ) operations.

**Types of magic tables:**

**INSERTED** – The recently inserted row gets added to the INSERTED magic table.

**DELETED** – The recently deleted row gets added to the DELETED magic table.

The use of magic tables are TRIGGERS.

---


## Chapter 4 - ASP.NET MVC

### Q95. WHAT IS MVC (MODEL VIEW CONTROLLER)? EXPLAIN MVC LIFE CYCLE.

MVC is a framework for building web applications using an MVC (Model View Controller) design:

- + The **Model** represents the data.
- + The **View** displays the data.
- + **Controllers** act as an interface between Model and View components to process all **the business logic** and then render the final output to view.

*Below is the flow of the request processing in MVC:*



### Q96. WHAT ARE THE ADVANTAGES OF MVC OVER WEB FORMS?

Below are the advantages of MVC:

**1. SOC (SEPARATION OF CONCERNS)** - Separation of Concerns is one of the core advantages of ASP.NET MVC. The MVC framework provides a clean separation of the UI, Business Logic, Model or Data.

*Meaning is view is not dependent on controller and controller is not dependent on view. In Web forms one aspx file will have one aspx.cs file, which means UI(aspx) is TIGHTLY COUPLED with logic (.aspx.cs).*

**2. MULTIPLE VIEW SUPPORT** - Due to the separation of the model from the view, the user interface can display multiple views of the same data at the same time.

**3. CHANGE ACCOMMODATION** - User interfaces tend to change more frequently than business rules (different colors, fonts, screen layouts, and levels of support for new devices such as cell phones or PDAs) because the model does not depend on the views, adding new types of views to the system generally does not affect the model. As a result, the scope of change is confined to the view.

In Web forms one aspx file will have one aspx.cs file, which means UI(aspx) is TIGHTLY COUPLED with logic (.aspx.cs).

In MVC one view can interact with multiple controllers and one controller can interact with multiple views therefore no TIGHT coupling.


**4. MORE CONTROL** - The ASP.NET MVC framework provides more control over HTML, JavaScript, and CSS than the traditional Web Forms.

**5. TESTABILITY** - ASP.NET MVC framework provides better testability of the Web Application and good support for test driven development too.

**6. LIGHTWEIGHT** - ASP.NET MVC framework doesn't use View State and thus reduces the bandwidth of the requests to an extent.

**7. FULL FEATURES OF ASP.NET** - One of the key advantages of using ASP.NET MVC is that it is built on top of the ASP.NET framework and hence most of the features of the ASP.NET like membership providers, roles, etc can still be used.

**Q97.** WHAT ARE THE DIFFERENT RETURN TYPES OF A CONTROLLER ACTION METHOD?



1. **VIEWRESULT** - This return type is used to return a webpage from an action method.
2. **PARTIALVIEWRESULT** - This return type is used to send a part of a view that will be rendered in another view.
3. **REDIRECTRESULT** - This return type is used to redirect to any other controller and action method depending on the URL.

4. *REDIRECTTROUTERESULT* - This return type is used when we want to redirect to any other action method.

5. *CONTENTRESULT* - This return type is used to return HTTP content type like text/plain as the result of the action.

6. *JSONRESULT* - This return type is used when we want to return a JSON message.

7. *JAVASCRIPTRESULT* - This return type is used to return JavaScript code that will run in the browser.

8. *FILERESULT* - This return type is used to send binary output in response.

9. *EMPTYRESULT* - This return type is used to return nothing (void) in the result.


## Q98. WHAT ARE FILTERS AND THEIR TYPES IN MVC?

ASP.NET MVC Filter is a custom class where you can write custom logic to execute before or after an action method executes.

For example, here is the code of Authorize filter. If any request will try to access this action method DoAdminStuff, first this authorization filter will check that Roles In the request are of Admin, then only it will allow. So, this filter run before the execution of the action method.

```
[Authorize]
References
public class AuthorizeController : Controller
{
    [Authorize(Roles = "Admin")]
    References
    public ActionResult DoAdminStuff()
    {
        return View();
    }
}
```

Types of Action Filters Are:



Filter Type	Description	Built-in Filter	Interface
Authorization filters	Performs authentication and authorizes before executing an action method.	[Authorize], [RequireHttps]	<a href="#">IAuthorizationFilter</a>
Action filters	Performs some custom operation before and after an action method executes.		<a href="#">IActionFilter</a>
Result filters	Performs some operation before or after the execution of the view. For example if you want to modify a view result right before the view is rendered to the browser.	[OutputCache]	<a href="#">IResultFilter</a>
Exception filters	Performs some operation if there is an unhandled exception thrown during the execution of the ASP.NET MVC pipeline.	[HandleError]	<a href="#">IExceptionFilter</a>

## Q99. WHAT IS AUTHENTICATION AND AUTHORIZATION IN ASP.NET MVC?

- ➡ Authentication is the process of obtaining some sort of credentials (username, password) from the users and using those credentials to verify the **USER'S IDENTITY**.
- ➡ Authorization is the process of allowing an authenticated user **ACCESS** to resources.

*Authentication is always done before Authorization.*



## Q100. WHAT ARE THE TYPES OF AUTHENTICATION IN ASP.NET MVC?

**1. FORM BASED AUTHENTICATION** - It is based on cookies, the authentication and permission settings are stored in cookies.

*Example: You can create a Login page for users to get authenticated before viewing content in your application.*

```
<authentication mode="Forms">
    <forms loginUrl="Accounts/Login"></forms>
</authentication>
```

**2. PASSPORT AUTHENTICATION** - Passport authentication is a centralized authentication service provided by Microsoft.

*In your application you can apply authentication with the help of Microsoft authentication. This is an enhanced way of securing the authentication in your applications.*




**3. WINDOWS AUTHENTICATION** - We use windows authentication when we are creating a web application for a limited number of users who will use their windows account for authentication.

*This type of authentication is quite useful in an intranet environment.*

## Q101. WHAT IS OUTPUT CACHING IN MVC? HOW TO IMPLEMENT IT?

In normal caching a cache will be setup in the server which will be used as a storage to store and transfer data which is requested frequently. And this will improve the performance.




The output cache attribute caches the content returned by a controller action.

See the code here, Output cache will keep the data for 10 second, and then delete it if it is no more required. Because cache has to be light and fast.

```
[OutputCache(Duration=10)]
public ActionResult Index()
{
    ViewBag.Time = DateTime.Now.ToString("yyyy-MM-dd HH:mm:ss");
    return View();
}
```

## Q102. WHAT IS THE DIFFERENCE BETWEEN VIEWDATA, VIEWBAG & TEMPDATA?



- + ViewData & ViewBag are used to pass data from **CONTROLLER TO VIEW**.
- + TempData is used to pass data from **CONTROLLER TO CONTROLLER**.

ViewData **REQUIRES TYPECASTING** for complex data types whereas ViewBag **DOESN'T REQUIRE TYPECASTING** for the complex data type.

---

## Q103. HOW CAN WE PASS THE DATA FROM CONTROLLER TO VIEW IN MVC?

By using ViewData and ViewBag

---

## Q104. WHAT IS PARTIAL VIEW?

Partial view in ASP.NET MVC is a special view which renders a portion of view content.

*For example, menu can be a partial view for a view or page which can be reused in multiple pages or views. It helps us to reduce code duplication.*


It is just like a user control of a web form application.

---

## Q105. WHAT ARE AREAS IN MVC?

Areas are just a way to divide or “isolate” the modules of large applications in multiple or separated MVC projects.

*So, if you have a very big MVC application then it can be further divided into small MVC applications with the help of Areas.*



## Q106. HOW VALIDATION WORKS IN MVC?

Validation can be done in MVC using **DATA ANNOTATION** Attributes.

```
public class Student
{
    public int StudentId { get; set; }

    [Required]
    public string StudentName { get; set; }

    [Range(10, 20)]
    public int Age { get; set; }
}
```

---


## Q107. EXPLAIN THE CONCEPT OF MVC SCAFFOLDING?

Scaffolding is a code generation framework for ASP.NET Web applications.



## Q108. WHAT IS BUNDLING AND MINIFICATION IN MVC?

- **BUNDLING** - It lets us combine multiple JavaScript (.js) files or multiple cascading style sheet (.css) files, so that they can be downloaded as a unit, rather than making individual HTTP requests.
- **MINIFICATION** - It squeezes out whitespace and performs other types of compression to make the downloaded files as small as possible.



## Q109. HOW TO IMPLEMENT SECURITY IN WEB APPLICATIONS IN MVC?


These are the ways your web application security can be compromised and the way to prevent them:

*(Not in detail but an overview)*

- 1) Error Handling - Must Setup CUSTOM ERROR PAGE in your application
  - 2) Cross-Site Request Forgery (CSRF) – Ensure use of AntiForgeryToken
  - 3) Cross-Site Scripting (XSS) attacks – Do not allow <script> tag in the inputs of your application.
  - 4) Malicious FILE Upload – Do not allow uploads where file extension is not known.
  - 5) SQL Injection Attack - VALIDATE inputs, Use Parameterized queries, Use ORM (e.g. Dapper , Entity framework ), Use Stored Procedures.
  - 6) Use TOKEN based authentication in Web api and applications.
  - 7) Save the password in ENCRYPTED form so that even developer can't access it.
  - 8) Use HTTPS
-

## Chapter 5 - ASP.NET WEBFORMS

**Q110.** WHAT ARE THE EVENTS IN PAGE LIFE CYCLE? IN WHICH EVENT ARE THE CONTROLS FULLY LOADED?



*All events of the page life cycle. But the main ones are given below:*

**Init** - This event fires after each control has been initialized.

**Load** – All the controls are ready at this event.

**PreRender** - Allows final changes to the page or its control.

**Render** - The Render method generates the client-side HTML

**Unload** - This event is used for cleanup code.

In PAGE LOAD event controls are fully loaded.


## Q111. WHAT IS THE DIFFERENCE BETWEEN SERVER.TRANSFER() AND RESPONSE.REDIRECT()?

Both Response.Redirect() and Server.Transfer() methods are used to redirect the user's browser from one page to another page.

**Response.Redirect** uses round trip back to the client for redirecting the page.

It is a slow technique, but it maintains the URL history in the client browser for all pages.


*Suppose a client will send a request for Page1.aspx to the server. See this Page1.aspx present on the server. Now inside this Page1.aspx after some logic it has to be redirected to the Page2.aspx on some condition. So if you are using the response.redirect, then it will send the response back to the client and then it will again request the new page from the server. So, this is what we also call round trip, when you are going from position A to B and then you have to go to position C, for that you are coming back to position A and then going to position C, that is round trip which is not good and slow.*



In **Server.Transfer** page processing transfers from one page to the other page WITHOUT MAKING A ROUND-TRIP BACK to the client's browser.

It is a faster technique, but it **does not** maintain the URL history in the client browser for all pages.

*In case of Server.Transfer transfer from Page1 to 2 will be direct without going back to the client like this. So it does not require round trip and hence very fast.*




---

## **Q112. WHERE THE VIEWSTATE IS STORED AFTER THE PAGE POSTBACK?**

ViewState is stored in a HIDDEN FIELD on the page at client side.

---

## Q113. WHAT ARE THE DIFFERENT TYPES OF CACHING?



---

## Q114. WHAT ARE THE DIFFERENT SESSION STATE MANAGEMENT OPTIONS AVAILABLE IN ASP.NET?


Session can be stored in two ways in ASP.NET:

1. In-Process - Stores the session in memory on the same **web server**.
  
  2. Out-of-Process - Stores the session data in an **external server**. The external server may be either a SQL Server or a State Server.
-

## Q115. WHAT IS COOKIE LESS SESSION?

By default, a session uses a browser cookie in the background.

In cookie less the session is passed via **URL INSTEAD OF COOKIE**.



To enable a cookie-less session, we need to change some configuration in the WEB.CONFIG file.

---

## Q116. HOW TO FORCE ALL THE VALIDATION CONTROLS TO RUN IN A PAGE IN WEB FORMS?


**PAGE.VALIDATE()**

---

## Chapter 6 - ADO.NET

### Q117. WHAT ARE THE MAIN COMPONENTS OF ADO.NET?


- + **DataSet class** - A DataSet is basically a container which gets the data from one or more than one tables from the database. It follows disconnected architecture.
- + **DataReader Class** - The DataReader allows you to read the data returned by a SELECT command. It is read only. Unlike dataset we cannot update the database via this. It follows connected architecture.
- + **DataAdapter class** - A DataAdapter bridges the gap between the disconnected DataSet/ DataTable objects and the physical database.



## Q118. WHAT IS CONNECTED ARCHITECTURE AND DISCONNECTED ARCHITECTURE?


- **Disconnected Architecture** - Disconnected architecture means, you don't need to connect always to get data from the database. You can get data into DataAdapter, disconnect the database, manipulate the DataAdapter and resubmit the data. It is fast and robust(data will not lose in case of any power failure).

DISCONNECTED ARCHITECTURE




- **Connected Architecture** - Connected architecture means you are directly interacting with database but it is less secure and not robust.

CONNECTED ARCHITECTURE



## Q119. WHAT ARE THE DIFFERENT EXECUTE METHODS OF ADO.NET?

- + **EXECUTESCALAR()** - Returns SINGLE value from the dataset
- + **EXECUTENONQUERY()** - Returns a RESULTSET from dataset and it has multiple values. It can be used for insert, update and delete.
- + **EXECUTEREADER()** - It only retrieves data from database. No update, insert. It is readonly.



---


## Q120. WHAT ARE THE AUTHENTICATION TECHNIQUES USED TO CONNECT TO SQL SERVER?

- + **WINDOWS AUTHENTICATION MODE** - Use authentication using Windows domain accounts only.
  - + **SQL SERVER AUTHENTICATION MODE** - Authentication provided with the combination of both Windows and SQL Server Authentication.
-

## Chapter 7 – ENTITY FRAMEWORK

### Q121. WHAT IS ORM? WHAT ARE THE DIFFERENT TYPES OF ORM?

ORM (Object-Relational Mapper) is for mapping objects in your application with database tables. It is like a wrapper to make database calls simple and easy.



Types of ORM can be used with .NET:

- ENTITY FRAMEWORK 6.X
- ENTITY FRAMEWORK CORE
- N HIBERNATE
- DAPPER


## Q122. WHAT IS ENTITY FRAMEWORK?

An Entity Framework (EF) is an open-source **ORM (Object-Relational Mapper)** from Microsoft.

It's like a **WRAPPER** on ADO.NET.

Entity Framework minimizes the coding effort.

*For example, here you can see Student class, Address class and Branch classes. These classes will be directly matched with database tables. The properties will be table columns.*



## Q123. HOW WILL YOU DIFFERENTIATE ADO.NET FROM ENTITY FRAMEWORK?

See the below code. Both EF and ADO.NET are doing same thing but see the number of lines are less in EF and it is simple also.

### ADO.NET

```
public class UserRepository
{
    public DataSet GetAllUsersList()
    {
        DataSet ds = new DataSet(); // Initializes disconnected dataset to fetch results

        //Create and initialize the connection using connection string
        using (SqlConnection sqlConn = SqlConnection ("DataSource=localhost;
                                                Initial Catalog=TestDB; User ID=sa;Password=admin;"))
        {

            sqlConn.Open(); //Open connection

            string sql = "select * from tblusers"; // sql query to access user from table
            SqlCommand sqlCmd = new SqlCommand(sql, sqlConn);

            sqlCmd.CommandType = CommandType.Text; // Define Command Type

            SqlDataAdapter sqlAdapter = new SqlDataAdapter(sqlCmd); // Execute command

            sqlAdapter.Fill(ds); //Get the data in disconnected mode
        }

        return ds; // return dataset result
    }
}
```

### EF

```
public class UserRepository
{
    public static void Main(string[] args)
    {
        // Initializes the dbContext class User Entity
        using (var userContextDB = new UserContext())
        {
            // Create a new user object
            var user = new User() { UserID = "USER-01" };

            // Call Add Command
            userContextDB.User.Add(user);

            // Execute the save command to make changes
            userContextDB.SaveChanges();
        }
    }
}
```

### ADO.NET

ADO.NET does create codes for the data access layers, intermediate layers, and mapping codes by itself.

### Entity Framework

EF **automatically** creates codes for the data access layers, intermediate layers, and mapping codes.

ADO.NET is slightly faster.

Entity Framework is comparatively slower.

## Q124. HOW ENTITY FRAMEWORK WORKS? OR HOW TO SETUP EF?

Below are the steps to add records in Student table in database using EF:

### **1. Install-Package EntityFramework**

### **2. Create the data model for the student entity**

In the *Models* folder, create a class file named *Student.cs*

```
public class Student {  
    public int ID { get; set; }  
    public string LastName { get; set; }  
    public string FirstMidName { get; set; }  
}
```

### **3. Create the database context class – SchoolContext.cs**


```
public class SchoolContext : DbContext  
{  
    public SchoolContext() : base("SchoolContext")  
    {  
    }  
    public DbSet<Student> Students { get; set; }  
    protected override void OnModelCreating(DbModelBuilder modelBuilder)  
    {  
        modelBuilder.Conventions.Remove<PluralizingTableNameConvention>();  
    }  
}
```

### 3. Finally add data to student table

```
public class SchoolInitializer : System.Data.Entity.  
DropCreateDatabaseIfModelChanges<SchoolContext>  
{  
    protected override void Seed(SchoolContext context)  
    {  
        var students = new List<Student>  
        {  
            new Student{FirstMidName="Carson",LastName="Alexander"},  
            new Student{FirstMidName="Meredith",LastName="Alonso"},  
            new Student{FirstMidName="Arturo",LastName="Anand},  
        };  
        students.ForEach(s => context.Students.Add(s));  
        context.SaveChanges();  
    }  
}
```

## Q125. WHAT IS MEANT BY DBCONTEXT AND DBSET?

- DbContext is a class in the Entity Framework that helps create a **COMMUNICATION** between the database and the domain/entity class.



- The DbSet class represents an **entity set** that can be used for create, read, update, and delete operations. You can relate DbSet with the Table in database.

```
public partial class SchoolDBEntities : DbContext
{
    public SchoolDBEntities()
        : base("name=SchoolDBEntities")
    {
    }


    protected override void OnModelCreating(DbModelBuilder modelBuilder)
    {
        throw new UnintentionalCodeFirstException();
    }

    public virtual DbSet<Course> Courses { get; set; }
    public virtual DbSet<Standard> Standards { get; set; }
    public virtual DbSet<Student> Students { get; set; }
    public virtual DbSet<StudentAddress> StudentAddresses { get; set; }
    public virtual DbSet<Teacher> Teachers { get; set; }
}
```

Fluent API

Entity set

## Q126. WHAT ARE THE DIFFERENT TYPES OF APPROACHES USED IN ENTITY FRAMEWORK?



- + **Database First** - The Database First approach enables us to create an entity model from the **existing database**.
- + **Code First** - The Code First approach enables us to **create a model** and their relation using classes and then create the database from these classes.
- + **Model First** - In this approach, **model classes** and their relation is created first using the ORM designer and the physical database will be generated using this model.

## Q127. WHAT IS THE DIFFERENCE BETWEEN LINQ TO SQL AND ENTITY FRAMEWORK?

1. LINQ to SQL allow you to query and modify SQL Server database by using LINQ syntax.

Entity framework is a ORM by Microsoft which allow you to query and modify RDBMS like SQL Server, Oracle, DB2 and MySQL etc. by using LINQ syntax.

2. LINQ to SQL only works with SQL Server

EF work with SQL Server, Oracle, DB2 etc.

3. LINQ to SQL will generate the DBML file

EF generates the .EDMX file (Entity Data Model Extension)

4. LINQ to SQL is old and slow.


EF is mostly used, new and fast.

# Chapter 8 - DESIGN PATTERNS & SOLID PRINCIPLES

## Q128. WHAT ARE SOLID PRINCIPLES? WHAT IS THE DIFFERENCE BETWEEN SOLID PRINCIPLES AND DESIGN PATTERNS?

SOLID is an acronym that stands for five key design principles:

1. Single responsibility principle
2. Open-closed principle
3. Liskov substitution principle
4. Interface segregation principle
5. Dependency inversion principle.



*Difference between SOLID principles and Design Patterns?*

SOLID principles aren't concrete - rather abstract. Meaning there can be multiple ways to implement the SOLID principles.

Design patterns are concrete and solve a particular kind of problem in a particular way.


## Q129. WHAT IS SINGLE RESPONSIBILITY PRINCIPLE?

- SRP states that, each software module or class should have only one reason to change. Or we can say that each class should have only **one responsibility** to do.

For example, in the below diagram, there is an invoice class which have functionalities like add the invoice and delete the invoice.

Now if this class will also have functionalities of sending invoicing emails or error logging then they are like additional or extra responsibilities. And it is the violation of SRP.

In order to follow SRP, sending email and error logging must not be the part of Invoice class and there should be separate classes for them.



## Q130. WHAT IS OPEN-CLOSED PRINCIPLE?

Open-Closed principle states that software entities should be open for **EXTENSION**, but closed for **MODIFICATION**.

In other words, in order to add some functionality in a class don't modify it but extend it using **inheritance**.

*For example, suppose we have a SavingAccount class, which has a CalculateInterest() method which calculate interest based on the account type. Right now, we have two account types "Regular" and "Salary", until now it's fine. But suppose tomorrow we get a new account type and that is "Business". What you will do? You will add a new else if condition at the end. Right?*

*So basically, Inserting one more else if{} will violate the open closed principle because you are modifying the class rather than extending it.*

```
Public class SavingAccount
{
    Public decimal CalculateInterest(AccountType accountType)
    {
        If(AccountType=="Regular")
        {
            Interest = balance * 0.4;
        }
        else if(AccountType=="Salary")
        {
            Interest = balance * 0.5;
        }
    }
}
```

Inserting one more else if{} will violate the open closed principle because you are modifying the class rather than extending it.

So how to follow Open Closed Principle?

Inheritance is the way of extending the functionality of an existing class.

*For that you have to change your design of your application.*

*First create an interface ISavingAccount in which just declare CalculateInterest() method. After that, create a class for RegularSavingAccount and then inherit it from ISavingAccount class. Now implement CalculateInterest() method inside it. Similarly create a separate class for SalarySvaingAccount and then add a new class for BussinessSavingAccount to extend the SavingAccount functionality which will be then extension not modification.*

```
Interface ISavingAccount
{
    decimal CalculateInterest();
}
```

```
Public Class RegularSavingAccount : ISavingAccount
{
    Public decimal CalculateInterest()
    {
        Interest = balance * 0.4;
    }
}
```

```
Public Class SalarySavingAccount : ISavingAccount
{
    Public decimal CalculateInterest()
    {
        Interest = balance * 0.5;
    }
}
```

Add a new class to extend the SavingAccount functionality which will be then extension not modification.

See if you want to add any account then you need not to modify the class but you can add a new class and achieve that.

## Q131. WHAT IS LISKOV SUBSTITUTION PRINCIPLE?

LSP states that, Objects of a Superclass shall be replaceable with objects of its Subclasses without **breaking** the application.

Superclass/ Base class/ Parent class are same thing. Similarly, Subclass/ Derived class/ Child class are same thing.

*For example, Suppose you have a superclass Employee which have two virtual methods CalculateSalary and CalculateBonus.*

```
public class Employee //Superclass or base class
{
    public virtual string CalculateSalary()
    {
        return "50000";
    }
    public virtual string CalculateBonus()
    {
        return "25000";
    }
}
```

*Then you have two subclasses from it. One is PermanentEmployee and other is ContractualEmployee. For PermanentEmployee class both methods are good for it. But for contractual employee CalculateBonus is not applicable. So, if someone try to access this CalculateBonus method from ContractualEmployee class then you have to show some error to it.*

*That is violation of LSP because the application is breaking here.*

```
public class PermanentEmployee: Employee //Subclass or derived class
{
}

public class ContractualEmployee: Employee //Subclass or derived class
{
    public override string CalculateBonus()
    {
        throw new NotImplementedException(); // Not Applicable LSP
    }
}
```

So in order to resolve this or to follow LSP, make sure that base classes have only those methods which must be implemented in the derived classes otherwise it will violate LSP.

## Q132. WHAT IS INTERFACE SEGREGATION PRINCIPLE?

ISP states that, do not create big interfaces with many methods declarations and then force them on deriving classes.

*For example creating a single interface IVehicle for both Flyingcar and normal car is not good. Because normal car will not implement Fly() method.*

*Below code is violating ISP:*

```
public interface IVehicle
{
    void Drive();
    void Fly();
}
```

```
public class Flyingcar : IVehicle
{
    public void Drive()
    {
        Console.WriteLine("Drive a Flyingcar");
    }

    public void Fly()
    {
        Console.WriteLine("Fly a Flyingcar");
    }
}
```

```
public class Car : IVehicle
{
    public void Drive()
    {
        //actions to drive a car
        Console.WriteLine("Driving a car");
    }

    public void Fly()
    {
        throw new NotImplementedException();
    }
}
```

*Rather create separate interfaces IDrive and IFly and use them appropriately.  
Below code is following ISP*

```
public interface IDrive
{
    void Drive();
}

public interface IFly
{
    void Fly();
}
```

```
public class Car : IDrive
{
    public void Drive()
    {
        Console.WriteLine("Driving a car");
    }
}
```

```
public class Flyingcar : IDrive, IFly
{
    public void Drive()
    {
        Console.WriteLine("Drive a flying car");
    }

    public void Fly()
    {
        Console.WriteLine("Fly a flying car");
    }
}
```


## Q133. WHAT IS DEPENDENCY INVERSION PRINCIPLE?

The Dependency Inversion Principle (DIP) states that a **high-level class** must not depend upon a **lower level class**. They must both depend upon abstractions.

And, secondly, an abstraction must not depend upon details, but the details must depend upon abstractions.

*What is higher level class and what lower level class?*

In below code, EmployeeBusinessLogic is higher level class and it is dependent on this EmployeeDataAccess class which is a lower level class.



One way to resolve this is to use **Dependency injection**. Where the lower-level class will be injected in the higher level class.

## Q134. WHAT IS DRY PRINCIPLE?

DRY stands for DON'T REPEAT YOURSELF.

Don't write the same functionality multiple time.


Rather use write it once and then use it at multiple places using inheritance.

## Q135. WHAT ARE DESIGN PATTERNS AND WHAT PROBLEM THEY SOLVE?

Design patterns are general **REUSABLE SOLUTIONS** for common problems in **software design**.

*What is reusable solutions?*

*Suppose you want to implement logging for your application. Now there are existing good logging techniques already available which you can use and they will be reusable solution for you.*



```
jeM@ip-10-17-12-120:~$tail -f /var/log/daemon.log
Jul  6 03:42:01 ip-10-17-12-120 rsyslogd: [origin software="rsyslog.com"] rsyslogd was HUPed
Jul  6 12:24:33 ip-10-17-12-120 dhclient[2486]: DHCPREQUEST on br0 to 10.17.12.1 port 67
Jul  6 12:24:33 ip-10-17-12-120 dhclient[2486]: DHCPACK from 10.17.12.1
Jul  6 12:24:35 ip-10-17-12-120 dhclient[2486]: bound to
Jul  6 23:42:40 ip-10-17-12-120 dhclient[2486]: DHCPREQUEST on br0 to 10.17.12.1 port 67
Jul  6 23:42:40 ip-10-17-12-120 dhclient[2486]: bound to
Jul  6 23:42:42 ip-10-17-12-120 dhclient[2486]: bound to
Jul  7 08:44:45 ip-10-17-12-120 dhclient[2486]: DHCPREQUEST on br0 to 10.17.12.1 port 67
Jul  7 08:44:45 ip-10-17-12-120 dhclient[2486]: DHCPACK from 10.17.12.1
Jul  7 08:44:47 ip-10-17-12-120 dhclient[2486]: bound to
Jul  7 19:41:21 ip-10-17-12-120 dhclient[2486]: DHCPREQUEST on br0 to 10.17.12.1 port 67
Jul  7 19:41:21 ip-10-17-12-120 dhclient[2486]: bound to
Jul  7 19:41:23 ip-10-17-12-120 dhclient[2486]: bound to
Jul  8 02:47:00 ip-10-17-12-120 yum[31369]: Installed: python3-pip-2.7.14-1.el7
Jul  8 07:06:11 ip-10-17-12-120 dhclient[2486]: DHCPREQUEST on br0 to 10.17.12.1 port 67
Jul  8 07:06:11 ip-10-17-12-120 dhclient[2486]: DHCPACK from 10.17.12.1
Jul  8 07:06:13 ip-10-17-12-120 dhclient[2486]: bound to
```

Now you will get many reusable solutions in stackoverflow and github. But are they design patterns?

The answer is no. The reusable solutions which solves problem related to designing of the software, only those are design patterns.

For example, while creating an application from scratch, when you design the classes then how the classes will communicate with each other. Then you can take the help of design patterns.


## Q136. WHAT ARE THE TYPES OF DESIGN PATTERNS?

There are three categories of design patterns:

✚ Creational design patterns

✚ Structural design patterns

✚ Behavioral design patterns



## Q137.     WHAT ARE CREATIONAL DESIGN PATTERNS?

Creational design patterns are design patterns that deal with **object creation** mechanisms.

*For example, Singleton, Factory Method, Abstract Factory and builder are Creational design patterns.*

---

## Q138.     WHAT ARE STRUCTURAL DESIGN PATTERNS?

Structural Design Pattern is used to manage the structure of classes and interfaces as well to manage the **relationship** between the classes.

*For example, Adapter, Decorator, Façade and Proxy are the example of Structural Design Patterns.*

---

## Q139.     WHAT ARE BEHAVIORAL DESIGN PATTERNS?

Behavioral design patterns defines the way to **communicate** between classes and object.

*For example, Observer, Strategy, Command, Stage and Visitor are the types of Behavioral Design Patterns.*


---

## Q140. WHAT IS SINGLETON DESIGN PATTERN?

It is a creational design pattern because it deals with object creation mechanism.

A singleton is a class that only allows a **SINGLE INSTANCE** of itself to be created.

*Below are the steps for creating a singleton class:*



## Q141. HOW TO MAKE SINGLETON PATTERN THREAD SAFE?

Thread Safe Singleton Pattern can be implemented by using the **LOCK** mechanism. So that multiple threads cannot create multiple instances of the same class.

```
public sealed class Singleton
{
    private Singleton() {}

    private static readonly object lock = new object();
    private static Singleton instance = null;

    public static Singleton getInstance()
    {
        private lock(lock) //lock for multi threads
        {
            if (instance == null)
            {
                instance = new Singleton();
            }
            return instance;
        }
    }
}
```

## Q142. WHAT IS FACTORY PATTERN? WHY TO USE FACTORY PATTERN?

**Factory method Or Factory** is a creational design pattern which manages object creation. In this pattern, an interface is used for creating an object, but let subclass decide which class to instantiate.

Why to use Factory Pattern? Factory pattern will solve two problems:

1. It will manage the **new** keywords and avoid writing too many new keywords.
2. Second is it will not let the client class know, what is the name of concrete class. It is good for security.

```
public class SoftwareCompanyClient
{
    public static void Main(string[] args)
    {
        string technology = "DotNetJobs";
        string skill;

        if(technology == "DotNetJobs")
        {
            DotNet objDotNet = new DotNet();

            skill = objDotNet.GetSkill();
        }
        else if(technology == "JavaJobs")
        {
            Java objJava = new Java();

            skill = objJava.GetSkill();
        }
    }
}
```


1. Lots of **new** keywords

2. Client will  
know all the  
concrete  
classes name

## Q143. HOW TO IMPLEMENT FACTORY METHOD PATTERN?

This is the short answer.

In factory pattern, we create all new objects in a common and separate class with the help of Creator, ConcreteCreator and ConcreteProduct class.



For detail answer see the video lecture.


## Chapter 9 – WEB API

### Q144.     WHAT IS WEB API? WHAT IS THE PURPOSE OF WEB API?

Web API(Application Programming Interface) provides interaction BETWEEN software applications.

*For example, if you want to place an order on Amazon via mobile app or website. The UI is different but for both mobile app and website, business logic is written in a common web API. So that if there is any logic change then it can be done at only one place which is then easy to maintain*


*See the diagram, whether its' an Iphone app, android app, windows app, or any browser. There UI's are different but there business logic is at some common place which is Web API.*



## Q145. WHAT ARE WEB API ADVANTAGES OVER WCF AND WEB SERVICES?


Below is the list of Web API advantages:

- + Web API works the way **HTTP** works using standard HTTP verbs like GET, POST, PUT, DELETE for all the crud operation. So, it's simple as comparison to WCF.
- + It is an **OPEN** source but WCF is not.
- + It is a **LIGHTWEIGHT** architecture and is good for devices, which have limited bandwidth (JSON & XML are lightweight) like smart cell phones. WCF is not lightweight.
- + Web API Controller pattern is much similar to **MVC** Controller. Thus, it becomes easy to maintain and understand.
- + Web API has very easy configuration settings as comparison to WCF.



## Q146. WHAT IS REST AND RESTFUL?

- REST stands for Representational State Transfer. It is a set of guidelines which helps in creating a system where applications can easily communicate with each other.



### REST Guidelines:

- Separation of Client and Server** - The implementation of the client and the implementation of the server can be done independently without each knowing about the other.
- Stateless** - The server will not store anything about the latest HTTP request the client made. It will treat every request as new. No session, no history.
- Uniform interface** – Identify of resources by URL for example:  
[www.abc.com/api/questions](http://www.abc.com/api/questions)
- Cacheable** - The cacheable constraint requires that a response should implicitly or explicitly label itself as cacheable or non-cacheable.
- Layered system** - The layered system style allows an architecture to be composed of hierarchical layers. For example, MVC is a layered system.

**RESTFUL:** If a system written by applying REST architectural concepts, it is called RESTful services.

---

### **Q147.** IS IT POSSIBLE TO USE WCF AS RESTFUL SERVICES?

Yes, we can develop RESTful services with WCF.

---

### **Q148.** WHAT ARE HTTP VERBS OR HTTP METHODS?

HTTP Method	Action	Examples
GET	Obtain information about a resource	<a href="http://example.com/api/orders">http://example.com/api/orders</a> (retrieve order list)
GET	Obtain information about a resource	<a href="http://example.com/api/orders/123">http://example.com/api/orders/123</a> (retrieve order #123)
POST	Create a new resource	<a href="http://example.com/api/orders">http://example.com/api/orders</a> (create a new order, from data provided with the request)
PUT	Update a resource	<a href="http://example.com/api/orders/123">http://example.com/api/orders/123</a> (update order #123, from data provided with the request)
DELETE	Delete a resource	<a href="http://example.com/api/orders/123">http://example.com/api/orders/123</a> (delete order #123)

## Q149. HOW TO CONSUME WEB API FROM A .NET MVC APPLICATION?

Web API methods can be consumed with the help of **HttpClient** class.

Below are the steps for consuming any Web API in a MVC application:

```
public class HomeController : Controller
{
    string Baseurl = "http://facebook.com/api";

    public async Task<ActionResult> Index()
    {
        List<Employee> EmpInfo = new List<Employee>();

        using (var client = new HttpClient())
        {
            client.BaseAddress = new Uri(Baseurl);
            client.DefaultRequestHeaders.Clear();

            client.DefaultRequestHeaders.Accept.Add(new
                MediaTypeWithQualityHeaderValue("application/json"));

            HttpResponseMessage Res = await client.GetAsync("Employee/GetAllEmployees");

            if (Res.IsSuccessStatusCode)
            {
                var EmpResponse = Res.Content.ReadAsStringAsync().Result;
                EmpInfo = JsonConvert.DeserializeObject<List<Employee>>(EmpResponse);
            }
            return View(EmpInfo);
        }
    }
}
```

1. Create the object of HttpClient class.

2. Set the BaseAddress property of client object.

3. Add media type, the request format of data. Here it is json.

4. GetAsync is the method, which will send request to find web api resource GetAllEmployees. And then store the response in HttpResponseMessage class object.

5. Checking the response is successful or not.

6. If successful then result is saved in a variable

7. Then the variable will be deserialized from json format to Employee object.

## Q150. WHAT IS THE DIFFERENCE BETWEEN WEB API AND MVC CONTROLLER?

Web API Controller	MVC Controller
1. Web <u>api</u> controller derives from SYSTEM.WEB.HTTP.APICONROLLER class.	ASP.NET MVC controller derives from SYSTEM.WEB.MVC.CONTROLLER class.
2. Web API controller does not give view support.	ASP.NET MVC gives view support.

## Q151. WHAT IS BASIC AUTHENTICATION IN WEB API?

**Authentication** means verifying a user who is accessing the system or Web API.

- + **Basic Authentication** - In Basic Authentication, **the user passes their credentials [user name and password] on a post request**. Then at the WebAPI end, credentials are verified.  
If the credentials are valid, then a session will initiate to accept the subsequent requests without validating the user again.

*Below is the screenshot of Postman where BasicAuth is used for authentication:*

The screenshot shows the Postman interface for a basic authentication test. The 'Authorization' tab is selected, displaying the configuration for a 'Basic Auth' type with 'bhushan' as the username and a masked password. A note indicates that the authorization header will be generated and added as a custom header. The 'Body' tab is selected, showing a JSON response with the value '1' and the string '"WebAPI Method Called"'. The status bar at the bottom right shows a successful '200 OK' response with a time of '4035 ms'.

**Q152.** WHAT IS API KEY AUTHENTICATION IN WEB API?

- **API Key Authentication**- In API Key Authentication, the API owner will share an API key with the users and this key will authenticate the users of that API.

*Below is the screenshot of Postman where API Key Authentication is used for authentication:*

The screenshot shows the Postman application interface. At the top, there's a header bar with 'GET' and the URL 'https://localhost:44395/weatherforecast'. To the right are 'Send', 'Save', and other buttons. Below the header is a navigation bar with tabs: 'Params', 'Authorization', 'Headers (7)', 'Body', 'Pre-request Script', 'Tests', and 'Settings'. The 'Headers (7)' tab is selected and underlined. On the left, a sidebar shows 'Headers' with a note '(0-6 hidden)'. The main area displays a table of headers:

KEY	VALUE	DESCRIPTION	***	Bulk Edit	Presets
<input checked="" type="checkbox"/> ApiKey	hL4bAenB4yI0viOfC8fH7eT6				


Below the table, there are sections for 'Body', 'Cookies', 'Headers (5)', and 'Test Results'. The 'Body' section is currently active, showing a JSON response:

```
1 {  
2   "date": "2020-09-11T01:16:58.032899+03:00",  
3   "temperatureC": 47,  
4   "temperatureF": 116,  
5   "summary": "Warm"  
6 },  
7 }
```

At the bottom, there are buttons for 'Pretty', 'Raw', 'Preview', 'Visualize', 'JSON', and a search icon.

## Q153. WHAT IS TOKEN BASED AUTHENTICATION?


Token-based authentication is a 4 step process:



1. Client application first sends a request to Authentication server with a valid credentials.
2. The Authentication server/ Web API sends an Access token to the client as a response. This token contains enough data to identify a particular user and it has an expiry time.
3. The client application then uses the token to access the restricted resources in the next requests until the token is valid.
4. If the Access token is expired, then the client application can request for a new access token by using Refresh token.

## Q154. WHAT IS OAUTH?


OAuth is a standard for creating token based authentication and authorization.



## Q155. WHAT IS JWT AUTHENTICATION?

- JWT authentication is a token base authentication where JWT is a token format.

*Below is the flow of the JWT authentication. It is the most popular token based authentication.*



## Q156. WHAT ARE THE PARTS OF JWT TOKEN?

JWT token has 3 parts:

1. Header
2. Payload
3. Signature

*Below are the description of the parts:*

JWT Token

Algorithm used to generate the token.

The type of the token, which is JWT here.

The payload contains the CLAIMS.


The signature is used to verify that the issuer of the JWT correct.

Signature Verified

## Q157. WHERE JWT TOKEN RESIDE IN THE REQUEST?

In REQUEST HEADER.

See below in postman under the Header tab the JWT token is present with key and value.




The screenshot shows the Postman interface with a POST request to 'https://[REDACTED].com/SAAS/jersey/manager/api/connectormanagement/directoryconfigs'. The 'Headers' tab is selected, displaying 11 headers. The 'Authorization' header is highlighted with a red box, showing its value as 'Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ...'. Other visible headers include 'Cookie', 'Postman-Token', 'Content-Type', 'Content-Length', 'Host', 'User-Agent', 'Accept', 'Accept-Encoding', 'Connection', and 'Content-Type' (again). The 'Body' tab is also visible at the top.

KEY	VALUE	DESCRIPTION	...	Bulk Edit	Presets
Authorization	Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJ... [REDACTED]				
Cookie	AWSALB=+GxIFUIZ9u1N9MX49/1cntFkXyB9O1xiN(...			Go to cookies	
Postman-Token	<calculated when request is sent>				
Content-Type	text/plain				
Content-Length	<calculated when request is sent>				
Host	<calculated when request is sent>				
User-Agent	PostmanRuntime/7.24.1				
Accept	*/*				
Accept-Encoding	gzip, deflate, br				
Connection	keep-alive				
Content-Type	application/vnd.vmware.horizon.manager.connect... [REDACTED]				

## Q158. HOW TO TEST WEB API? WHAT ARE THE TOOLS?

FIDDLER, POSTMAN & SWAGGER tools. Here is the screenshot of POSTMAN tool:



## Q159. WHAT ARE MAIN RETURN TYPES SUPPORTED IN WEB API?

A Web API controller action method can return following types:

1. **Void** – It will return empty content.
2. **HttpResponseMessage** - It will convert the response to an HTTP message.
3. **IHttpActionResult** - internally calls ExecuteAsync to create an HttpResponseMessage.
4. **Other types** – You can create your own custom return type.

## Q160. WHAT IS THE DIFFERENCE BETWEEN HTTPRESPONSEMESSAGE AND IHTTPACTIONRESULT?

- + In web API version 1.0, We have a type called **HttpResponseMessage** for receiving Http response message from API call.
- + In Web API version 2.0, **IHttpActionResult** is introduced which is basically the replacement and advance version of HttpResponseMessage. It creates clean code and also simplifies unit testing.

Example of using HttpResponseMessage :

```
public HttpResponseMessage Get(int id)
{
    var product = dbContext.Products.Get(id);

    if(product == null)
        return Request.CreateResponse(HttpStatusCode.NotFound);

    // could also throw a HttpResponseException(HttpStatusCode.NotFound)

    return Request.CreateResponse(HttpStatusCode.OK, product);
}
```

Example of using IHttpActionResult :

```
public IHttpActionResult Get(int id)
{
    var product = dbContext.Products.Get(id);

    if (product == null)
        return NotFound();


    return Ok(product);
}
```

## Q161. WHAT IS CONTENT NEGOTIATION IN WEB API?

Whenever we consume an API, we receive data in either JSON or XML or plain text or your own custom format.

Which means the requester and responder applications are aware of the format in which they will send and receive data. This is nothing but Content Negotiation in Web API 2.


*The same you can see in the diagram if the requester client will ask the data in JSON format then web api has to return it in json format.*



## Q162. WHAT IS MEDIATYPEFORMATTER CLASS IN WEB API?

MediaTypeFormatter is an abstract class from which JsonMediaTypeFormatter and XmlMediaTypeFormatter classes inherits.

Basically it helps in converting the .Net Types like Employees class object to convert in XML or JSON format.



```
namespace System.Net.Http.Formatting
{
    public abstract class BaseJsonMediaTypeFormatter : MediaTypeFormatter
    {
        protected BaseJsonMediaTypeFormatter();
        protected BaseJsonMediaTypeFormatter(BaseJsonMediaTypeFormatter formatter);

        public virtual int MaxDepth { get; set; }
    }
}
```

## Q163. WHAT ARE RESPONSE CODES IN WEB API?

1. **1xx: Informational** – Communicates transfer protocol-level information.
2. **2xx: Success** – Indicates that the client's request was accepted successfully.
3. **3xx: Redirection** – This means request is not complete. The client must take some additional action in order to complete their request.
4. **4xx: Client Error** – This means there is some error in API code.
5. **5xx: Server Error** – This means the error is not due to web api code but due to some environment settings.




## Chapter 10 - .NET CORE

### Q164.    WHAT IS .NET CORE?

Definition –

.NET Core is completely a **NEW** framework, which is a **FREE** and **OPEN-SOURCE** platform developed and maintained by Microsoft.



### Q165.    WHAT IS .NET STANDARD?


.NET Standard is not a framework. .NET Standard defines a set of API's or you can say libraries or set of rules. If any framework will follow these rules that means it is compliant with .NET standard. Right now .NET Framework, .NET Core and Xamarin follow .NET standard.

## Q166. WHAT ARE THE ADVANTAGES OF .NET CORE OVER .NET FRAMEWORK?

CROSS PLATFORM	OPEN SOURCE	HOSTING	BUILT-IN DEPENDENCY INJECTION	SUPPORT MULTIPLE IDE
<ul style="list-style-type: none"><li>• Windows</li><li>• Linux</li><li>• MacOS</li></ul> <p>.NET Framework only supports Windows</p>	<ul style="list-style-type: none"><li>• Free to use</li><li>• Modify</li><li>• Distribute</li></ul> <p>.NET Framework is paid</p>	<ul style="list-style-type: none"><li>• Kestrel</li><li>• IIS</li><li>• Nginx</li></ul> <p>.NET Framework only support IIS Hosting</p>	<ul style="list-style-type: none"><li>• Loosely Coupled Design</li><li>• Reusability</li><li>• Testability</li></ul> <p>.NET framework don't have built in dependency injection</p>	<ul style="list-style-type: none"><li>• Visual Studio</li><li>• Visual Studio for Mac</li><li>• Visual Studio Code</li></ul> <p>.NET framework only support Visual Studio IDE</p>

## Q167. WHAT IS THE ROLE OF PROGRAM.CS FILE IN ASP.NET CORE? OR WHAT IS CREATEHOSTBUILDER / CREATEDEFAULTBUILDER?

- Program.cs file is the entry point of application via Main() method.




CreateHostBuilder and CreateDefaultBuilder method prepare the default settings for web server for the application.

```
0 references
public class Program
{
    0 references
    public static void Main(string[] args)
    {
        CreateHostBuilder(args).Build().Run();
    }

    1 reference
    public static IHostBuilder CreateHostBuilder(string[] args) =>
        Host.CreateDefaultBuilder(args)
            .ConfigureWebHostDefaults(webBuilder =>
            {
                webBuilder.UseStartup<Startup>();
            });
}
```

## Q168. WHAT IS THE ROLE OF STARTUP.CS FILE?

Inside Program.cs file, UseStartup method redirects the request to Startup.cs file.



Startup.cs class does two things:

1. It configures the **SERVICES** which are required by the app by using **ConfigureServices** Method.
2. It defines the app's **REQUEST HANDLING PIPELINE** as a series of middleware components by using **CONFIGURE** method.

## Q169. WHAT IS THE ROLE OF CONFIGURESERVICES METHOD?

- ConfigureServices method called before the 'Configure' method to configure the APP'S SERVICES.

It is an OPTIONAL method.

*For example, your application at some point can use Views then the below method services.AddControllersWithViews() will help in configuring that.*

*Now it is not mandatory that every request will return the output as a view so therefore it is optional. A request may use it or may not.*

```
// This method gets called by the runtime.  
// Use this method to add services to the container.  
0 references  
public void ConfigureServices(IServiceCollection services)  
{  
    services.AddControllersWithViews();  
}
```

## Q170. WHAT IS THE ROLE OF CONFIGURE METHOD?

- Configure method specifies how the app responds to HTTP request and response. It is used to setup request pipeline.

It is not optional.

For example, in below screenshot when the request will arrive, it will go through all the methods present inside Configure method one by one.

Every request will go through all these methods or we also call them middleware so that's' why we say Configure methods are not optional where as ConfigureServices methods are optional.

```
// This method gets called by the runtime.  
// Use this method to configure the HTTP request pipeline.  
0 references  
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)  
{  
    if (env.IsDevelopment())  
    {  
        app.UseDeveloperExceptionPage();  
    }  
    else  
    {  
        app.UseExceptionHandler("/Home/Error");  
    }  
    app.UseStaticFiles();  
  
    app.UseRouting();  
  
    app.UseAuthorization();  
  
    app.UseEndpoints(endpoints =>  
    {  
        endpoints.MapControllerRoute(  
            name: "default",  
            pattern: "{controller=Home}/{action=Index}/{id?}");  
    });  
}
```

## Q171. WHAT IS THE DIFFERENCE BETWEEN CONFIGURESERVICES & CONFIGURE METHOD?

- ⊕ ConfigureServices is an optional method used to register dependent classes/services inside the DI container.
  - ⊕ Configure method specifies how the app responds to HTTP request and respond. It is used to add MIDDLEWARE components or to set request pipeline. It is not optional.
  - ⊕ ConfigureServices method called before the 'Configure' method to configure the APP'S SERVICES.
- 

## Q172. WHAT IS DEPENDENCY INJECTION?

Dependency Injection (DI) is a software design pattern that allows us to develop loosely coupled code.

*Now how to implement dependency injection is explained in the video lectures.  
Please refer them for a better understanding.*

---

## Q173. WHY TO USE DEPENDENCY INJECTION? OR WHAT PROBLEMS DOES DEPENDENCY INJECTION SOLVE?

Dependency injection decouples the two components or classes.

For example, A is a class here and B class is the dependency, so one way to use the dependency is to create the object like shown below:

```
public class A
{
    public static void Main(string[] args)
    {
        B b = new B(); 
        int a = b.MethodB();
        Console.WriteLine(a);
    }
}
```

```
public class B
{
    public int MethodB()
    {
        return 100;
    }
}
```



But now if we want to replace MethodB of B class with MethodC then we have to change the main method also right? Which is a testing impact.

So by using dependency injection we can use interfaces and design the classes in a manner that Main method needs not to be changed for any change in class B.

That will decouple these classes and that is the main agenda of dependency injection.

Now how to implement dependency injection is explained in the video lectures. Please refer them for a better understanding.

## Q174. HOW CAN WE INJECT THE DEPENDENCY INTO THE CONTROLLER?

This is better explained in the video lectures. Please refer them.

---

## Q175. WHAT ARE THE TYPES OF DEPENDENCY INJECTION?

Dependency injection can be done in various ways. Below are the ways dependency injection can be done:

1. Constructor Injection
2. Property Injection
3. Method Injection

Dependency injection can be achieved with the help of any one of these injections.

---

## Q176. HOW TO USE DEPENDENCY INJECTION IN VIEWS IN ASP.NET CORE?

A service can be injected into a view using the **@inject directive**.

For example, in below screenshot *IStudent* is injected in the view.

```
 {@{
    ViewData["Title"] = "Home Page";
}

@inject WebApplication1.IStudent _student

<div class="text-center">
    <h1 class="display-4">Welcome</h1>
    Total Student: @_student.GetStudentCount();
</div>
```

## Q177. WHAT ARE THE TYPES OF SERVICE LIFETIMES OF AN OBJECT/ INSTANCE IN ASP.NET CORE?


The service lifetime controls how long a result object will live for after it has been created by the container.

*Meaning when an instance or object is created by the request then how long this instance will survive and how it will be shared between the multiple requests.*

Three types of service lifetimes are there:

1. AddSingleton
2. AddScoped
3. AddTransient

These service lifetimes are added inside the ConfigureServices() method of the startup.cs class.



## Q178. WHAT IS ADDSINGLETON, ADDSOPED AND ADDTRANSIENT METHOD?


- + AddSingleton - AddSingleton method create only **one instance** when the service is requested for first time. And then the same instance will be shared by all different http requests.

For example, in below code the Logger instance will be shared between multiple requests

```
// This method gets called by the runtime.  
// Use this method to add services to the container.  
0 references  
public void ConfigureServices(IServiceCollection services)  
{  
    services.AddSingleton<ILogger, Logger>();  
    //services.AddSingleton<IPayment, Payment>();  
    //services.AddTransient<IDataAccess, DataAccess>();  
}
```

- + AddScoped - AddScoped method create **single instance per request**.

For every individual request there will be a single instance or object.



In below code, AddScoped method will make sure that Payment class instance will remain specific to a specific request and will not be shared between multiple requests.

```
// This method gets called by the runtime.  
// Use this method to add services to the container.  
0 references  
public void ConfigureServices(IServiceCollection services)  
{  
    //services.AddSingleton<ILogger, Logger>();  
    services.AddScoped<IPayment, Payment>();  
    //services.AddTransient<IDataAccess, DataAccess>();  
}
```

- + AddTransient - AddTransient instance will not be shared at all even with in the same request.

Every time a new instance will be created.

```
// This method gets called by the runtime.  
// Use this method to add services to the container.  
0 references  
public void ConfigureServices(IServiceCollection services)  
{  
    //services.AddSingleton<ILogger, Logger>();  
    //services.AddScoped<IPayment, Payment>();  
    services.AddTransient<IDataAccess, DataAccess>();  
}
```

## Q179. WHAT IS MIDDLEWARE IN ASP.NET CORE?

- + A middleware is nothing but a component (class) that is executed on EVERY REQUEST in the ASP.NET Core application.

We can set up the middleware in ASP.NET using the CONFIGURE method of our STARTUP class like shown below.


*All these methods – UseDeveloperExceptionPage, UseStaticFiles, UseRouting etc are middlewares.*

```
// This method gets called by the runtime.  
// Use this method to configure the HTTP request pipeline.  
0 references  
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)  
{  
    if (env.IsDevelopment())  
    {  
        app.UseDeveloperExceptionPage();  
    }  
    else  
    {  
        app.UseExceptionHandler("/Home/Error");  
    }  
    app.UseStaticFiles();  
  
    app.UseRouting();  
  
    app.UseAuthorization();  
  
    app.UseEndpoints(endpoints =>  
    {  
        endpoints.MapControllerRoute(  
            name: "default",  
            pattern: "{controller=Home}/{action=Index}/{id?}");  
    });  
}
```

## Q180. HOW ASP.NET CORE MIDDLEWARE IS DIFFERENT FROM HTTPMODULE?

If you have worked in asp.net webforms then you might have heard of HTTPModules.


Middleware almost behave similar to HTTPModule, as they both are the part of request pipeline.



## Q181. WHAT IS CUSTOM MIDDLEWARE? HOW TO ADD CUSTOM MIDDLEWARE IN ASP.NET CORE?

There are middlewares, which are provided by the .NET Core framework like static file, routing, CORS, Authentication, Authorization etc.

Similar to that you can also add your own custom middleware and add them into the Configure method of startup.cs class like this shown below.



Below are the steps to add custom middleware in your project:

1. Right click on the project and you can see and add middleware.cs class file like any other class file in the project.

*Here you can see the code which is automatically generated by the .NET Core.*

```
// You may need to install the Microsoft.AspNetCore.Http.Abstractions package into your project
2 references
public class CustomMiddleware
{
    private readonly RequestDelegate _next;

    0 references
    public CustomMiddleware(RequestDelegate next)
    {
        _next = next;
    }

    0 references
    public Task Invoke(HttpContext httpContext)
    {
        return _next(httpContext);
    }
}

// Extension method used to add the middleware to the HTTP request pipeline.
0 references
public static class CustomMiddlewareExtensions
{
    0 references
    public static IApplicationBuilder UseCustomMiddleware(this IApplicationBuilder builder)
    {
        return builder.UseMiddleware<CustomMiddleware>();
    }
}
```

2. Now whatever functionality you want to execute by this middleware, add that in the Invoke method just before return statement.

3. And then finally add that method in Configure method of Startup.cs class like this.

```
// This method gets called by the runtime. Use this method to configure the HTTP request pipeline.
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)
{
    if (env.IsDevelopment())
    {
        app.UseDeveloperExceptionPage();
    }
    else
    {
        app.UseExceptionHandler("/Error");
    }

    app.UseStaticFiles();

    app.UseRouting();

    app.UseAuthorization();


    app.UseCustomMiddleware(); app.UseCustomMiddleware();

    app.UseEndpoints(endpoints =>
    {
        endpoints.MapControllerRoute(
            name: "default",
            pattern: "{controller=Home}/{action=Index}/{id?}"
        );
    });
}
```

## Q182. WHAT IS REQUEST DELEGATE?

- Request delegates handle each HTTP request and are used to BUILD request pipeline by using RUN, MAP and USE extension methods.

*Below is the diagram of a request and the purpose of Use and Run method.*




## Q183. WHAT IS RUN(), USE() AND MAP() METHOD?

- USE - Use method will execute next middleware in sequence.

For example, the below code will write both lines as Use method will allow the next method to execute.

```
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)
{
    app.Use(async (context,next) =>
    {
        await context.Response.WriteAsync("Hello from 1st delegate.");
        await next();
    });
    app.Run(async (context) =>
    {
        await context.Response.WriteAsync("Hello from 2nd Middleware");
    });
}
```

See the second line is executed and printed.




- RUN - Run method will **TERMINATE** the chain. No other middleware method will be allowed to run after this.

It normally placed at the end of any pipeline.

*For example, the below code will write only first line because the Run() method will terminate the execution and the next line will not be printed.*

```
// This method gets called by the runtime.  
// Use this method to configure the HTTP request pipeline.  
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)  
{  
  
    app.Run(async context =>  
    {  
        await context.Response.WriteAsync("Hello from 1st delegate.");  
    });  
    app.Run(async (context) =>  
    {  
        await context.Response.WriteAsync("Hello from 2nd Middleware");  
    });  
  
}
```

*See the Run has terminated after first line, so second Run or any method will not be executed.*




- MAP - Map method will only execute middleware, if path requested by user equals path provided in parameter.

For example, in below code the Map() method will only execute if there is "auth" present in the request URL. If not, then the second statement will not be printed.

```
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)
{
    app.Use(async (context, next) =>
    {
        await context.Response.WriteAsync("Hello from 1st delegate.");
        await next();
    });

    app.Map("/auth", a =>
    {
        a.Run(async (context) =>
        {
            await context.Response.WriteAsync("New branch for auth");
        });
    });
}
```


See the url has "auth" in it so the second line is printed.



**Q184.** WHAT ARE THE TYPES OF HOSTING IN ASP.NET CORE? WHAT IS IN PROCESS AND OUT OF PROCESS HOSTING?


There are two type of hosting in ASP.NET Core:

1. **In Process Hosting** - In process hosting is related to IIS. In this only one web server is used for hosting and that is IIS. And the name of process is w3wp.exe.




2. **Out of Process Hosting** – This process use Kestrel and sometimes kestrel and IIS both for hosting like shown below.

Kestrel used as an edge (Internet-facing) web server:



Kestrel used in a reverse proxy configuration:



In-Process	Out of Process
Process name is w3wp.exe	Process name is dotnet.exe
Only one web server (IIS)	Two web server (IIS/Nginx/Apache + Kestrel) One web server (Kestrel)

## Q185. WHAT IS KESTREL? WHAT IS THE DIFFERENCE BETWEEN KESTREL AND IIS?

 Kestrel is a cross-platform web server for ASP.NET Core.

Cross-platform means it can work with any operating system like windows, lynx etc.

It is a type of out of process hosting. Kestrel can be used alone, or it can be used with IIS or Nginx web servers.

Here are the differences between Kestrel and IIS

Kestrel	IIS
Kestrel is a lightweight web server used for hosting.	IIS is a complete web server which is also used for hosting.
Kestrel is cross platform and can be used with other web servers like IIS, Nginx and Apache.	IIS is not cross platform and can only run-in windows.
Kestrel is open source like .NET Core	IIS is not open source

## Q186. WHAT IS ROUTING? EXPLAIN ATTRIBUTE ROUTING IN ASP.NET CORE?

- Routing is used to handle incoming HTTP requests based on the URL.

This is automatically handled by the MVC framework.

For example, in below URL MVC will automatically detect what is controller, action method and ID parameter.

The diagram shows a URL: `http://localhost:1234/home/index/100`. Three arrows point from labels to specific parts of the URL:

- A blue arrow labeled "Controller" points to the word "home".
- A blue arrow labeled "Action method" points to the word "index".
- A blue arrow labeled "Id parameter value" points to the number "100".

`http://localhost:52190/Home/Index`

```
public class HomeController : Controller
{
    public ViewResult Index()
    {
        return View();
    }
}
```

- Attribute based routing is the ability to manipulate the default behavior of URL by using Route Attribute.

*Sometimes you don't want the default way of Routing and you want to map a different action method other than what is in URL.*

*For example, if this is the url:*

<http://localhost:60995/NewIndex>


*But on this URL you want to call "Index" action method in the controller then you can use Route attribute to map it.*

```
[Route("")]  
[Route("NewIndex")]  
0 references  
public IActionResult Index()  
{  
    return View();  
}
```

Above code will check that if the action method is "NewIndex" then it will redirect it to "Index" method.


**Q187.** DESCRIBE THE COMPLETE REQUEST PROCESSING PIPELINE FOR ASP.NET CORE MVC?

Below is a simple diagram of the flow of a request in the ASP.NET Core MVC application:



## Q188. EXPLAIN DEFAULT PROJECT STRUCTURE IN ASP.NET CORE APPLICATION?


Below are the important files and folders present in asp.net core application by default:



- ✚ WWWROOT - To store static files of the application like js/css/images.
- ✚ PROGRAM.CS – Entry point of the application.
- ✚ STARTUP.CS – Configure services and request pipeline for the application.
- ✚ APPSETTINGS.JSON – Configuration settings like database connection strings and other things are saved here.

## Q189. HOW ASP.NET CORE SERVE STATIC FILES?

ASP.NET Core template provides a root folder called WWWROOT which contains all these static files.



USESTATICFILES() method inside Startup.Configure enables the static files to be served to client.


```
// This method gets called by the runtime.  
// Use this method to configure the HTTP request pipeline.  
0 references  
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)  
{  
    if (env.IsDevelopment())  
    {  
        app.UseDeveloperExceptionPage();  
    }  
    else  
    {  
        app.UseExceptionHandler("/Home/Error");  
    }  
    app.UseStaticFiles();  
  
    app.UseRouting();  
  
    app.UseAuthorization();  
  
    app.UseEndpoints(endpoints =>  
    {  
        endpoints.MapControllerRoute(  
            name: "default",  
            pattern: "{controller=Home}/{action=Index}/{id?}");  
    });  
}
```

## Q190. WHAT ARE THE MAIN JSON FILES AVAILABLE IN ASP.NET CORE?

- Global.json - You can define the solution level settings in global.json file for example your application name and version.
- Launchsettings.json – You can set the environment variables in this file. For example, set development or production environment in this file.
- Appsettings.json – Configuration settings like database connection string can be set in this file. Similar to web.config in ASP.NET.
- Project.json - ASP.NET Core uses Project.JSON file for storing all project level configuration settings. For example the nugget packages you have installed in the project.

## Q191. WHAT ARE THE ROLES OF APPSETTINGS.JSON AND LAUNCHSETTING.JSON FILE IN ASP.NET CORE?

- + Appsettings. json - The appsettings. json file is an **application configuration file used to store configuration settings** such as database connections strings, any application scope global variables, etc.



The screenshot shows the Visual Studio code editor with the file "appsettings.json" open. The schema dropdown says "<No Schema Selected>". The JSON code is:

```
{  
  "Logging": {  
    "IncludeScopes": false,  
    "LogLevel": {  
      "Default": "Debug",  
      "System": "Information",  
      "Microsoft": "Information"  
    }  
  },  
  "Data":  
  {  
    "ConnectionString": "Data Source=sai-pc; UID=sa; Password=#####; Database=CoreDB",  
    "providerName": "System.Data.SqlClient"  
  }  
}
```

- + LaunchSettings.json - The launchSettings.json file is **used to store the configuration information, which describes how to start the ASP.NET Core application**, using Visual Studio.

*For example the hosting details like IIS etc.*

```
launchSettings.json ✘ X
Schema: http://json.schemastore.org/launchsettings.json
1  {
2    "iisSettings": {
3      "windowsAuthentication": false,
4      "anonymousAuthentication": true,
5      "iisExpress": {
6        "applicationUrl": "http://localhost:50644",
7        "sslPort": 44309
8      }
9    },
10   "$schema": "http://json.schemastore.org/launchsettings.json",
11   "profiles": {
12     "IIS Express": {
13       "commandName": "IISExpress",
14       "launchBrowser": true,
15       "launchUrl": "api/values",
16       "environmentVariables": {
17         "ASPNETCORE_ENVIRONMENT": "Development"
18       }
19     },
20     "HeaderHelper": {
21       "commandName": "Project",
22       "launchBrowser": true,
23       "launchUrl": "api/values",
24       "environmentVariables": {
25         "ASPNETCORE_ENVIRONMENT": "Development"
26       },
27       "applicationUrl": "https://localhost:5001;http://localhost:5000"
28     },
29     "Docker": {
30       "commandName": "Docker",
31       "launchBrowser": true,
32       "launchUrl": "{Scheme}://{ServiceHost}:{ServicePort}/api/values",
33       "httpPort": 50645,
34       "useSSL": true,
35       "sslPort": 44310
36     }
37   }
38 }
```

## Q192. WHAT IS THE DIFFERENCE BETWEEN APPSETTING.JSON AND LAUNCHSETTING.JSON FILE?

- + Appsetting.Json store the configurations which are required when your application is running.

*For example, database connection string is used when application is running.*

- + But Launchsetting.Json store the configuration which are required to start the application.

*For example, what will be application url, that can be configure here.*

---

## Q193. WHAT ARE THE VARIOUS TECHNIQUES TO SAVE CONFIGURATION SETTINGS IN ASP.NET CORE?


Techniques used to save configuration settings in ASP.NET Core:

- + Appsettings.json (Default) (Mostly Used)
  - + Azure Key Vault (Mostly used and it's the best if you are using Azure)
  - + Environment variables
  - + In-memory .NET objects
  - + Command Line Arguments
  - + Custom Providers
-

## Q194. WHAT IS CACHING IN ASP.NET CORE?

- Caching refers to the process of storing frequently used data in cache, so that that data can be served much faster for any **future requests**.

*Below is the flow of the caching in normal scenarios:*



## Q195. WHAT IS IN-MEMORY CACHING & DISTRIBUTED CACHING? WHEN TO USE IN-MEMORY CACHING AND WHEN TO USE DISTRIBUTED CACHING?


- + **In memory caching** – It is the normal way of caching.

An **in-memory** cache is stored in the memory of the same server which is hosting the application.

*Basically, the data is cached within the same application server.*

- + **Distributed caching** - It is used when you want to handle caching outside of your application.

*For example, Redis is an open-source database distributed caching server.*




- + In normal cases where the application size is small, use in-memory cache. But where application is very big or it's a microservices based architecture, then use distributed caching.

## Q196. WHAT IS CROSS-ORIGIN REQUESTS (CORS) IN ASP.NET CORE? WHY CORS RESTRICTION IS REQUIRED? HOW TO FIX CORS ERROR?

- As the name suggests **Cross Origin Resource Sharing** – meaning the data or resource sharing between different or cross domains is not enabled by default. This is restricted.

*Below are the cases when CORS will allow and disallow the response:*



Above in first case the response will be fine, but in next four cases the response will not be sent:

- First case is when you want to get the response from a different domain.
- Second case is when you want to get the response from a subdomain.
- Third case is when the domain is same, but you are requesting from http and the sender is https.
- And in last case, if the port is different.

In all 4 cases above you will receive the below error:

```
✖ Access to XMLHttpRequest at 'http://localhost:5000/global_config' step1:1
from origin 'http://localhost:8080' has been blocked by CORS policy:
Response to preflight request doesn't pass access control check: No 'Access-
Control-Allow-Origin' header is present on the requested resource.
```

- ⊕ CORS is good because of security reason. Your API is secure by default otherwise any external website can try to access your data.

Now how to remove this CORS restriction? For that you have to do the two things:

1. Add Microsoft.AspNetCore.Cors nuget package to your project then
2. In startup class, edit the Configure and ConfigureServices method like this.

```
// This method gets called by the runtime. Use this method to add services.
public void ConfigureServices(IServiceCollection services)
{
    services.AddCors();
    services.AddControllers();
}

// This method gets called by the runtime. Use this method to configure the
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)
{
    app.UseRouting();

    // global cors policy
    app.UseCors(x => x
        .AllowAnyMethod()
        .AllowAnyHeader()
        .SetIsOriginAllowed(origin => true) // allow any origin
        .AllowCredentials()); // allow credentials

    app.UseAuthentication();
    app.UseAuthorization();

    app.UseEndpoints(x => x.MapControllers());
}
```

## Q197. HOW TO HANDLE ERRORS IN ASP.NET CORE?

- + Error handling for development and other environments can be set in CONFIGURE method of Startup.cs class.

*The IsDevelopment() method will check the ASPNETCORE\_ENVIRONMENT value in LaunchSettings.json file. For live or production environment it will be false.*

```
public void Configure(IApplicationBuilder app, IWebHostEnvironment env)
{
    if (env.IsDevelopment())
    {
        app.UseDeveloperExceptionPage();
    }
    else
    {
        app.UseExceptionHandler("/Error");
    }

    app.UseStaticFiles();

    app.UseRouting();

    app.UseAuthorization();

    app.UseEndpoints(endpoints =>
    {
        endpoints.MapRazorPages();
    });
}
```

```
"Example": {
  "commandName": "Project",
  "dotnetRunMessages": "true",
  "launchBrowser": true,
  "applicationUrl": "http://localhost:5000",
  "environmentVariables": {
    "ASPNETCORE_ENVIRONMENT": "Development"
  }
}
```


## Q198. WHAT IS METAPACKAGE? WHAT IS THE NAME OF METAPACKAGE PROVIDED BY ASP.NET CORE?

- Metapackage is a consolidated package of all the mandatory dependencies for a .NET Core project. This package is present in your application by default.

*Below is the list of dependencies in metapackage*

```
Microsoft.AspNetCore.Diagnostics
Microsoft.AspNetCore.Hosting
Microsoft.AspNetCore.Routing
Microsoft.AspNetCore.Server.IISIntegration
Microsoft.AspNetCore.Server.Kestrel
Microsoft.Extensions.Configuration.EnvironmentVariables
Microsoft.Extensions.Configuration.FileExtensions
Microsoft.Extensions.Configuration.Json
Microsoft.Extensions.Logging
Microsoft.Extensions.Logging.Console
Microsoft.Extensions.Options.ConfigurationExtensions
NETStandard.Library
```

- Microsoft.AspNetCore.App is the metapackage provided by ASP.NET Core.



## Q199. WHAT IS THE DIFFERENCE BETWEEN .NET CORE AND .NET 5?


- + .NET 5 is the next major release after .NET Core 3.1. The word 'Core' is dropped from the name to emphasize that .NET 5 is the future of all earlier versions of .NET Core.

Recently, Microsoft has introduced .NET 6 also.

---

## Q200. WHAT ARE RAZOR PAGES IN .NET CORE?

- + Razor pages follows a **page-centric development** model just like ASP.NET web forms. It supports all the feature of ASP.NET Core.



## PART II

**MORE  
INTERVIEW  
QUESTIONS...**

# OOPS

## 1. WHAT IS THE DIFFERENCE BETWEEN A CLASS AND A STRUCTURE?

- CLASS: User-defined blueprint from which objects are created. It consists of methods or set of instructions that are to be performed on the objects.
  - STRUCTURE: A structure is basically a user-defined collection of variables which are of different data types.
- 

## 2. WHAT IS THE DIFFERENCE BETWEEN A CLASS AND AN OBJECT?

- a) Class is a blueprint or template from which objects are created.
  - b) Object is an instance of a class.
  
  - a) Class is a group of similar objects.
  - b) Object is a real world entity such as pen, laptop, mobile, bed, keyboard, mouse, chair etc.
  
  - a) Class is a logical entity.
  - b) Object is a physical entity.
- 

## 3. WHAT IS POLYMORPHISM? WHAT IS STATIC AND DYNAMIC POLYMORPHISM

Polymorphism refers to the ability to exist in multiple forms. Multiple definitions can be given to a single interface. For example, if you have a class named Vehicle, it can have a method named speed but you cannot define it because different vehicles have different speed. This method will be defined in the subclasses with different definitions for different vehicles.

Static polymorphism (static binding) is a kind of polymorphism that occurs at compile time. An example of compile-time polymorphism is method overloading.

Runtime polymorphism or dynamic polymorphism (dynamic binding) is a type of polymorphism which is resolved during runtime. An example of runtime polymorphism is method overriding.

---

#### 4. WHAT IS OPERATOR OVERLOADING?

Operator overloading refers to implementing operators using user-defined types based on the arguments passed along with it.

---

#### 5. CAN YOU CALL THE BASE CLASS METHOD WITHOUT CREATING AN INSTANCE?

- Yes, you can call the base class without instantiating it if:
    - ✚ It is a static method.
    - ✚ The base class is inherited by some other subclass.
- 

#### 6. WHAT ARE VIRTUAL FUNCTIONS AND PURE VIRTUAL FUNCTIONS?

Virtual functions are functions that are present in the parent class and are overridden by the subclass. These functions are used to achieve runtime polymorphism.

Pure virtual functions or abstract functions are functions that are only declared in the base class. This means that they do not contain any definition in the base class and need to be redefined in the subclass.

---

## 7. WHAT IS A DESTRUCTOR?

A destructor is a method that is automatically invoked when an object is destroyed. The destructor also recovers the heap space that was allocated to the destroyed object, closes the files and database connections of the object, etc.

---

## 8. WHAT IS A COPY CONSTRUCTOR?

A copy constructor creates objects by copying variables from another object of the same class. The main aim of a copy constructor is to create a new object from an existing one.

---

## 9. DO WE REQUIRE A PARAMETER FOR CONSTRUCTORS?

No, we do not need a parameter for constructors.

---

## 10. WHICH OOPS CONCEPT EXPOSES ONLY THE NECESSARY INFORMATION TO THE CALLING FUNCTIONS?

Encapsulation

---

## **11.IS IT ALWAYS NECESSARY TO CREATE OBJECTS FROM CLASS?**

No, it is possible to call a base class method if it is defined as a static method.

---

## **12.WHAT IS EARLY AND LATE BINDING?**

Early binding refers to the task of values to variables during plan time, whereas late Binding refers to the assignment of values to variables during run time.

---

## **13.WHICH OOPS CONCEPT IS USED AS A REUSE MECHANISM?**

Inheritance is the OOPS concept that can be used as a reuse mechanism.

---

# C#

## 1. IN TRY BLOCK IF WE ADD RETURN STATEMENT WHETHER FINALLY BLOCK IS EXECUTED?

Yes. Finally block will still be executed in presence of return statement in try block.

---

## 2. WHAT YOU MEAN BY INNER EXCEPTION?

Inner exception is a property of exception class which will give you a brief insight of the exception i.e, parent exception and child exception details.

---

## 3. LIST OUT SOME OF THE EXCEPTIONS?

Below are some of the exceptions -

- NullReferenceException
  - ArgumentNullException
  - DivideByZeroException
  - IndexOutOfRangeException
  - InvalidOperationException
  - StackOverflowException etc.
-

#### 4. EXPLAIN HASHTABLE? HOW TO CHECK WHETHER HASH TABLE CONTAINS SPECIFIC KEY?

It is used to store the key/value pairs based on hash code of the key. Key will be used to access the element in the collection. For example,

```
Hashtable myHashtbl = new Hashtable();
myHashtbl.Add("1", "TestValue1");
myHashtbl.Add("2", "TestValue2");
```

Method – “ContainsKey” can be used to check the key in hash table. Below is the sample code for the same –

```
Eg: myHashtbl.ContainsKey("1");
```

---

#### 5. WHAT IS THE DIFFERENCE BETWEEN LIST AND DICTIONARY?

List collection is a generic class and can store any data types to create a list. It only contains value not key.

Dictionary is a collection of keys and values in C#. Dictionary< TKey, TValue> is included in the System.Collection.Generics namespace.

---

#### 6. WHAT IS THE DIFFERENCE BETWEEN STACK AND QUEUE COLLECTIONS?

A stack is a linear data structure in which elements can be inserted and deleted only from one side of the list, called the **top**. A stack follows the **LIFO** (Last In First Out) principle, i.e., the element inserted at the last is the first element to come out.

A queue is a linear data structure in which elements can be inserted only from one side of the list called **rear**, and the elements can be deleted only from the other side called the **front**. The queue data structure follows the **FIFO** (First In

First Out) principle, i.e. the element inserted at first in the list, is the first element to be removed from the list.

---

## 7. EXPLAIN JAGGED ARRAYS?

If the elements of an array is an array then it's called as jagged array. The elements can be of different sizes and dimensions.

---

## 8. EXPLAIN MULTIDIMENSIONAL ARRAYS?

A multi-dimensional array in C# is an array that contains more than one rows to store the data. The multidimensional array can be declared by adding commas in the square brackets.

---

## 9. EXPLAIN INDEXERS?

Indexers are used for allowing the classes to be indexed like arrays. Indexers will resemble the property structure but only difference is indexer's accessors will take parameters. For example,

```
class MyCollection<T>
{
    private T[] myArr = new T[100];
    public T this[int t]
    {
        get
        {
            return myArr[t];
        }
        set
    }
}
```

```
{  
    myArr[t] = value;  
}  
}  
}  
}
```

---

## 10. WHAT IS THE DIFFERENCE BETWEEN METHODS – “SYSTEM.ARRAY.CLONE()” AND “SYSTEM.ARRAY.COPYTO()”?

- “CopyTo()” method can be used to copy the elements of one array to other.
  - “Clone()” method is used to create a new array to contain all the elements which are in the original array.
- 

## 11. EXPLAIN NAMESPACES?

Namespaces are containers for the classes. We will use namespaces for grouping the related classes. “Using” keyword can be used for using the namespace in other namespace.

---

## 12. WHAT ARE VALUE TYPE AND REFERENCE TYPES?

Value types stored in a stack.

Here are the value types:

- Decimal, int, byte, enum, double, long, float

Reference types are stored in a heap.

Below are the list of reference types -

- Class, string, interface, object

---

### **13.CAN WE OVERRIDE PRIVATE VIRTUAL METHOD?**

No. We can't override private virtual methods as it is not accessible outside the class.

---

### **14.EXPLAIN CIRCULAR REFERENCE?**

This is a situation where in, multiple resources are dependent on each other and this causes a lock condition and this makes the resource to be unused.

---

### **15.EXPLAIN OBJECT POOL?**

Object pool is used to track the objects which are being used in the code. So object pool reduces the object creation overhead.

---

### **16.WHAT ARE THE TYPES OF DELEGATES?**

Below are the uses of delegates -

- Single Delegate
  - Multicast Delegate
  - Generic Delegate
- 

### **17.WHAT ARE THE THREE TYPES OF GENERIC DELEGATES?**

Below are the three types of generic delegates -

- Func
  - Action
  - Predicate
- 

## 18. WHAT ARE THE USES OF DELEGATES?

Below are the list of uses of delegates -

- Callback Mechanism
  - Asynchronous Processing
  - Abstract and Encapsulate method
  - Multicasting
- 

## 19. CAN WE USE DELEGATES FOR ASYNCHRONOUS METHOD CALLS?

Yes. We can use delegates for asynchronous method calls.

---

## 20. WHAT IS AN ESCAPE SEQUENCE? NAME SOME STRING ESCAPE SEQUENCES IN C#.

An Escape sequence is denoted by a backslash (\). The backslash indicates that the character that follows it should be interpreted literally or it is a special character. An escape sequence is considered as a single character.

---

## 21. WHAT ARE REGULAR EXPRESSIONS?

Regular expression is a template to match a set of input. The pattern can consist of operators, constructs or character literals. Regex is used for string parsing and replacing the character string.

---

## 22. WHY TO USE LOCK STATEMENT?

Lock will make sure one thread will not intercept the other thread which is running the part of code. So lock statement will make the thread wait, block till the object is being released.

---

## 23. WHAT IS “EXTERN” KEYWORD?

The **extern** modifier is used to declare a method that is implemented externally. A common use of the **extern** modifier is with the **DllImport** attribute when you are using Interop services to call into unmanaged code.

```
[DllImport("avifil32.dll")]
private static extern void AVIFileInit();
```

---

## 24. WHAT IS “SIZEOF” OPERATOR?

The **sizeof operator** returns the number of bytes occupied by a variable of a given type. The argument to the **sizeof operator** must be the name of an unmanaged type or a type parameter that is constrained to be an unmanaged type.

```
Console.WriteLine(sizeof(byte)); // output: 1
```

---

## **25. WHAT IS TERNARY OPERATOR?**

The conditional operator ?:, also known as the ternary conditional operator, evaluates a Boolean expression and returns the result of one of the two expressions, depending on whether the Boolean expression evaluates to true or false.

condition ? consequent : alternative

---

## **26. CAN WE USE “THIS” INSIDE A STATIC METHOD?**

No. We can't use "this" in static method.

---

## **27. WHAT IS THE DIFFERENCE BETWEEN CTYPE AND DIRECTCAST?**

- CType is used for conversion between type and the expression.
  - Directcast is used for converting the object type which requires run time type to be the same as specified type.
- 

## **28. WHICH STRING METHOD IS USED FOR CONCATENATION OF TWO STRINGS?**

"Concat" method of String class is used to concatenate two strings. For example,  
string.Concat(firstStr, secStr)

---

## **29. WHAT IS PARSING? HOW TO PARSE A DATE TIME STRING?**

Parsing converts a string into another data type.

**For Example:**

```
string text = "500";
int num = int.Parse(text);
```

500 is an integer. So, the Parse method converts the string 500 into its own base type, i.e int.

### **Follow the same method to convert a DateTime string.**

```
string dateTime = "Jan 1, 2018";
DateTime parsedValue = DateTime.Parse(dateTime);
```

---

### **30. EXPLAIN PARTIAL CLASS?**

Partial classes concept added in .Net Framework 2.0 and it allows us to split the business logic in multiple files with the same class name along with “partial” keyword.

---

### **31. EXPLAIN ANONYMOUS TYPE?**

This is being added 3.0 version. This feature enables us to create an object at compile time. Below is the sample code for the same –

```
Var myTestCategory = new { CategoryId = 1, CategoryName = "Category1"};
```

---

### **32. EXPLAIN GET AND SET ACCESSOR PROPERTIES?**

Get and Set are called Accessors. These are made use by Properties. The property provides a mechanism to read, write the value of a private field. For accessing that private field, these accessors are used.

Get Property is used to return the value of a property  
Set Property accessor is used to set the value.

---

### 33. WHAT IS THE DIFFERENCE BETWEEN VAR AND DYNAMIC IN C#?

VAR TYPE - VAR are those variables which are declared without specifying the *.NET type* explicitly. In implicitly typed variable, the type of the variable is automatically deduced at compile time by the compiler from the value used to initialize the variable.

```
var a = 'f';
```

DYNAMIC TYPE - It is used to avoid the compile-time type checking. The compiler does not check the type of the dynamic type variable at compile time, instead of this, the compiler gets the type at the run time. The dynamic type variable is created using dynamic keyword.

```
dynamic val1 = "Interview";
```

---

### 34. WHAT IS COVARIANCE IN C#?

Covariance enables you to pass a derived type where a base type is expected.

```
Small sm1 = new Bigger();
```

---

# .NET FRAMEWORK

## 1. WHAT IS JIT?

JIT stands for **Just In Time**. JIT is a compiler that converts Intermediate Language to a Native code.

The code is converted into Native language during execution. Native code is nothing but hardware specifications that can be read by the CPU. The native code can be stored so that it is accessible for subsequent calls.

---

## 2. WHAT IS MSIL?

MSIL stands for Microsoft Intermediate Language.

MSIL provides instructions for calling methods, initializing and storing values, operations such as memory handling, exception handling and so on. All .Net codes are first compiled to IL.

---

## 3. WHAT IS MEANT BY MANAGED AND UNMANAGED CODE?

The code that is managed by the CLR is called **Managed code**. This code runs inside the CLR. Hence, it is necessary to install the .Net framework in order to execute the managed code. CLR manages the memory through garbage collection and also uses the other features like CAS and CTS for efficient management of the code.

**Unmanaged code** is any code that does not depend on CLR for execution. It means it is developed by any other language independent of .Net framework. It uses its own runtime environment for compiling and execution.

Though it is not running inside the CLR, the unmanaged code will work properly if all the other parameters are correctly followed.

---

#### 4. WHAT IS DIFFERENCE BETWEEN NAMESPACE AND ASSEMBLY?

Following are the differences between namespace and assembly:

- Assembly is physical grouping of logical units, Namespace, logically groups classes.
  - Namespace can span multiple assembly.
- 

#### 5. WHAT IS MANIFEST?

Assembly metadata is stored in Manifest. Manifest contains all the metadata needed to do the following things (See Figure Manifest View for more details):

- Version of assembly.
  - Security identity.
  - Scope of the assembly.
  - Resolve references to resources and classes.
-

## 6. WHERE IS VERSION INFORMATION STORED OF AN ASSEMBLY?

Version information is stored in assembly inside the manifest.

---

## 7. IS VERSIONING APPLICABLE TO PRIVATE ASSEMBLIES?

Versioning concept is only applicable to global assembly cache (GAC) as private assembly lie in

their individual folders. This does not mean versioning is not needed , you can still version it to

have better version control on the project.

---

## 8. WHAT IS THE APPLICATION DOMAIN?

An Application Domain is a logical container for a set of assemblies in which an executable is hosted. As you have seen, a single process may contain multiple Application Domains, each of which is hosting a .NET executable.

---

## 9. EXPLAIN CAS (CODE ACCESS SECURITY).

.Net provides a security model that prevents unauthorized access to resources. CAS is a part of that security model. CAS is present in the CLR. It enables the users to set permissions at a granular level for the code.

---

## 10. WHAT IS THE USE OF 'FINALIZE'?

Finalize as an object method used to free up unmanaged resources and cleanup before Garbage Collection(GC). It performs memory management tasks.

---

## (THREADING)

### 11. WHAT ARE SYNCHRONOUS AND ASYNCHRONOUS OPERATIONS?

1. Synchronization is a way to create a thread-safe code where only one thread can access the resource at any given time. The asynchronous call waits for the method to complete before continuing with the program flow.
  2. Synchronous programming badly affects the UI operations when the user tries to perform time-consuming operations since only one thread will be used. In Asynchronous operation, the method call will immediately return so that the program can perform other operations while the called method completes its work in certain situations.
- 

### 12. WHAT IS MULTI-TASKING?

It is a feature of modern operating systems with which we can run multiple programs at same

time example Word, Excel etc.

---

### 13. NAME SOME PROPERTIES OF THREAD CLASS.

Few Properties of thread class are:

- **IsAlive** – contains value True when a thread is Active.
- **Name** – Can return the name of the thread. Also, can set a name for the thread.
- **Priority** – returns the prioritized value of the task set by the operating system.

- **IsBackground** – gets or sets a value which indicates whether a thread should be a background process or foreground.
  - **ThreadState** – describes the thread state.
- 

## 14. WHAT ARE THE DIFFERENT STATES OF A THREAD?

Different states of a thread are:

- **Unstarted** – Thread is created.
  - **Running** – Thread starts execution.
  - **WaitSleepJoin** – Thread calls sleep, calls wait on another object and calls join on another thread.
  - **Suspended** – Thread has been suspended.
  - **Aborted** – Thread is dead but not changed to state stopped.
  - **Stopped** – Thread has stopped.
- 

## 15. CAN WE HAVE MULTIPLE THREADS IN ONE APP DOMAIN?

One or more threads run in an AppDomain. An AppDomain is a runtime representation of a

logical process within a physical process. Each AppDomain is started with a single thread, but

can create additional threads from any of its threads.

---

## 16. WHICH NAMESPACE HAS THREADING?

‘Systems.Threading’ has all the classes related to implement threading.

---

## **17. EXPLAIN LOCK, MONITORS, AND MUTEX OBJECT IN THREADING.**

Lock keyword ensures that only one thread can enter a particular section of the code at any given time. In the above Example, lock(ObjA) means the lock is placed on ObjA until this process releases it, no other thread can access ObjA.

Mutex is also like a lock but it can work across multiple processes at a time. WaitOne() is used to lock and ReleaseMutex() is used to release the lock. But Mutex is slower than lock as it takes time to acquire and release it.

Monitor.Enter and Monitor.Exit implements lock internally. a lock is a shortcut for Monitors. lock(objA) internally calls.

```
Monitor.Enter(ObjA);  
try  
{  
}  
Finally {Monitor.Exit(ObjA)};
```

---

## **18. WHAT IS THREAD.SLEEP () IN THREADING?**

Thread's execution can be paused by calling the Thread.Sleep method. This method takes an

integer value that determines how long the thread should sleep. Example  
Thread.CurrentThread.Sleep(2000).

## 19. WHAT IS SUSPEND AND RESUME IN THREADING?

Suspend() method is called to suspend the thread. Resume() method is called to resume the suspended thread. Start() method is used to send a thread into runnable State.

---

## 20. WHAT THE WAY TO STOP A LONG RUNNING THREAD?

Thread.Abort() stops the thread execution at that moment itself.

---

## 21. WHY WE NEED MULTI-THREADING IN OUR PROJECT?

Multi-threading is running the multiple threads simultaneously. Some main advantages are:

- You can do multiple tasks simultaneously. For e.g. saving the details of user to a file while at the same time retrieving something from a web service.
  - Threads are much lightweight than process. They don't get their own resources. They used the resources allocated to a process.
  - Context-switch between threads takes less time than process.
- 

## 22. HOW TO START A THREAD IN C#?

We have to use the Thread class provided by System.Threading namespace. In the constructor of the class, we have to pass the method name which we want to run in separate thread. After than we have to call the start method of Thread class. Below is the example.

---

## 23. WHAT IS RACE CONDITION?

A race condition happens when two or more threads want to update shared data at the same time.

---

## 24. WHAT IS LIVELOCK?

A livelock is very similar to deadlock except involved threads states are continually changing their state but still they cannot complete their work.

A real-world example of livelock occurs when two people meet in a narrow corridor, and each tries to be polite by moving aside to let the other pass, but they end up swaying from side to side without making any progress because they both repeatedly move the same way at the same time.

---

## 25. WHAT IS IMMUTABLE OBJECT?

An immutable object is an object which states cannot be changed after creation.

Immutable objects are useful in concurrent programming as they are thread-safe.

"String" objects are examples of immutable object because we can cannot change the value of string after it is created.

---

## 26. HOW MANAGED CODE IS EXECUTED?

Managed code is a code whose execution is managed by Common Language Runtime. It gets the managed code and compiles it into machine code. After that, the code is executed. The runtime here i.e. CLR provides automatic memory management, type safety, etc.

---

## 27. WHAT IS THE DIFFERENCE BETWEEN SYSTEM EXCEPTIONS AND APPLICATION EXCEPTIONS?

In general System exceptions occurred whenever some non-recoverable or fatal error is encountered, like a database crash, bound errors etc.

While in case of Application level exceptions some error which is recoverable is encountered, for instance, the wrong type of input data, arithmetic exceptions etc.

---

## 28. WHAT IS XSD?

**XSD** (XML Schema Definition), a recommendation of the World Wide Web Consortium (W3C), specifies how to formally describe the elements in an Extensible Markup Language (XML) document. It can be used by programmers to verify each piece of item content in a document.

---

# ASP.NET MVC

## 1. IN WHICH ASSEMBLY IS THE MVC FRAMEWORK DEFINED?

System.Web.Mvc

---

## 2. IS IT POSSIBLE TO SHARE A VIEW ACROSS MULTIPLE CONTROLLERS?

Yes, put the view into the shared folder. This will automatically make the view available across multiple controllers.

---

## 3. WHAT IS ROUTE IN MVC? WHAT IS DEFAULT ROUTE IN MVC?

A route is a URL pattern that is mapped to a handler. The handler can be a physical file, such as a .aspx file in a Web Forms application. A handler can also be a class that processes the request, such as a controller in an MVC application. To define a route, you create an instance of the [Route](#) class by specifying the URL pattern, the handler, and optionally a name for the route.

You add the route to the application by adding the Route object to the static Routes property of the RouteTable class. The Routesproperty is a RouteCollection object that stores all the routes for the application.

You typically do not have to write code to add routes in an MVC application. Visual Studio project templates for MVC include preconfigured URL routes. These are defined in the MVC Application class, which is defined in the Global.asax file.

## Default Route

The default ASP.NET MVC project templates add a generic route that uses the following URL convention to break the URL for a given request into three named segments.

**URL:** "{controller}/{action}/{id}"

This route pattern is registered via a call to the MapRoute() extension method of RouteCollection.

```
public static void RegisterRoutes(RouteCollection routes)
{
    routes.IgnoreRoute("{resource}.axd/{*pathInfo}");

    routes.MapRoute(      Ignore routes that end with axd extension
                        name: "Default",      → Route Name
                        url: "{controller}/{action}/{id}", → URL Pattern
                        defaults: new { controller = "Home", action = "Index",
                                      id = UrlParameter.Optional } → Default Values
    );
}
```

---

#### 4. WHERE ARE THE ROUTING RULES DEFINED IN AN ASP.NET MVC APPLICATION?

In Application\_Start event in Global.asax

---

## 5. WHAT IS VALIDATION SUMMARY IN MVC?

The ValidationSummary helper method generates an unordered list (ul element) of validation messages that are in the ModelStateDictionary object.

The ValidationSummary can be used to display all the error messages for all the fields. It can also be used to display custom error messages.

---

## 6. DIFFERENCES BETWEEN RAZOR AND ASPX VIEW ENGINE IN MVC?

### Razor View Engine VS ASPX View Engine

The Razor View Engine is a bit slower than the ASPX View Engine.

## Conclusion

Razor provides a new view engine with a streamlined code for focused templating. Razor's syntax is very compact and improves the readability of the markup and code. By default, MVC supports ASPX (web forms) and Razor View Engine. MVC also supports third-party view engines like Spark, Nhaml, NDjango, SharpDOM and so on. ASP.NET MVC is open source.

---

## 7. WHAT ARE THE MAIN RAZOR SYNTAX RULES?

- Razor code blocks are enclosed in @{ ... }
  - Inline expressions (variables and functions) start with @
  - Code statements end with semicolon
  - Variables are declared with the var keyword
  - Strings are enclosed with quotation marks
  - C# code is case sensitive
  - C# files have the extension .cshtml
- 

## 8. HOW DO YOU IMPLEMENT FORMS AUTHENTICATION IN MVC?

Authentication is giving access to the user for a specific service by verifying his/her identity using his/her credentials like username and password or email and password. It assures that the correct user is authenticated or logged in for a specific service and the right service has been provided to the specific user based on their role that is nothing but authorization.

ASP.NET forms authentication occurs after IIS authentication is completed. You can configure forms authentication by using forms element with in web.config file of your application. The default attribute values for forms authentication are shown below,

```
<system.web>
  <authenticationmode="Forms">
    <formsloginUrl="Login.aspx" protection="ALL" timeout="30" name=".ASPXAUTH" path="/" requireSSL="false" slidingExpiration="true" defaultUrl="default.aspx" cookieless="UseDeviceProfile" enableCrossAppRedirects="false" />
  </authentication>
</system.web>
```

The FormsAuthentication class creates the authentication cookie automatically when SetAuthCookie() or RedirectToLoginPage() methods are called. The value of authentication cookie contains a string representation of the encrypted and signed FormsAuthenticationTicket object.

---

## 9. HOW WE CAN REGISTER THE AREA IN ASP.NET MVC?

When we have created an area make sure this will be registered in “Application\_Start” event in Global.asax. Below is the code snippet where area registration is done :

```
protected void Application_Start()
{
    AreaRegistration.RegisterAllAreas();
}
```

---

## 10. EXPLAIN THE NEED OF DISPLAY MODE IN MVC?

DisplayModes give you another level of flexibility on top of the default capabilities we saw in the last section. DisplayModes can also be used along with the previous feature so we will simply build off of the site we just created.

### **Using display modes involves in 2 steps**

1. We should register Display Mode with a suffix for particular browser using “DefaultDisplayMode” class in Application\_Start() method in the Global.asax file.

2. View name for particular browser should be appended with suffix mentioned in first step.

The screenshot shows the Immediate Window of a debugger. It displays the following code and its execution results:

```
displayModes  
Count = 2  
[0]: {System.Web.WebPages.DefaultDisplayMode}  
[1]: {System.Web.WebPages.DefaultDisplayMode}  
  
displayModes[0]  
{System.Web.WebPages.DefaultDisplayMode}  
[System.Web.WebPages.DefaultDisplayMode]: {System.Web.WebPages.DefaultDisplayMode}  
DisplayModeId: "Mobile"  
  
displayModes[1]  
{System.Web.WebPages.DefaultDisplayMode}  
[System.Web.WebPages.DefaultDisplayMode]: {System.Web.WebPages.DefaultDisplayMode}  
DisplayModeId: ""
```

http://theshravan.net © 2012

1. Desktop browsers (without any suffix. e.g.: Index.cshtml, \_Layout.cshtml).
2. Mobile browsers (with a suffix “Mobile”. e.g.:  
Index.Mobile.cshtml, Layout.Mobile.cshtml)

If you want design different pages for different mobile device browsers (any different browsers) and render them depending on the browser requesting. To handle these requests you can register custom display modes. We can do that using `DisplayModeProvider.Instance.Modes.Insert(int index, IDisplayMode item)` method.

---

## 11. WHAT IS ROUTE CONSTRAINTS IN MVC?

Routing is a great feature of MVC, it provides a REST based URL that is very easy to remember and improves page ranking in search engines.

This article is not an introduction to Routing in MVC, but we will learn a few features of routing and by implementing them we can develop a very flexible and user-friendly application. So, let's start without wasting valuable time.

## Add constraint to URL

This is very necessary for when we want to add a specific constraint to our URL. Say, for example we want a [URL](#).

So, we want to set some constraint string after our host name. Fine, let's see how to implement it.

It's very simple to implement, just open the RouteConfig.cs file and you will find the routing definition in that. And modify the routing entry as in the following. We will see that we have added "abc" before.

```
17     routes.MapRoute(
18         "Default",
19         url: "abc/{controller}/{action}/{id}",
20         defaults: new { controller = "Home", action = "Index", id = UrlParameter.Optional }
21     );
22 }
23 }
```

Controller name, now when we browse we need to specify the string in the URL, as in the following:



---

## 12. WHAT ARE THE FOLDERS IN MVC APPLICATION SOLUTIONS?

### **Understanding the folders**

When you create a project a folder structure gets created by default under the name of your project which can be seen in solution explorer. Below i will give you a brief explanation of what these folders are for.

#### **Model**

This folder contains classes that is used to provide data. These classes can contain data that is retrieved from the database or data inserted in the form by the user to update the database.

#### **Controllers**

These are the classes which will perform the action invoked by the user. These classes contains methods known as "Actions" which responds to the user action accordingly.

#### **Views**

These are simple pages which uses the model class data to populate the HTML controls and renders it to the client browser.

## **App\_Start**

Contains Classes such as FilterConfig, RoutesConfig, WebApiConfig. As of now we need to understand the RouteConfig class. This class contains the default format of the url that should be supplied in the browser to navigate to a specified page.

---

### **13. WHAT ARE THE METHODS OF HANDLING AN ERROR IN MVC?**

Exception handling may be required in any application, whether it is a web application or a Windows Forms application.

ASP.Net MVC has an attribute called "HandleError" that provides built-in exception filters. The HandleError attribute in ASP.NET MVC can be applied over the action method as well as Controller or at the global level. The HandleError attribute is the default implementation of IExceptionFilter. When we create a MVC application, the HandleError attribute is added within the Global.asax.cs file and registered in the Application\_Start event.

```
1. public static void RegisterGlobalFilters(GlobalFilterCollection filters)  
2. {  
3.     filters.Add(new HandleErrorAttribute());  
4. }  
5. protected void Application_Start()  
6. {  
7.     AreaRegistration.RegisterAllAreas();  
8.     RegisterGlobalFilters(GlobalFilters.Filters);  
9.     RegisterRoutes(RouteTable.Routes);  
10.}
```

## **Important properties of HandleError attribute**

The HandleError Error attribute has a couple for properties that are very useful in handling the exception.

### **ExceptionType**

Type of exception to be catch. If this property is not specified then the HandleError filter handles all exceptions.

### **View**

Name of the view page for displaying the exception information.

### **Master**

Master View for displaying the exception.

### **Order**

Order in which the action filters are executed. The Order property has an integer value and it specifies the priority from 1 to any positive integer value. 1 means highest priority and the greater the value of the integer is, the lower is the priority of the filter.

### **AllowMultiple**

It indicates whether more than one instance of the error filter attribute can be specified.

## Example

```
[HandleError(View = "Error")]

public class HomeController: Controller
{
    public ActionResult Index()
    {
        ViewBag.Message = "Welcome to ASP.NET MVC!";
        int u = Convert.ToInt32(""); // Error line
        return View();
    }
}
```

HandleError Attribute at Action Method Level,

```
[HandleError(View = "Error")]

public ActionResult Index()
{
    ViewBag.Message = "Welcome to ASP.NET MVC!";
    int u = Convert.ToInt32(""); // Error line
    return View();
}
```

## 14. WHAT IS VIEWSTART?

Razor View Engine introduced a new layout named \_ViewStart which is applied on all view automatically. Razor View Engine firstly executes the \_ViewStart and then start rendering the other view and merges them.

### Example of Viewstart

```
@ {  
    Layout = "~/Views/Shared/_v1.cshtml";  
}<!DOCTYPE html>  
  
<html>  
  
<head>  
  
<meta name = "viewport"  
content = "width=device-width" />  
  
<title>ViewStart</title></head><body>  
  
</body></html>
```

---

## 15. HOW TO USE VIEWBAG?

ViewBag is dynamic property that takes advantage of new dynamic features in C# 4.0. It's also used to pass data from a controller to a view. In short, The ViewBag property is simply a wrapper around the ViewData that exposes the ViewData dictionary as a dynamic object. Now create an action method "StudentSummary" in the "DisplayDataController" controller that stores a Student class object in ViewBag.

1. **public** ActionResult StudentSummary()

```

2. {
3.     var student = new Student()
4.     {
5.         Name = "Sandeep Singh Shekhawat",
6.         Age = 24,
7.         City = "Jaipur"
8.     };
9.     ViewBag.Student = student;
10.    return View();
11.}

```

Thereafter create a view StudentSummary ("StudentSummary.cshtml") that shows student object data. ViewBag does not require typecasting for complex data type so you can directly access the data from ViewBag.

```

1. @ {
2.     ViewBag.Title = "Student Summary";
3.     var student = ViewBag.Student;
4. }
5. <table>
6.   <tr>
7.     <th> Name </th> <th> Age </th> <th> City </th>
8.   <tr>
9.     <td> @student.Name </td> <td> @student.Age </td> <td> @student
      .City </td>
9.   </tr>
9. </table>

```

Here we used one more thing, "ViewBag.Title", that shows the title of the page.

---

## 16. HOW CAN WE DONE CUSTOM ERROR PAGE IN MVC?

The HandleErrorAttribute allows you to use a custom page for this error. First you need to update your web.config file to allow your application to handle custom errors.

```
1. <system.web>
2.   <customErrors mode="On">
3. </system.web>
```

Then, your action method needs to be marked with the attribute.

```
1. [HandleError]
2. public class HomeController: Controller
3. {
4.   [HandleError]
5.   public ActionResult ThrowException()
6.   {
7.     throw new ApplicationException();
8.   }
9. }
```

By calling the ThrowException action, this would then redirect the user to the default error page. In our case though, we want to use a custom error page and redirect the user there instead. So, let's create our new custom view page.

```
<%@ Page Language="C#" Inherits="System.Web.Mvc.ViewPage" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/1999/xhtml">
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>CustomErrorView</title>
</head>
<body>
    <h2>
        Error</h2>
    <p>
        Controller:
        <%= ((HandleErrorInfo) ViewData.Model).ControllerName %>
    </p>
    <p>
        Action:
        <%= ((HandleErrorInfo) ViewData.Model).ActionName %>
    </p>
    <p>
        Message:
        <%= ((HandleErrorInfo) ViewData.Model).Exception.Message %>
    </p>
    <p>
        Stack Trace:
        <%= ((HandleErrorInfo) ViewData.Model).Exception.StackTrace %>
    </p>
</body>
</html>
```

Next, we simply need to update the HandleErrorAttribute on the action method.

1. [HandleError]
2. **public class** HomeController: Controller
3. {
4.   **[HandleError(View = "CustomErrorView")]**
5.   **public ActionResult ThrowException()**
6.   {
7.     **throw new** ApplicationException();
8.   }
9. }

## 17. WHAT IS SERVER SIDE VALIDATION IN MVC?

The ASP.NET MVC Framework validates any data passed to the controller action that is executing. It populates a ModelState object with any validation failures that it finds and passes that object to the controller. Then the controller actions can query the ModelState to discover whether the request is valid and react accordingly.

I will use two approaches in this article to validate a model data. One is to manually add an error to the ModelState object and another uses the Data Annotation API to validate the model data.

### Approach 1 - Manually Add Error to ModelState object

I create a User class under the Models folder. The User class has two properties "Name" and "Email". The "Name" field has required field validations while the "Email" field has Email validation. So let's see the procedure to implement the validation. Create the User Model as in the following,

```
1. namespace ServerValidation.Models
2. {
3.     public class User
4.     {
5.         public string Name
6.         {
7.             get;
8.             set;
9.         }
10.        public string Email
11.        {
12.            get;
```

```
13.     set;
14. }
15. }
16. }
```

After that I create a controller action in User Controller (UserController.cs under Controllers folder). That action method has logic for the required validation for Name and Email validation on the Email field. I add an error message on ModelState with a key and that message will be shown on the view whenever the data is not to be validated in the model.

```
1. using System.Text.RegularExpressions;
2. using System.Web.Mvc;
3. namespace ServerValidation.Controllers
4. {
5.     public class UserController: Controller
6.     {
7.         public ActionResult Index()
8.         {
9.             return View();
10.            }
11.            [HttpPost]
12.            public ActionResult Index(ServerValidation.Models.User model)
13.            {
14.
15.                if (string.IsNullOrEmpty(model.Name))
16.                {
17.                    ModelState.AddModelError("Name", "Name is required");
18.                }
19.                if (!string.IsNullOrEmpty(model.Email))
20.                {
21.                    string emailRegex = @ "^( [a-zA-Z0-9_\\-\\. ]+ ) @ (( \\[[0-
22.                        9]\\{1,3}\\] + @ \" \\.[0-9]\\{1,3\\} \\.[0-9]\\{1,3\\} \\.) | (( [a-zA-Z0-9\\-
23.                            ] + \\\" + @ \" . ) + ) ([a-zA-Z]\\{2,4\\} | [0-9]\\{1,3\\} )(\\]?) $ ";
24.                    Regex re = new Regex(emailRegex);
```

```

25.    if (!re.IsMatch(model.Email))
26.    {
27.        ModelState.AddModelError("Email", "Email is not val
id");
28.    }
29.    } else {
30.        ModelState.AddModelError("Email", "Email is required")
;
31.    }
32.    if (ModelState.IsValid)
33.    {
34.        ViewBag.Name = model.Name;
35.        ViewBag.Email = model.Email;
36.    }
37.    return View(model);
38. }
39. }
40. }
```

Thereafter I create a view (Index.cshtml) for the user input under the User folder.

```

1. @model ServerValidation.Models.User
2. @{
3.     ViewBag.Title = "Index";
4. }
5. @using(Html.BeginForm())
6. {
7.     if (@ViewData.ModelState.IsValid)
8.     {
9.         if (@ViewBag.Name != null)
10.        { <b>
11.            Name: @ViewBag.Name <br />
12.            Email: @ViewBag.Email </b>
13.        }
14.    } <fieldset>
15.        <legend> User </legend> <div class = "editor-label" >
```

```

16.      @Html.LabelFor(model => model.Name) </div> <div class = "edi
tor-field" >
17.      @Html.EditorFor(model => model.Name)
18.      @if(!ViewData.ModelState.IsValid)
19. {
20.< span class = "field-validation-
error" > @ViewData.ModelState["Name"].Errors[0].ErrorMessage </spa
n>
21.
22.}
23.</div> <div class = "editor-label" >
24.
25.      @Html.LabelFor(model => model.Email) </div> <div class = "edi
tor-field" >
26.      @Html.EditorFor(model => model.Email)
27.      @if(!ViewData.ModelState.IsValid)
28. {
29.< span class = "field-validation-
error" > @ViewData.ModelState["Email"].Errors[0].ErrorMessage </sp
an>
30. }
31.</div><p>
32.      <input type = "submit"
33.      value = "Create" />
34.      </p></fieldset>
35.}
```

---

## 18. WHAT IS THE USE OF REMOTE VALIDATION IN MVC?

Remote validation is the process where we validate specific data posting data to a server without posting the entire form data to the server. Let's see an actual scenario, in one of my projects I had a requirement to validate an email address, whether it already exists in the database. Remote validation was useful for that;

without posting all the data we can validate only the email address supplied by the user.

## Practical Explanation

Let's create a MVC project and name it accordingly, for me its "TestingRemoteValidation". Once the project is created let's create a model named UserModel that will look like:

```
1. public class UserModel
2. {
3.     [Required]
4.     public string UserName
5.     {
6.         get;
7.         set;
8.     }
9.     [Remote("CheckExistingEmail", "Home", ErrorMessage = "Email
   already exists!")]
10.    public string UserEmailAddress
11.    {
12.        get;
13.        set;
14.    }
15.}
```

Let's get some understanding of the remote attribute used, so the very first parameter "CheckExistingEmail" is the the name of the action. The second parameter "Home" is referred to as controller so to validate the input for the UserEmailAddress the "CheckExistingEmail" action of the "Home" controller is called and the third parameter is the error message. Let's implement the "CheckExistingEmail" action result in our home controller.

```
1. public ActionResult CheckExistingEmail(string UserEmailAddress)
2. {
3.     bool ifEmailExist = false;
```

```
4.   try
5.   {
6.     ifEmailExist = UserEmailAddress.Equals("mukeshknayak@gmail.com") ? true : false;
7.     return Json(!ifEmailExist, JsonRequestBehavior.AllowGet);
8.   } catch (Exception ex)
9.   {
10.    return Json(false, JsonRequestBehavior.AllowGet);
11. }
12. }
```

---

## 19. EXPLAIN RENDERSECTION IN MVC?

RenderSection() is a method of the WebPageBase class. Scott wrote at one point, The first parameter to the "RenderSection()" helper method specifies the name of the section we want to render at that location in the layout template. The second parameter is optional, and allows us to define whether the section we are rendering is required or not. If a section is "required", then Razor will throw an error at runtime if that section is not implemented within a view template that is based on the layout file (that can make it easier to track down content errors). It returns the HTML content to render.

```
1. <div id="body">
2.   @RenderSection("featured", required: false)
3.   <section class="content-wrapper main-content clear-
fix">
4.     @RenderBody()
5.   </section>
6. </div>
```

---

## 20. WHAT IS THE SIGNIFICANCE OF NONACTIONATTRIBUTE?

In general, all public methods of a controller class are treated as action methods. If you want prevent this default behavior, just decorate the public method with NonActionAttribute.

---

## 21. HOW ROUTE TABLE IS CREATED IN ASP.NET MVC?

When an MVC application first starts, the Application\_Start() method is called. This method, in turn, calls the RegisterRoutes() method. The RegisterRoutes() method creates the route table.

---

## 22. ASP.NET MVC APPLICATION, MAKES USE OF SETTINGS AT 2 PLACES FOR ROUTING TO WORK CORRECTLY. WHAT ARE THESE 2 PLACES?

1. Web.Config File : ASP.NET routing has to be enabled here.
  2. Global.asax File : The Route table is created in the application Start event handler, of the Global.asax file.
- 

## 23. WHAT IS THE USE OF THE FOLLOWING DEFAULT ROUTE?

{resource}.axd/{\*pathInfo}

This route definition, prevent requests for the Web resource files such as WebResource.axd or ScriptResource.axd from being passed to a controller.

---

## 24. WHAT IS THE DIFFERENCE BETWEEN ADDING ROUTES, TO A WEBFORMS APPLICATION AND TO AN MVC APPLICATION?

To add routes to a webforms application, we use MapPageRoute() method of the RouteCollection class, whereas to add routes to an MVC application we use MapRoute() method.

---

**25. IF I HAVE MULTIPLE FILTERS IMPLEMENTED, WHAT IS THE ORDER IN WHICH THESE FILTERS GET EXECUTED?**

1. Authorization filters
  2. Action filters
  3. Response filters
  4. Exception filters
- 

**26. WHICH FILTER EXECUTES FIRST IN AN ASP.NET MVC APPLICATION?**

Authorization filter

---

**27. WHAT ARE THE LEVELS AT WHICH FILTERS CAN BE APPLIED IN AN ASP.NET MVC APPLICATION?**

1. Action Method
  2. Controller
  3. Application
- 

**28. IS IT POSSIBLE TO CREATE A CUSTOM FILTER?**

Yes

---

## 29. WHAT FILTERS ARE EXECUTED IN THE END?

Exception Filters

---

## 30. IS IT POSSIBLE TO CANCEL FILTER EXECUTION?

Yes

---

## 31. WHAT TYPE OF FILTER DOES OUTPUTCACHEATTRIBUTE CLASS REPRESENTS?

Result Filter

---

## 32. WHAT ARE THE 2 POPULAR ASP.NET MVC VIEW ENGINES?

1. Razor
  2. .aspx
- 

## 33. WHAT SYMBOL WOULD YOU USE TO DENOTE, THE START OF A CODE BLOCK IN RAZOR VIEWS?

@

---

## 34. WHAT SYMBOL WOULD YOU USE TO DENOTE, THE START OF A CODE BLOCK IN ASPX VIEWS?

<%= %>

In razor syntax, what is the escape sequence character for @ symbol?

The escape sequence character for @ symbol, is another @ symbol

---

### 35.WHAT ARE SECTIONS?

Layout pages, can define sections, which can then be overriden by specific views making use of the layout. Defining and overriding sections is optional.

---

### 36.WHAT ARE THE FILE EXTENSIONS FOR RAZOR VIEWS?

1. .cshtml – If the programming lanugaue is C#
  2. .vbhtml – If the programming lanugaue is VB
- 

### 37.HOW DO YOU SPECIFY COMMENTS USING RAZOR SYNTAX?

Razor syntax makes use of @\* to indicate the begining of a comment and \*@ to indicate the end.

---

### 38.IS IT POSSIBLE TO COMBINE ASP.NET WEBFORMS AND ASP.MVC AND DEVELOP A SINGLE WEB APPLICATION?

Yes, it is possible to combine ASP.NET webforms and ASP.MVC and develop a single web application.

---

### **39. WHAT IS THE USE OF VIEWMODEL IN MVC?**

ViewModel is a plain class with properties, which is used to bind it to strongly typed view. ViewModel can have the validation rules defined for its properties using data annotations.

---

### **40. EXPLAIN BUNDLE.CONFIG IN MVC4?**

“BundleConfig.cs” in MVC4 is used to register the bundles by the bundling and minification system. Many bundles are added by default including jQuery libraries like – jquery.validate, Modernizr, and default CSS references.

---

### **41. HOW WE CAN HANDLE THE EXCEPTION AT CONTROLLER LEVEL IN ASP.NET MVC?**

Exception Handling is made simple in ASP.Net MVC and it can be done by just overriding “OnException” and set the result property of the filtercontext object (as shown below) to the view detail, which is to be returned in case of exception.

```
protected overrides void OnException(ExceptionContext filterContext)
{
}
```

---

### **42. DOES TEMPDATA HOLD THE DATA FOR OTHER REQUEST IN ASP.NET MVC?**

If TempData is assigned in the current request then it will be available for the current request and the subsequent request and it depends whether data in TempData read or not. If data in TempData is read then it would not be available for the subsequent requests.

---

#### **43. EXPLAIN KEEP METHOD IN TEMPDATA IN ASP.NET MVC?**

As explained above in case data in TempData has been read in current request only then “Keep” method has been used to make it available for the subsequent request.

```
@ TempData[“TestData”];  
TempData.Keep(“TestData”);
```

---

#### **44. EXPLAIN PEEK METHOD IN TEMPDATA IN ASP.NET MVC?**

Similar to Keep method we have one more method called “Peek” which is used for the same purpose. This method used to read data in TempData and it maintains the data for subsequent request.

```
string A4str = TempData.Peek(“TT”).ToString();
```

---

#### **45. WHAT ARE CHILD ACTIONS IN ASP.NET MVC?**

To create reusable widgets child actions are used and this will be embedded into the parent views. In ASP.Net MVC Partial views are used to have reusability in the application. Child action mainly returns the partial views.

---

#### **46. EXPLAIN THE TOOLS USED FOR UNIT TESTING IN ASP.NET MVC?**

Below are the tools used for unit testing :

- NUnit
- xUnit.NET
- Ninject 2
- Moq

---

## 47.CAN I USE RAZOR CODE IN JAVASCRIPT IN ASP.NET MVC?

Yes. We can use the razor code in javascript in cshtml by using <text> element.

```
< script type="text/javascript">
@foreach (var item in Model) {
< text >
//javascript goes here which uses the server values
< text >
}
< script>
```

---

## 48.HOW CAN I RETURN STRING RESULT FROM ACTION IN ASP.NET MVC?

Below is the code snippet to return string from action method :

```
public ActionResult TestAction() {
return Content("Hello Test !!");
}
```

---

## 49.HOW TO RETURN THE JSON FROM ACTION METHOD IN ASP.NET MVC?

Below is the code snippet to return string from action method :

```
public ActionResult TestAction() {
return JSON(new { prop1 = "Test1", prop2 = "Test2" });
}
```

## 50.GIVE AN EXAMPLE FOR AUTHORIZATION FILTERS IN AN ASP.NET MVC APPLICATION?

---

1. RequireHttpsAttribute
2. AuthorizeAttribute

## 51.WHAT IS DATA ANNOTATION VALIDATOR ATTRIBUTES IN MVC?

**Data Annotations** are nothing but certain validations that we put in our models to validate the input from the user. ASP.NET **MVC** provides a unique feature in which we can validate the models using the **Data Annotation attribute**. Import the following namespace to use **data annotations** in the application.

Example

```
[Required(ErrorMessage = "Please enter name"), MaxLength(30)]
```

```
[Display(Name = "Student Name")]
```

```
public string Name { get; set; }
```

---

## 52.WHAT ARE THE EXCEPTION FILTERS IN MVC?

Exception filter in MVC provides an ability to handle the exceptions for all the controller methods at a single location. This is by creating a class, which inherits from the FilterAttribute and IExceptionFilter interface.

---

53. WHICH APPROACH PROVIDES BETTER SUPPORT FOR TEST DRIVEN  
DEVELOPMENT – ASP.NET MVC OR ASP.NET WEBFORMS?

ASP.NET MVC

---

# ASP.NET WEBFORMS

## 1. WHAT'S THE USE OF RESPONSE.OUTPUT.WRITE()?

We can write formatted output using Response.Output.Write().

---

## 2. IN WHICH EVENT OF PAGE CYCLE IS THE VIEWSTATE AVAILABLE?

After the Init() and before the Page\_Load().

---

## 3. FROM WHICH BASE CLASS ALL WEB FORMS ARE INHERITED?

Page class.

---

## 4. WHICH VALIDATOR CONTROL YOU USE IF YOU NEED TO MAKE SURE THE VALUES IN TWO DIFFERENT CONTROLS MATCHED?

Compare Validator control.

---

## 5. WHAT IS VIEWSTATE?

ViewState is used to retain the state of server-side objects between page post backs.

---

## 6. HOW LONG THE ITEMS IN VIEWSTATE EXISTS?

They exist for the life of the current page.

---

## 7. WHAT ARE THE DIFFERENT VALIDATORS IN ASP.NET?

1. Required field Validator
  2. Range Validator
  3. Compare Validator
  4. Custom Validator
  5. Regular expression Validator
  6. Summary Validator
- 

## 8. HOW YOU CAN ADD AN EVENT HANDLER?

Using the Attributes property of server side control.

e.g.

```
btnSubmit.Attributes.Add("onMouseOver","JavascriptCode();")
```

---

## 9. WHICH TYPE OF CACHING WILL BE USED IF WE WANT TO CACHE THE PORTION OF A PAGE INSTEAD OF WHOLE PAGE?

**Fragment Caching:** It caches the portion of the page generated by the request.  
For that, we can create user controls with the below code:

```
<%@ OutputCache Duration="120" VaryByParam="CategoryID;SelectedID"%>
```

---

## 10. CAN WE HAVE A WEB APPLICATION RUNNING WITHOUT WEB.CONFIG FILE?

Yes

---

## 11. CAN WE ADD CODE FILES OF DIFFERENT LANGUAGES IN APP\_CODE FOLDER?

No. The code files must be in same language to be kept in App\_code folder.

---

## 12. WHAT IS PROTECTED CONFIGURATION?

It is a feature used to secure connection string information.

---

## 13. WRITE CODE TO SEND E-MAIL FROM AN ASP.NET APPLICATION?

```
MailMessage mailMess = new MailMessage();  
mailMess.From = "abc@gmail.com";  
mailMess.To = "xyz@gmail.com";  
mailMess.Subject = "Test email";  
mailMess.Body = "Hi This is a test mail.";  
SmtpMail.SmtpServer = "localhost";  
SmtpMail.Send (mailMess);
```

MailMessage and SmtpMail are classes defined System.Web.Mail namespace.

---

#### **14. HOW CAN WE PREVENT BROWSER FROM CACHING AN ASPX PAGE?**

We can SetNoStore on HttpCachePolicy object exposed by the Response object's Cache property:

```
Response.Cache.SetNoStore ();  
Response.Write (DateTime.Now.ToString ("G"));
```

---

#### **15. WHAT IS THE GOOD PRACTICE TO IMPLEMENT VALIDATIONS IN ASPX PAGE?**

Client-side validation is the best way to validate data of a web page. It reduces the network traffic and saves server resources.

---

#### **16. WHAT ARE THE EVENT HANDLERS THAT WE CAN HAVE IN GLOBAL.ASAX FILE?**

**Application Events:** Application\_Start , Application\_End,  
Application\_AcquireRequestState, Application\_AuthenticateRequest,  
Application\_AuthorizeRequest, Application\_BeginRequest, Application\_Disposed,  
Application\_EndRequest, Application\_Error,  
Application\_PostRequestHandlerExecute,  
Application\_PreRequestHandlerExecute, Application\_PresendRequestContent,  
Application\_PresendRequestHeaders, Application\_ReleaseRequestState,  
Application\_ResolveRequestCache, Application\_UpdateRequestCache

**Session Events:** Session\_Start, Session\_End

---

## 17. WHICH PROTOCOL IS USED TO CALL A WEB SERVICE?

HTTP Protocol

---

## 18. EXPLAIN ROLE BASED SECURITY?

Role Based Security used to implement security based on roles assigned to user groups in the organization.

Then we can allow or deny users based on their role in the organization. Windows defines several built-in groups, including Administrators, Users, and Guests.

```
<AUTHORIZATION>< authorization >  
< allow roles="Domain_Name\Administrators" /> <!-- Allow Administrators in  
domain. -->  
< deny users="*" /> <!-- Deny anyone else. -->  
</authorization >
```

---

## 19. HOW CAN WE APPLY THEMES TO AN ASP.NET APPLICATION?

We can specify the theme in web.config file. Below is the code example to apply theme:

```
<configuration>  
  
<system.web>  
<pages theme="Windows7" />  
</system.web>
```

</configuration>

---

## 20. WHAT IS REDIRECTPERMANENT IN ASP.NET?

RedirectPermanent Performs a permanent redirection from the requested URL to the specified URL. Once the redirection is done, it also returns 301 Moved Permanently responses.

---

## 21. EXPLAIN THE WORKING OF PASSPORT AUTHENTICATION.

First of all it checks passport authentication cookie. If the cookie is not available then the application redirects the user to Passport Sign on page. Passport service authenticates the user details on sign on page and if valid then stores the authenticated cookie on client machine and then redirect the user to requested page

---

## 22. WHAT ARE THE ADVANTAGES OF PASSPORT AUTHENTICATION?

All the websites can be accessed using single login credentials. So no need to remember login credentials for each web site.

Users can maintain his/ her information in a single location.

---

## 23. WHAT ARE THE ASP.NET SECURITY CONTROLS?

- <asp:Login>: Provides a standard login capability that allows the users to enter their credentials
- <asp:LoginName>: Allows you to display the name of the logged-in user

- <asp:LoginStatus>: Displays whether the user is authenticated or not
  - <asp:LoginView>: Provides various login views depending on the selected template
  - <asp:PasswordRecovery>: email the users their lost password
- 

#### 24. HOW DO YOU REGISTER JAVASCRIPT FOR WEBCONTROLS ?

We can register javascript for controls using <CONTROL - name>Attribtues.Add(scriptname,scripttext) method.

---

#### 25. DIFFERENTIATE STRONG TYPING AND WEAK TYPING

In strong typing, the data types of variable are checked at compile time. On the other hand, in case of weak typing the variable data types are checked at runtime. In case of strong typing, there is no chance of compilation error. Scripts use weak typing and hence issues arises at runtime.

---

#### 26. LIST ALL TEMPLATES OF THE REPEATER CONTROL.

- ItemTemplate
  - AlternatingItemTemplate
  - SeparatorTemplate
  - HeaderTemplate
  - FooterTemplate
- 

#### 27. LIST THE MAJOR BUILT-IN OBJECTS IN ASP.NET?

- Application

- Request
  - Response
  - Server
  - Session
  - Context
  - Trace
- 

## 28. WHAT IS THE APPSETTINGS SECTION IN THE WEB.CONFIG FILE?

The appSettings block in web config file sets the user-defined values for the whole application.

For example, in the following code snippet, the specified ConnectionString section is used throughout the project for database connection:

```
<em><configuration>

<appSettings>

<add key="ConnectionString" value="server=local; pwd=password;
database=default" />

</appSettings></em>
```

---

## 29. WHICH NAMESPACES ARE NECESSARY TO CREATE A LOCALIZED APPLICATION?

System.Globalization

System.Resources

---

### **30.WHAT ARE THE DIFFERENT TYPES OF COOKIES IN ASP.NET?**

Session Cookie - Resides on the client machine for a single session until the user does not log out.

Persistent Cookie - Resides on a user's machine for a period specified for its expiry, such as 10 days, one month, and never.

---

### **31.WHAT IS THE FILE EXTENSION OF WEB SERVICE?**

Web services have file extension .asmx.

---

### **32.IS IT POSSIBLE TO CREATE WEB APPLICATION WITH BOTH WEBFORMS AND MVC?**

Yes. We have to include below mvc assembly references in the web forms application to create hybrid application.

System.Web.Mvc

System.Web.Razor

System.ComponentModel.DataAnnotations

---

### **33.CAN WE HAVE MULTIPLE WEB CONFIG FILES FOR AN ASP.NET APPLICATION?**

Yes, one can create different folders and create a config for the specific folder.

---

### **34.WHAT IS THE DIFFERENCE BETWEEN WEB CONFIG AND MACHINE CONFIG?**

Web config file is specific to a web application where as machine config is specific to a machine or server. There can be multiple web config files into an application where as we can have only one machine config file on a server.

Web config fields will override machine configurations.

---

### 35. WHAT IS CROSS PAGE POSTING?

When we click submit button on a web page, the page post the data to the same page. The technique in which we post the data to different pages is called Cross Page posting. This can be achieved by setting POSTBACKURL property of the button that causes the postback. Findcontrol method of PreviousPage can be used to get the posted values on the page to which the page has been posted.

---

# ADO.NET

## 1. WHAT IS OBJECT POOLING?

Object pooling is nothing but a repository of the objects in memory which can be used later. This object pooling reduces the load of object creation when it is needed. Whenever there is a need of object, object pool manager will take the request and serve accordingly.

---

## 2. WHAT IS CONNECTION POOLING?

Connection pooling consists of database connection so that the connection can be used or reused whenever there is request to the database. This pooling technique enhances the performance of executing the database commands. This pooling definitely reduces our time and effort.

---

## 3. WHAT IS THE DIFFERENCE BETWEEN DATAREADER AND DATASET?

- a) Datareader is FORWARD and READ only
  - b) Dataset used to UPDATE records.
  
  - a) Datareader is CONNECTED architecture
  - b) Dataset is DISCONNECTED Recordset
  
  - a) Datareader contains single table
  - b) Datareader can contains multiple tables.
  
  - a) Datareader Occupies Less Memory
  - b) Dataset Occupies More memory
-

#### 4. WHAT ARE ALL COMPONENTS OF ADO.NET DATA PROVIDER?

Following are the components of ADO.Net Data provider:

- Connection object – Represents connection to the Database
  - Command object – Used to execute stored procedure and command on Database
  - ExecuteNonQuery – Executes command but doesn't return any value
  - ExecuteScalar – Executes and returns single value
  - ExecuteReader – Executes and returns result set
  - DataReader – Forward and read only recordset
  - DataAdapter – This acts as a bridge between database and a dataset.
- 

#### 5. IS IT POSSIBLE TO LOAD MULTIPLE TABLES IN A DATASET?

Yes, it is possible to load multiple tables in a single dataset.**29. Which provider is used to connect MS Access, Oracle, etc...?**

OLEDB Provider and ODBC Provider are used to connect to MS Access and Oracle. Oracle Data Provider is also used to connect exclusively for oracle database.

---

#### 6. WHAT ARE DIFFERENT LAYERS OF ADO.NET?

There are three different layers of ADO.Net:

- Presentation Layer
  - Business Logic Layer
  - Database Access Layer
- 

## 7. WHAT ARE ALL THE CLASSES THAT ARE AVAILABLE IN SYSTEM.DATA NAMESPACE?

Following are the classes that are available in System.Data Namespace:

- Dataset.
  - DataTable.
  - DataColumn.
  - DataRow.
  - DataRelation.
  - Constraint.
- 

## 8. WHAT ARE THE DATA PROVIDERS IN ADO.NET?

Following are the Data Providers used in ADO.Net::

- MS SQL Server.
  - OLEDB.
  - ODBC.
- 

## 9. WHAT IS THE DIFFERENCE BETWEEN EXECUTESCALAR AND EXECUTENONQUERY?

1. ExecuteScalar returns output value where as ExecuteNonQuery does not return any value but the number of rows affected by the query.

2. ExecuteScalar used for fetching a single value and ExecuteNonQuery used to execute Insert and Update statements.
- 

10. WHICH METHOD IS USED BY COMMAND CLASS TO EXECUTE SQL STATEMENTS THAT RETURN SINGLE VALUE?

ExecuteScalar

---

# JAVASCRIPT

## 1. NAME THE TYPES OF FUNCTIONS IN JAVASCRIPT?

The types of function are:

- Named - These type of functions contains name at the time of definition. For Example:

```
function display()  
{  
    document.writeln("Named Function");  
}  
display();
```


- Anonymous - These type of functions doesn't contain any name. They are declared dynamically at runtime.

```
var display=function()  
{  
    document.writeln("Anonymous Function");  
}  
display();
```

---

## 2. WHAT IS DOM? WHAT IS THE USE OF DOCUMENT OBJECT?

**DOM** stands for *Document Object Model*. A document object represents the HTML document. It can be used to access and change the content of HTML.




---

### 3. WHAT IS THE DIFFERENCE BETWEEN == AND ===?

The == operator checks equality only whereas === checks equality, and data type, i.e., a value must be of the same type.

---

### 4. HOW TO WRITE HTML CODE DYNAMICALLY USING JAVASCRIPT?

The innerHTML property is used to write the HTML code using JavaScript dynamically. Let's see a simple example:

```
document.getElementById('mylocation').innerHTML=<h2>This is heading using J  
avaScript</h2>;
```

---

## 5. HOW TO CREATE OBJECTS IN JAVASCRIPT?

There are 3 ways to create an object in JavaScript.

1. By object literal
2. By creating an instance of Object
3. By Object Constructor

Let's see a simple code to create an object using object literal.

```
emp={id:102,name:"Rahul Kumar",salary:50000}
```

---

## 6. WHAT DOES THE ISNAN() FUNCTION?

The isNaN() function returns true if the variable value is not a number. For example:

---

## 7. HOW TO HANDLE EXCEPTIONS IN JAVASCRIPT?

By the help of try/catch block, we can handle exceptions in JavaScript. JavaScript supports try, catch, finally and throw keywords for exception handling.

```
try {  
    Block of code to try  
}  
catch(err) {  
    Block of code to handle errors  
}  
finally {  
    Block of code to be executed regardless of the try / catch  
    result  
}
```

---

## 8. WHAT IS THIS KEYWORD IN JAVASCRIPT?

The `this` keyword is a reference variable that refers to the current object.

For example:

```
var person = {  
    firstName: "John",  
    lastName : "Doe",  
    id      : 5566,  
    fullName : function() {  
        return this.firstName + " " + this.lastName;  
    }  
};
```

---

## 9. WHAT IS THE USE OF DEBUGGER KEYWORD IN JAVASCRIPT?

JavaScript debugger keyword sets the breakpoint through the code itself. The debugger stops the execution of the program at the position it is applied. Now, we can start the flow of execution manually. If an exception occurs, the execution will stop again on that particular line.. For example:

```
var x = 15 * 5;  
debugger;  
document.getElementById("demo").innerHTML = x;
```

---

## 10. WHAT IS THE USE OF MATH OBJECT IN JAVASCRIPT?

The JavaScript math object provides several constants and methods to perform a mathematical operation. Unlike date object, it doesn't have constructors.

For example:

```
Math.abs(-4.7); // returns 4.7
```

```
Math.ceil(4.4); // returns 5  
Math.random(); // returns a random number
```

---

## 11. DEFINE A NAMED FUNCTION IN JAVASCRIPT.

The function which has named at the time of definition is called a named function. For example

1. function msg()
2. {
3. document.writeln("Named Function");
4. }
5. msg();

---

## 12. WHAT IS THE USE OF WINDOW OBJECT?

The window object is created automatically by the browser that represents a window of a browser. It is not an object of JavaScript. It is a browser object.

The window object is used to display the popup dialog box. Let's see with description.

Method	Description
alert()	displays the alert box containing the message with ok button.
confirm()	displays the confirm dialog box containing the message with ok and cancel buttons.
prompt()	displays a dialog box to get input from the user.

open()	opens the new window.
close()	closes the current window.
setTimeout()	performs the action after specified time like calling function, evaluating expr

---

### 13. DEFINE ANONYMOUS FUNCTION

It is a function that has no name. These functions are declared dynamically at runtime using the function operator instead of the function declaration. The function operator is more flexible than a function declaration. It can be easily used in the place of an expression. For example:

1. var display=function()
  2. {
  3. alert("Anonymous Function is invoked");
  4. }
  5. display();
- 

### 14. CAN AN ANONYMOUS FUNCTION BE ASSIGNED TO A VARIABLE?

Yes, you can assign an anonymous function to a variable.

---

### 15. IN JAVASCRIPT WHAT IS AN ARGUMENT OBJECT?

The variables of JavaScript represent the arguments that are passed to a function.

---

## 16.DEFINE CLOSURE.

In JavaScript, we need closures when a variable which is defined outside the scope in reference is accessed from some inner scope.

1. var num = 10;
2. function sum()
3. {
4. document.writeln(num+num);
5. }
6. sum();

---

## 17.IF WE WANT TO RETURN THE CHARACTER FROM A SPECIFIC INDEX WHICH METHOD IS USED?

The JavaScript string `charAt()` method is used to find out a char value present at the specified index. The index number starts from 0 and goes to n-1, where n is the length of the string. The index value can't be a negative, greater than or equal to the length of the string. For example:

1. var str="Javatpoint";
2. document.writeln(str.charAt(4));

---

## 18.WHAT IS THE DIFFERENCE BETWEEN JAVASCRIPT AND JSCRIPT?

Netscape provided the JavaScript language. Microsoft changed the name and called it JScript to avoid the trademark issue. In other words, you can say JScript is the same as JavaScript, but Microsoft provides it.

## 19. HOW TO USE EXTERNAL JAVASCRIPT FILE?

I am assuming that js file name is message.js, place the following script tag inside the head tag.

1. `<script type="text/javascript" src="message.js"></script>`
- 

## 20. WHAT IS THE USE OF HISTORY OBJECT?

The history object of a browser can be used to switch to history pages such as back and forward from the current page or another page. There are three methods of history object.

1. `history.back()` - It loads the previous page.
  2. `history.forward()` - It loads the next page.
  3. `history.go(number)` - The number may be positive for forward, negative for backward. It loads the given page number.
- 

## 21. HOW TO CREATE A FUNCTION IN JAVASCRIPT?

To create a function in JavaScript, follow the following syntax.

1. `function function_name(){`
  2. `//function body`
  3. `}`
- 

## 22. WHAT ARE THE JAVASCRIPT DATA TYPES?

There are two types of data types in JavaScript:

1. Primitive Data Types - The primitive data types are as follows:

Data Type	Description
String	represents a sequence of characters, e.g., "hello"
Number	represents numeric values, e.g., 100
Boolean	represents boolean value either false or true
Undefined	represents an undefined value
Null	represents null, i.e., no value at all

2. Non-primitive Data Types - The non-primitive data types are as follows:

Data Type	Description
Object	represents an instance through which we can access members
Array	represents a group of similar values
RegExp	represents regular expression

### 23. HOW TO WRITE NORMAL TEXT CODE USING JAVASCRIPT DYNAMICALLY?

The `innerText` property is used to write the simple text using JavaScript dynamically. Let's see a simple example:

1. `document.getElementById('mylocation').innerText="This is text using JavaScript";`

## 24. HOW TO CREATE AN ARRAY IN JAVASCRIPT?

There are 3 ways to create an array in JavaScript.

1. By array literal
2. By creating an instance of Array
3. By using an Array constructor

Let's see a simple code to create an array using object literal.

1. var emp=["Shyam","Vimal","Ratan"];

---

## 25. WHAT ARE THE POP-UP BOXES AVAILABLE IN JAVASCRIPT?

- o Alert Box
  - o Confirm Box
  - o Prompt Box
- 

## 26. HOW TO SUBMIT A FORM USING JAVASCRIPT BY CLICKING A LINK?

Let's see the JavaScript code to submit the form by clicking the link.

1. <form name="myform" action="index.php">
  2. Search: <input type='text' name='query' />
  3. <a href="javascript: submitform()">Search</a>
  4. </form>
  5. <script type="text/javascript">
  6. function submitform()
  7. {
  8. document.myform.submit();
  9. }
  - 10.</script>
-

## 27. WHAT IS THE ROLE OF A STRICT MODE IN JAVASCRIPT?

The JavaScript strict mode is used to generates silent errors. It provides "use strict"; expression to enable the strict mode. This expression can only be placed as the first statement in a script or a function. For example:

1. "use strict";
  2. **x=10;**
  3. console.log(x);
-

# SQL

## 1. WHAT IS RDBMS?

RDBMS stands for Relational Database Management System. RDBMS store the data into the collection of tables, which is related by common fields between the columns of the table. It also provides relational operators to manipulate the data stored into the tables.

**Example: SQL Server.**

---

## 2. WHAT IS DENORMALIZATION.

DeNormalization is a technique used to access the data from higher to lower normal forms of database. It is also process of introducing redundancy into a table by incorporating data from the related tables.

---

## 3. WHAT ARE ALL THE DIFFERENT NORMALIZATIONS?

The normal forms can be divided into 5 forms, and they are explained below -.

**First Normal Form (1NF):.**

This should remove all the duplicate columns from the table. Creation of tables for the related data and identification of unique columns.

**Second Normal Form (2NF):.**

Meeting all requirements of the first normal form. Placing the subsets of data in separate tables and Creation of relationships between the tables using primary keys.

**Third Normal Form (3NF):.**

This should meet all requirements of 2NF. Removing the columns which are not dependent on primary key constraints.

#### **Fourth Normal Form (4NF):**

Meeting all the requirements of third normal form and it should not have multi-valued dependencies.

---

#### **4. WHAT IS A RELATIONSHIP AND WHAT ARE THEY?**

Database Relationship is defined as the connection between the tables in a database. There are various data basing relationships, and they are as follows:.

- One to One Relationship.
  - One to Many Relationship.
  - Many to One Relationship.
  - Self-Referencing Relationship.
- 

#### **5. WHAT IS SUBQUERY?**

A subquery is a query within another query. The outer query is called as main query, and inner query is called subquery. SubQuery is always executed first, and the result of subquery is passed on to the main query.

---

#### **6. WHAT ARE THE TYPES OF SUBQUERY?**

There are two types of subquery – Correlated and Non-Correlated.

A correlated subquery cannot be considered as independent query, but it can refer the column in a table listed in the FROM the list of the main query.

A Non-Correlated sub query can be considered as independent query and the output of subquery are substituted in the main query.

---

## 7. WHAT IS A TRIGGER?

A DB trigger is a code or programs that automatically execute with response to some event on a table or view in a database. Mainly, trigger helps to maintain the integrity of the database.

Example: When a new student is added to the student database, new records should be created in the related tables like Exam, Score and Attendance tables.

---

## 8. WHAT ARE LOCAL AND GLOBAL VARIABLES AND THEIR DIFFERENCES?

Local variables are the variables which can be used or exist inside the function. They are not known to the other functions and those variables cannot be referred or used. Variables can be created whenever that function is called.

Global variables are the variables which can be used or exist throughout the program. Same variable declared in global cannot be used in functions. Global variables cannot be created whenever that function is called.

---

## 9. WHAT IS DATA INTEGRITY?

Data Integrity defines the accuracy and consistency of data stored in a database. It can also define integrity constraints to enforce business rules on the data when it is entered into the application or database.

---

## 10. WHAT IS AUTO INCREMENT?

Auto increment keyword allows the user to create a unique number to be generated when a new record is inserted into the table. AUTO INCREMENT keyword can be used in Oracle and IDENTITY keyword can be used in SQL SERVER.

Mostly this keyword can be used whenever PRIMARY KEY is used.

---

## 11. WHAT IS DATAWAREHOUSE?

Datawarehouse is a central repository of data from multiple sources of information. Those data are consolidated, transformed and made available for the mining and online processing. Warehouse data have a subset of data called Data Marts.

---

## 12. WHAT IS CROSS-JOIN?

Cross join defines as Cartesian product where number of rows in the first table multiplied by number of rows in the second table. If suppose, WHERE clause is used in cross join then the query will work like an INNER JOIN.

---

## 13. WHAT IS COLLATION?

Collation is defined as set of rules that determine how character data can be sorted and compared. This can be used to compare A and, other language characters and also depends on the width of the characters.

ASCII value can be used to compare these character data.

---

#### **14. WHAT ARE ALL DIFFERENT TYPES OF COLLATION SENSITIVITY?**

Following are different types of collation sensitivity -.

- Case Sensitivity – A and a and B and b.
  - Accent Sensitivity.
  - Kana Sensitivity – Japanese Kana characters.
  - Width Sensitivity – Single byte character and double byte character.
- 

#### **15. ADVANTAGES AND DISADVANTAGES OF STORED PROCEDURE?**

Stored procedure can be used as a modular programming – means create once, store and call for several times whenever required. This supports faster execution instead of executing multiple queries. This reduces network traffic and provides better security to the data.

Disadvantage is that it can be executed only in the Database and utilizes more memory in the database server.

---

#### **16. WHAT IS ONLINE TRANSACTION PROCESSING (OLTP)?**

Online Transaction Processing (OLTP) manages transaction based applications which can be used for data entry, data retrieval and data processing. OLTP makes data management simple and efficient. Unlike OLAP systems goal of OLTP systems is serving real-time transactions.

Example – Bank Transactions on a daily basis.

---

#### **17. WHAT IS CLAUSE?**

SQL clause is defined to limit the result set by providing condition to the query. This usually filters some rows from the whole set of records.

Example – Query that has WHERE condition

Query that has HAVING condition.

---

## 18. WHAT IS RECURSIVE STORED PROCEDURE?

A stored procedure which calls by itself until it reaches some boundary condition. This recursive function or procedure helps programmers to use the same set of code any number of times.

---

## 19. WHAT IS UNION, MINUS AND INTERACT COMMANDS?

UNION operator is used to combine the results of two tables, and it eliminates duplicate rows from the tables.

MINUS operator is used to return rows from the first query but not from the second query. Matching records of first and second query and other rows from the first query will be displayed as a result set.

INTERSECT operator is used to return rows returned by both the queries.

---

## 20. WHAT IS AN ALIAS COMMAND?

ALIAS name can be given to a table or column. This alias name can be referred in WHERE clause to identify the table or column.

Example-.

Select st.StudentID, Ex.Result from student st, Exam as Ex where st.studentID = Ex. StudentID

Here, st refers to alias name for student table and Ex refers to alias name for exam table.

---

## 21. HOW CAN YOU CREATE AN EMPTY TABLE FROM AN EXISTING TABLE?

Example will be -.

Select \* into studentcopy from student where 1=2

Here, we are copying student table to another table with the same structure with no rows copied.

---

## 22. HOW TO FETCH COMMON RECORDS FROM TWO TABLES?

Common records result set can be achieved by -.

Select studentID from student INTERSECT Select StudentID from Exam

---

## 23. HOW TO FETCH ALTERNATE RECORDS FROM A TABLE?

Records can be fetched for both Odd and Even row numbers -.

To display even numbers-.

Select studentId from (Select rowno, studentId from student) where mod(rowno,2)=0

To display odd numbers-.

Select studentId from (Select rowno, studentId from student) where mod(rowno,2)=1

from (Select rowno, studentId from student) where mod(rowno,2)=1.[/sql]

---

#### 24. HOW TO SELECT UNIQUE RECORDS FROM A TABLE?

Select unique records from a table by using DISTINCT keyword.

Select DISTINCT StudentID, StudentName from Student.

---

#### 25. WHAT IS THE COMMAND USED TO FETCH FIRST 5 CHARACTERS OF THE STRING?

There are many ways to fetch first 5 characters of the string -.

Select SUBSTRING(StudentName,1,5) as studentname from student

Select LEFT(Studentname,5) as studentname from student

---

#### 26. WHAT ARE ALL TYPES OF USER DEFINED FUNCTIONS?

Three types of user defined functions are.

- Scalar Functions.
  - Inline Table valued functions.
  - Multi statement valued functions.
- 

#### 27. WHAT ARE AGGREGATE AND SCALAR FUNCTIONS?

Aggregate functions are used to evaluate mathematical calculation and return single values. This can be calculated from the columns in a table. Scalar functions return a single value based on the input value.

**Example -.**

Aggregate – max(), count - Calculated with respect to numeric.

Scalar – UCASE(), NOW() – Calculated with respect to strings.

---

## 28. WHICH OPERATOR IS USED IN QUERY FOR PATTERN MATCHING?

LIKE operator is used for pattern matching, and it can be used as -.

% - Matches zero or more characters.

\_(Underscore) – Matching exactly one character.

**Example -.**

```
Select * from Student where studentname like 'a%'
```

```
Select * from Student where studentname like 'ami_'
```

---

## 29. DEFINE MAGIC TABLES IN SQL SERVER?

A Table which is automatically created and managed by SQL server internally to store the inserted, updated values for any DML (SELECT, DELETE, UPDATE, etc.) operation, is called as Magic tables in SQL server. The triggers preferably use it.

---

# DESIGN PATTERNS

## 1. WHAT IS PROTOTYPE DESIGN PATTERN?

Prototype Design patterns:

- ⊕ Prototype pattern specifies the kind of objects to create using a prototypical instance, and create new objects by copying this prototype.
  - ⊕ It is used to create a duplicate object or clone of the current object to enhance performance.
- 

## 2. WHAT IS BUILDER DESIGN PATTERN?

Builder Design patterns:

- ⊕ Separate the construction of a complex object from its representation so that the same construction process can create different representations.
  - ⊕ In other words, you will have to design the system in such a way that the client application will simply specify the parameters that should be used to create the complex object and the builder will take care of building the complex object.
- 

## 3. WHAT IS ADAPTER DESIGN PATTERN?

Adapter Design patterns:

- ⊕ The adapter pattern is adapting between classes and objects
- ⊕ This pattern involves a single class called adapter which is responsible for communication between two independent or incompatible interfaces
- ⊕ This works like a bridge between two incompatible interfaces

---

## 4. WHAT IS BRIDGE DESIGN PATTERN?

Bridge Design patterns:

- ⊕ Bridge Pattern separates abstraction from its implementation, so that both can be modified Independently
  - ⊕ Bridge Pattern behaves like a bridge between abstraction class and Implementer class.
- 

## 5. WHAT IS COMPOSITE DESIGN PATTERN?

Composite Design patterns:

- ⊕ Composite pattern composes objects in term of a tree structure to represent part as well as whole hierarchies.
  - ⊕ Composite pattern creates a class contains group of its own objects. This class provides ways to modify its group of same objects.
  - ⊕ Composite pattern is used when we need to treat a group of objects and a single object in the same way
- 

## 6. WHAT IS DECORATOR DESIGN PATTERN?

Decorator Design patterns:

- ⊕ Decorator pattern is used to add new functionality to an existing object without changing its structure.
- ⊕ Decorators provide a flexible alternative to subclass for extending functionality.
- ⊕ This pattern creates a decorator class which wraps the original class and add new behaviors/operations to an object at run-time.

---

## 7. WHAT IS FACADE DESIGN PATTERN?

Facade Design patterns:

- ⊕ Facade Design Pattern makes a software library easier to use, understand and test
  - ⊕ Facade Design Pattern make the library more readable
  - ⊕ Facade Design Pattern reduce dependencies of outside code on the inner workings of a library
  - ⊕ Facade Design Pattern wrap a poorly designed collection of APIs with a single well-designed API.
- 

## 8. WHAT IS FLYWEIGHT DESIGN PATTERN?

Flyweight Design patterns:

- ⊕ Flyweight design pattern is an object that minimizes memory use by sharing as much data as possible with other similar objects
  - ⊕ Flyweight pattern is used to reduce the number of objects created, to decrease memory and resource usage. As a result it increase performance
  - ⊕ Flyweight design pattern provides a way to use objects in large numbers when a simple repeated representation would use an unacceptable amount of memory.
  - ⊕ The flyweight pattern uses the concepts of intrinsic and extrinsic data. Intrinsic data is held in the properties of the shared flyweight objects. This information is stateless and generally remains unchanged, if any change occurs it would be reflected among all of the objects that reference the flyweight. Extrinsic data is computed on the fly means at runtime and it is held outside of a flyweight object. Hence it can be stateful.
-

## 9. WHAT IS PROXY DESIGN PATTERN?

Proxy Design patterns:

- Proxy Design pattern involves a class, called proxy class, which represents functionality of another class.
  - Proxy is a wrapper or agent object that is being called by the client to access the real serving object behind the scenes.
-

# WEB API / WEB SERVICE / WCF

## 1. IS IT RIGHT THAT ASP.NET WEB API HAS REPLACED WCF?

It's not at all true that ASP.NET Web API has replaced WCF. In fact, it is another way of building non-SOAP based services, i.e., plain XML or JSON string.

---

## 2. WEB API SUPPORTS WHICH PROTOCOL?

Web App supports HTTP protocol.

---

## 3. WHICH .NET FRAMEWORK SUPPORTS WEB API?

.NET 4.0 and above version supports web API.

---

## 4. WEB API USES WHICH OF THE FOLLOWING OPEN-SOURCE LIBRARY FOR JSON SERIALIZATION?

Web API uses Json.NET library for JSON serialization.

---

## 5. BY DEFAULT, WEB API SENDS HTTP RESPONSE WITH WHICH OF THE FOLLOWING STATUS CODE FOR ALL UNCAUGHT EXCEPTION?

500 - Internal Server Error

---

## 6. WHAT IS WEB API ROUTING?

Routing is pattern matching like in MVC.

All routes are registered in Route Tables.

For example:

```
Routes.MapHttpRoute (  
    Name: "ExampleWebAPIRoute",  
    routeTemplate: "api/{controller}/{id}"  
    defaults: new { id = RouteParameter.Optional }  


---


```

## 7. WHAT IS SOAP?

SOAP is an XML message format used in web service interactions. It allows to send messages over HTTP or JMS, but other transport protocols can be used. It is also an XML-based messaging protocol for exchanging information among computers.

---

## 8. WHAT IS THE BENEFIT OF USING REST IN WEB API?

REST is used to make fewer data transfers between client and server which make it an ideal for using it in mobile apps. Web API also supports HTTP protocol. Therefore, it reintroduces the traditional way of the HTTP verbs for communication.

---

## 9. HOW CAN WE USE WEB API WITH ASP.NET WEB FORM?

Web API can be used with ASP.NET Web Form

It can be performed in three simple steps:

1. Create a Web API Controller,
  2. Add a routing table to Application\_Start method of Global.sax
  3. Then you need to make a jQuery AJAX Call to Web API method and get data.
- 

## 10. HOW YOU CAN RETURN VIEW FROM ASP.NET WEB API METHOD?

No, we can't return a view from ASP.NET Web API Method. Web API creates HTTP services that render raw data. However, it's also possible in ASP.NET MVC application.

---

## 11. HOW TO REGISTER EXCEPTION FILTER GLOBALLY?

It is possible to register exception filter globally using following code-

```
GlobalConfiguration.Configuration.Filters.Add(new  
MyTestCustomerStore.NotImplExceptionFilterAttribute());
```

---

## 12. HOW CAN YOU RESTRICT ACCESS METHODS TO SPECIFIC HTTP VERBS IN WEB API?

With the help of Attributes (like HTTP verbs), It is possible to implement access restrictions in Web API.

It is possible to define HTTP verbs as an attribute to restrict access. Example:

```
[HttpPost]  
  
public void Method1(Class obj)  
  
{  
  
//logic
```

---

### 13.WHO CAN CONSUME WEBAPI?

WebAPI can be consumed by any client which supports HTTP verbs such as GET, PUT, DELETE, POST. As WebAPI services don't need any configuration, they are very easy to consume by any client. In fact, even portable devices like Mobile devices can easily consume WebAPI which is certainly the biggest advantages of this technology.

---

### 14.WHAT ARE WEB SERVICES?

Web services are open standard (XML, SOAP, HTTP etc.) based Web applications that interact with other web applications for the purpose of exchanging data. Web Services can convert your existing applications into Web-applications.

---

### 15.WHAT ARE THE FEATURES OF WEB SERVICES?

Following are the features of Web service –

- It is available over the Internet or private (intranet) networks.
- It uses a standardized XML messaging system.

- It is not tied to any one operating system or programming language.
  - It is self-describing via a common XML grammar.
  - It is discoverable via a simple find mechanism.
- 

## 16. WHAT THE COMPONENTS OF A WEB SERVICE?

The basic web services platform is XML + HTTP. All the standard web services work using the following components –

- SOAP (Simple Object Access Protocol)
  - UDDI (Universal Description, Discovery and Integration)
  - WSDL (Web Services Description Language)
- 

## 17. HOW DOES A WEB SERVICE WORK?

A web service enables communication among various applications by using open standards such as HTML, XML, WSDL, and SOAP.

You can also use C# to build new web services on Windows that can be invoked from your web application that is based on JavaServer Pages (JSP) and runs on Linux.

---

## 18. WHAT IS THE PURPOSE OF XML IN A WEB SERVICE?

A web services takes the help of XML to tag the data, format the data.

---

## 19. WHAT ARE THE BENEFITS OF WEB SERVICES?

Following are the benefits of using web services –

- Exposing the Existing Function on the network – Web services allows you to expose the functionality of your existing code over the network. Once it is exposed on the network, other application can use the functionality of your program.
  - Interoperability – Web services allow various applications to talk to each other and share data and services among themselves.
  - Standardized Protocol – Web services use standardized industry standard protocol for the communication. All the four layers (Service Transport, XML Messaging, Service Description, and Service Discovery layers) use well-defined protocols in the web services protocol stack.
  - Low Cost of Communication – Web services use SOAP over HTTP protocol, so you can use your existing low-cost internet for implementing web services.
- 

## 20. WHAT DO YOU MEAN BY INTEROPERABILITY OF WEB SERVICES?

Web services allow various applications to talk to each other and share data and services among themselves. Other applications can also use the web services. For example, a VB or .NET application can talk to Java web services and vice versa. Web services are used to make the application platform and technology independent.

---

## 21. WHAT DO YOU MEAN BY LOOSELY COUPLED ARCHITECTURE OF WEB SERVICES?

A consumer of a web service is not tied to that web service directly. The web service interface can change over time without compromising the client's ability to interact with the service. A tightly coupled system implies that the client and server logic are closely tied to one another, implying that if one interface changes, the other must be updated. Adopting a loosely coupled architecture tends to

make software systems more manageable and allows simpler integration between different systems.

---

## 22. WHAT IS HTTP?

HTTP stands for Hyper Text Transfer Protocol. Currently, HTTP is the most popular option for service transport. HTTP is simple, stable, and widely deployed. Furthermore, most firewalls allow HTTP traffic. This allows XML-RPC or SOAP messages to masquerade as HTTP messages.

---

## 23. WHAT IS WSDL?

WSDL is an XML-based language for describing web services and how to access them. WSDL stands for Web Services Description Language.

---

## 24. WHAT IS UDDI?

UDDI is an XML-based standard for describing, publishing, and finding web services. UDDI stands for Universal Description, Discovery, and Integration.

---

## 25. EXPLAIN WHAT IS WCF?

WCF (Windows Communication Framework) is Microsoft framework to make inter-process communication easier. Through various means, it lets you do the communication like MS messaging Queuing, Services, Remoting and so on. It also allows you talk with other .NET apps, or non-Microsoft technologies (like J2EE).

---

## 26. MENTION WHAT ARE THE MAIN COMPONENTS OF WCF?

Main components of WCF are

- Service: The working logic
  - Host: The path where the data is saved. E.g., .exe, process, windows service
  - Endpoints: The way the service is exposed to the outside world
- 

## 27. EXPLAIN HOW DOES WCF WORKS?

WCF follows the “Software as a Service” model, where all units of functionality are defined as services. For communication, each point is a portal or connection either with the client or other services. It is a program that exposes a collection of endpoints.

---

## 28. EXPLAIN WHAT IS THE DIFFERENCE BETWEEN ASMX WEB SERVICES AND WCF?

The difference between WCF and ASMX or ASP.net web service is that ASMX is designed to send and receive messages using SOAP over HTTP only. While the WCF can exchange messages using any format over any transport protocol.

---

## 26. MENTION WHAT IS THE ENDPOINT IN WCF AND WHAT ARE THE THREE MAJOR POINTS IN WCF?

Every service must have an **address** that determines where the service is located, contract that defines what the service does and **binding** that tells how to communicate with the service.

- Address: It specifies the location of the service which will be like <http://Myserver/Myservice>. To communicate with our service client it will use this location
  - Contract: It specifies the interface between the server and client. It's a simple interface with some attribute
  - Binding: It decides how two parties will communicate with each other in terms of transport and encoding and protocols
- 

## 27. EXPLAIN HOW MANY TYPES OF CONTRACT DOES WCF DEFINES?

WCF defines four types of Contracts

- Service Contracts
  - Data Contracts
  - Fault Contracts
  - Message Contracts
- 

## 28. WHAT ARE THE TRANSPORT SCHEMAS DOES WCF SUPPORTS?

It supports

- HTTP
  - TCP
  - Peer network
  - IPC ( Inter Process Communication)
  - MSMQ
- 

## 29. MENTION WHAT ARE THE WAYS OF HOSTING A WCF SERVICE?

The ways of hosting a WCF service are

- IIS

- Self-Hosting
  - WAS (Windows Activation Service)
- 

### 30. MENTION THE ADDRESS SYNTAX AND THE DIFFERENT FORMATS OF WCF TRANSPORT SCHEME?

Address syntax of WCF transport scheme is

[transport]:// [machine or domain] [: optional port] format

---

### 31. IN WCF WHAT ARE DUPLEX CONTRACTS?

Duplex messaging or call-back is used in WCF to communicate with the client. Over different transport system Duplex messaging in WCF is done like TCP, Named pipe and even HTTP. Collectively this is known as duplex contracts in WCF.

---

### 32. MENTION WHAT ARE THE DIFFERENT INSTANCE MODES IN WCF?

To a particular service instance WCF binds an incoming message request, so the available modes are

- Per Call: This instance is created for each call, efficient in terms of memory but need to maintain session
  - Per Session: For a complete session of a user instance are created
  - Single: One instance is created which is shared among all the users and shared among all. In terms of memory it is least efficient.
-

### 33. EXPLAIN WHAT IS SOA?

SOA (Service Oriented Architectural) is a collection of services that determines how two computing entities will communicate with each other to achieve certain business functionality and also how one entity can work on behalf of another entity.

---

### 34. WHAT ARE THE TYPES OF DATA CONTRACTS IN WCF?

There are two types of Data Contracts

- Data Contract: Attribute used to define the class
  - Data Member: Attribute used to define the properties
- 

### 35. WHAT ARE THE THREE TYPES OF TRANSACTION MANAGER WCF SUPPORTS?

The types of the transaction manager that WCF supports are

- Light Weight
  - WS- Atomic Transaction
  - OLE Transaction
- 

### 36. NAME THE NAMESPACE THAT IS USED TO ACCESS WCF SERVICE?

System.ServiceModel is used to access WCF service

---

### 37. WHAT IS SOA STANDS FOR?

Service Oriented Architecture

---

### 38. WHAT IS WCF STANDS FOR?

Windows Communication Foundation.

---

# .NET CORE

## 1. EXPLAIN THE MIDDLEWARE IN ASP.NET CORE?

The Request handling pipeline is a sequence of middleware components where each component performs the operation on request and either call the next middleware component or terminate the request. When a middleware component terminates the request, it's called **Terminal Middleware** as It prevents next middleware from processing the request. You can add a middleware component to the pipeline by calling **.Use...** extension method as below.

```
app.UseHttpsRedirection();
app.UseStaticFiles();
app.UseRouting();
```

So **Middleware component** is program that's build into an app's pipeline to handle the request and response. Each middleware component can decide whether to pass the request to next component and to perform any operation before or after next component in pipeline.

---

## 2. WHAT IS REQUEST DELEGATE?

**Request delegates** handle each HTTP request and are used to build request pipeline. It can configured using Run, Map and Use extension methods. An request delegate can be a in-line as an anonymous method (called in-line middleware) or a reusable class. These classes or in-line methods are called middleware components.

---

### 3. WHAT IS HOST IN ASP.NET CORE?

**Host** encapsulates all the resources for the app. On startup, ASP.NET Core application creates the host. The Resources which are encapsulated by the host include:

- HTTP Server implementation
  - Dependency Injection
  - Configuration
  - Logging
  - Middleware components
- 

### 4. DESCRIBE THE GENERIC HOST AND WEB HOST?

The host setup the server, request pipeline and responsible for app startup and lifetime management. There are two hosts:

.NET Generic Host

ASP.NET Core Web Host

**.NET Generic Host** is recommended and ASP.NET Core template builds a .NET Generic Host on app startup.

**ASP.NET Core Web host** is only used for backwards compatibility.

```
// Host creation  
  
public class Program  
{  
    public static void Main(string[] args)  
    {  
        CreateWebHostBuilder(args).Build().Run();  
    }  
}
```

```
public static IWebHostBuilder  
CreateWebHostBuilder(string[] args) =>  
    WebHost.CreateDefaultBuilder(args)  
        .UseStartup();  
}
```

---

## 5. DESCRIBE THE SERVERS IN ASP.NET CORE?

Server is required to run any application. **ASP.NET Core** provides an in-process HTTP server implementation to run the app. This server implementation listen for HTTP requests and surface them to the application as a set of request features composed into an `HttpContext`.

ASP.NET Core use the **Kestrel** web server by default. ASP.NET Core comes with:

- ⊕ Default Kestrel web server that's cross platform HTTP server implementation.
  - ⊕ IIS HTTP Server that's in-process server for IIS.
  - ⊕ HTTP.sys server that's a Windows-only HTTP server and it's based on the HTTP.sys kernel driver and HTTP Server API.
- 

## 6. HOW CONFIGURATION WORKS IN ASP.NET CORE?

In ASP.NET Core, **Configuration** is implemented using various configuration providers. Configuration data is present in the form of key value pairs that can be read by configuration providers as key value from different configuration sources as below.

- ⊕ `appsettings.json` - settings file
- ⊕ Azure Key Vault
- ⊕ Environment variables
- ⊕ In-memory .Net objects
- ⊕ Command Line Arguments

## Custom Providers

By default apps are configured to read the configuration data from appsettings.json, environment variables, command line arguments etc. While reading the data, values from environment variables override appsettings.json data values. 'CreateDefaultBuilder' method provide default configuration.

---

### 7. HOW TO READ VALUES FROM APPSETTINGS.JSON FILE?

You can read values from appsettings.json using below code.

```
class Test{
    // requires using Microsoft.Extensions.Configuration;
    private readonly IConfiguration Configuration;
    public TestModel(IConfiguration configuration)
    {
        Configuration = configuration;
    }
    // public void ReadValues(){
    var val = Configuration["key"]; // reading direct key values
    var name = Configuration["Employee:Name"]; // read complex
    values
    }
}
```

Default configuration provider first load the values from appsettings.json and then from appsettings.Environment.json file.

Environment specific values override the values from appsettings.json file. In development environment appsettings.Development.json file values override the

appsettings.json file values, same apply to production environment.

---

## 8. WHAT IS THE OPTIONS PATTERN IN ASP.NET CORE?

**Options Pattern** allow you to access related configuration settings in Strongly typed way using some classes. When you are accessing the configuration settings with the isolated classes, The app should adhere these two principles.

- ⊕ **Interface Segregation Principle (ISP) or Encapsulation:** The class the depend on the configurations, should depend only on the configuration settings that they use.
  - ⊕ **Separation of Concerns:** Settings for different classes should not be related or dependent on one another.
- 

## 9. HOW TO USE MULTIPLE ENVIRONMENTS IN ASP.NET CORE?

ASP.NET Core use environment variables to configure application behavior based on runtime environment. launchSettings.json file sets ASPNETCORE\_ENVIRONMENT to Development on local Machine.

---

## 10. HOW ROUTING WORKS IN ASP.NET CORE?

**Routing** is used to handle incoming HTTP requests for the app. Routing find matching executable endpoint for incoming requests. These endpoints are registered when app starts. Matching process use values from incoming request url to process the requests. You can configure the routing in middleware pipeline of configure method in startup class.

```
app.UseRouting(); // It adds route matching to middleware pipeline
```

```
// It adds endpoints execution to middleware pipeline
app.UseEndpoints(endpoints =>
{
    endpoints.MapGet("/", async context =>
    {
        await context.Response.WriteAsync("Hello World!");
    });
});
```

---

## 11. HOW TO HANDLE ERRORS IN ASP.NET CORE?

ASP.NET Core provides a better way to handle the errors in Startup class as below.

```
if (env.IsDevelopment())
{
    app.UseDeveloperExceptionPage();
}
else
{
    app.UseExceptionHandler("/Error");
    app.UseHsts();
}
```

For development environment, Developer exception page display detailed information about the exception. You should place this middleware before other middlewares for which you want to catch exceptions. For other environments `UseExceptionHandler` middleware loads the proper Error page.

You can configure error code specific pages in Startup class `Configure` method as below.

```
app.Use(async (context, next) =>
{
    await next();
    if (context.Response.StatusCode == 404)
    {
        context.Request.Path = "/not-found";
        await next();
    }
    if (context.Response.StatusCode == 403 || context.Response.StatusCode == 503 || context.Response.StatusCode == 500)
    {
        context.Request.Path = "/Home/Error";
        await next();
    }
});
```

---

## 12. HOW ASP.NET CORE SERVE STATIC FILES?

In ASP.NET Core, **Static files** such as CSS, images, JavaScript files, HTML are the served directly to the clients. ASP.NET Core template provides a root folder called `wwwroot` which contains all these static files. `UseStaticFiles()` method inside `Startup.Configure` enables the static files to be served to client. You can serve files outside of this webroot folder by configuring Static File Middleware as following.

```

app.UseStaticFiles(new StaticFileOptions
{
    FileProvider = new PhysicalFileProvider(
        Path.Combine(env.ContentRootPath,
"MyStaticFiles")), // MyStaticFiles is new folder
    RequestPath = "/StaticFiles" // this is requested
path by client
});

// now you can use your file as below

// profile.jpg is image inside MyStaticFiles/images folder

```

---

### 13. EXPLAIN SESSION AND STATE MANAGEMENT IN ASP.NET CORE?

As we know HTTP is a stateless protocol. HTTP requests are independent and does not retain user values. There are different ways to maintain user state between multiple HTTP requests.

-  Cookies
  -  Session State
  -  TempData
  -  Query strings
  -  Hidden fields
  -  HttpContext.Items
  -  Cache
-

## 14. CAN ASP.NET APPLICATION BE RUN IN DOCKER CONTAINERS?

Yes, you can run an ASP.NET application or .NET Core application in Docker containers.

---

## 15. EXPLAIN THE CACHING OR RESPONSE CACHING IN ASP.NET CORE?

**Caching** significantly improves the performance of an application by reducing the number of calls to actual data source. It also improves the scalability. Response caching is best suited for data that changes infrequently. Caching makes the copy of data and store it instead of generating data from original source.

Response caching headers control the response caching. **ResponseCache** attribute sets these caching headers with additional properties.

---

## 16. WHAT IS IN-MEMORY CACHE?

**In-memory cache** is the simplest way of caching by ASP.NET Core that stores the data in memory on web server.

Apps running on multiple server should ensure that sessions are sticky if they are using in-memory cache. Sticky Sessions responsible to redirect subsequent client requests to same server. In-memory cache can store any object but distributed cache only stores byte[].

IMemoryCache interface instance in the constructor enables the In-memory caching service via ASP.NET Core dependency Injection.

---

## 17. WHAT IS DISTRIBUTED CACHING?

Applications running on multiple servers (Web Farm) should ensure that sessions are sticky. For Non-sticky sessions, cache consistency problems can occur. **Distributed caching** is implemented to avoid cache consistency issues. It offloads the memory to an external process. Distributed caching has certain advantages as below.

- + Data is consistent across client requests to multiple server
- + Data keeps alive during server restarts and deployments.
- + Data does not use local memory

`IDistributedCache` interface instance from any constructor enable distributed caching service via [Dependency Injection](#).

---

## 18. WHAT IS XSRF OR CSRF? HOW TO PREVENT CROSS-SITE REQUEST FORGERY (XSRF/CSRF) ATTACKS IN ASP.NET CORE?

**Cross-Site Request Forgery (XSRF/CSRF)** is an attack where attacker that acts as a trusted source send some data to a website and perform some action. An attacker is considered a trusted source because it uses the authenticated cookie information stored in browser.

For example a user visits some site 'www.abc.com' then browser performs authentication successfully and stores the user information in cookie and perform some actions, In between user visits some other malicious site 'www.bad-user.com' and this site contains some code to make a request to vulnerable site (www.abc.com). It's called cross site part of CSRF.

### How to prevent CSRF?

- + In ASP.NET Core 2.0 or later FormTaghelper automatically inject the antiforgery tokens into HTML form element.
- + You can add manually antiforgery token in HTML forms by using `@Html.AntiForgeryToken()` and then you can validate it in controller by `ValidateAntiForgeryToken()` method.
- + For more you can visit [Prevent Cross-Site Request Forgery \(XSRF/CSRF\)](#)

---

## 19. DESCRIBE THE DEPENDENCY INJECTION?

Dependency Injection is a Design Pattern that's used as a technique to achieve the Inversion of Control (IoC) between the classes and their dependencies. ASP.NET Core comes with a built-in Dependency Injection framework that makes configured services available throughout the application. You can configure the services inside the ConfigureServices method as below.

```
services.AddScoped();
```

---

## 20. EXPLAIN SESSION AND STATE MANAGEMENT IN ASP.NET CORE.

As we know HTTP is a stateless protocol. HTTP requests are independent and does not retain user values. There are different ways to maintain user state between multiple HTTP requests.

- Cookies
  - Session State
  - TempData
  - Query strings
  - Hidden fields
- 

## 21. HOW TO ACCESS HTTPCONTEXT IN ASP.NET CORE?

ASP.NET Core apps access HttpContext through the `IHttpContextAccessor` interface.

---

## 22. EXPLAIN THE CACHING AND RESPONSE CACHING IN ASP.NET CORE.

Caching significantly improves the performance of an application by reducing the number of calls to actual data source. It also improves the scalability.

### Three types of caching

- IN-MEMORY CACHING – Good for single server
- DISTRIBUTED CACHE – Good for web farm
- RESPONSECACHE attribute

Response caching is best suited for data that changes infrequently.

Response caching headers control the response caching. ResponseCache attribute sets these caching headers with additional properties.

*[ResponseCache(Duration = 60)]*

```
public class HomeController : Controller
{
    public IActionResult Index()
    {
        return View(new HomeOutputModel
        {
            LastUpdated = DateTime.Now
        });
    }
}
```

---

### 23. HOW TO ENABLE SESSION IN ASP.NET CORE?

The middleware for the session is provided by the package  
MICROSOFT.ASPNETCORE.SESSION.

To use the session in ASP.NET Core application, we need to add this package to csproj file and add the Session middleware to ASP.NET Core request pipeline.

---

#### 24. WHAT IS THE META PACKAGE PROVIDED BY ASP.NET CORE.

The assembly MICROSOFT.ASPNETCORE.ALL is a meta package provide by ASP.NET core.

---

**THE END...**

**BEST OF LUCK FOR**

**INTERVIEWS**