Lecture 1

Knowledge Base

- Data, Information and Knowledge
- Discrete and Continuous Attributes
- Type of datasets

Data, Information, Knowledge

- Data = facts.
- Examples

- Information is manipulated data.
- Examples.

- **Knowledge** is a theoretical or practical understanding of a subject or a domain.
- Examples

Discrete and Continuous Attributes

- Discrete Attribute
  - Has only a finite or countably infinite set of values
  - Examples: zip codes, counts, or the set of words in a collection of documents
  - Often represented as integer variables.
  - Note: binary attributes are a special case of discrete attributes

- Continuous Attribute
  - Has real numbers as attribute values
  - Examples: temperature, height, or weight.
  - Practically, real values can only be measured and represented using a finite number of digits.
  - Continuous attributes are typically represented as floating-point variables.

Types of data sets

- Record
  - Data Matrix
  - Document Data
  - Transaction Data
- Graph
  - World Wide Web
  - Molecular Structures
- Ordered
  - Spatial Data
  - Temporal Data
  - Sequential Data
  - Genetic Sequence Data

Data Matrix

- If data objects have the same fixed set of numeric attributes, then the data objects can be thought of as points in a multi-dimensional space, where each dimension represents a distinct attribute

- Such data set can be represented by an m by n matrix, where there are m rows, one for each object, and n columns, one for each attribute

Projection of x Load	Projection of y load	Distance	Load	Thickness
10.23	5.27	15.22	2.7	1.2
12.65	6.25	16.22	2.2	1.1

Document Data

- Each document becomes a `term' vector,
  - each term is a component (attribute) of the vector,
  - the value of each component is the number of times the corresponding term occurs in the document.

	team	coach	play	ball	score	game	win	lost	timeout	season
Document 1	3	0	5	0	2	6	0	2	0	2
Document 2	0	7	0	2	1	0	0	3	0	0
Document 3	0	1	0	0	1	2	2	0	3	0

Transaction Data

- A special type of record data, where
  - each record (transaction) involves a set of items.
  - For example, consider a grocery store. The set of products purchased by a customer during one shopping trip constitute a transaction, while the individual products that were purchased are the items.

TID	*Items*
1	Bread, Coke, Milk
2	Beer, Bread
3	Beer, Coke, Diaper, Milk
4	Beer, Bread, Diaper, Milk
5	Coke, Diaper, Milk

Graph Data

- Examples: Generic graph and HTML Links




```
<a href="papers/papers.html#bbbb">
Data Mining </a>
<li>
<a href="papers/papers.html#aaaa">
Graph Partitioning </a>
<li>
<a href="papers/papers.html#aaaa">
Parallel Solution of Sparse Linear System of Equations </a>
<li>
<a href="papers/papers.html#ffff">
N-Body Computation and Dense Linear System Solvers
```

Chemical Data

- Benzene Molecule: C_6H_6



Ordered Data

- Sequences of transactions



Ordered Data

- Genomic sequence data

```
GGTTCCGCCTTCAGCCCCGCGCC
CGCAGGGCCCGCCCCGCGCCGTC
GAGAAGGGCCCGCCTGGCGGGCG
GGGGGAGGCGGGGCCGCCCGAGC
CCAACCGAGTCCGACCAGGTGCC
CCCTCTGCTCGGCCTAGACCTGA
GCTCATTAGGCGGCAGCGGACAG
GCCAAGTAGAACACGCGAAGCGC
TGGGCTGCCTGCTGCGACCAGGG
```

Ordered Data

- Spatio-Temporal Data

Average Monthly Temperature of land and ocean



Introduction, or what is knowledge?

- **Knowledge** is a theoretical or practical understanding of a subject or a domain. Knowledge is also the sum of what is currently known, and apparently knowledge is power. Those who possess knowledge are called experts.
- Anyone can be considered a **domain expert** if he or she has deep knowledge (of both facts and rules) and strong practical experience in a particular domain. The area of the domain may be limited. In general, an expert is a skilful person who can do things other people cannot.