Public API by crate

Main public items of the core crates, grouped by module

a2a-core

Tasks, approvals, budgets, envelopes. Depends on a2a-types and bus-api (lower layers only).

approval
- Tier: Read, Write, Exec, DeleteOrMove
- RequestState, Verdict, ApprovalBook
- ALLOW_ONCE_ID, REJECT_ONCE_ID

task
- TaskStore, Effect, Event, EventBody, TaskView
- TaskError, StoreError

budget R-01
- Allowance, Metering, Usage
- UNLIMITED sentinel; validate(root)

envelope, errors
- Clock, SystemClock (envelope)
- WireError, LocalError (errors)

a2a-worker

Turn engine. Serves bus requests, runs backends, enforces approvals and budgets.

backend
- trait Backend: capabilities, health, attach, start
- resolve_permission, cancel, shutdown

worker
- Worker: open, serve_one, pump, set_draining
- serve_request, handle (rpc.rs)

store, presence
- FileStore; Publication, CardSigning, Timing

delegation private: peer calls P-01
- pump_delegation (delegation/mod.rs)
- outbound through a2a-client

a2a-audit

Audit. Hash-chained events, spool, publish pipeline and sinks.

emitter
- Emitter::seal, EmitterIdentity

pipeline
- Pipeline::emit, checkpoint, flush
- Publisher trait

spool, sink
- Spool::append, Overflow (Discard or Refuse)
- AuditSink, JsonlSink

gap log A-01
- gaplog.rs: gap records
- no rotation of audit-gaps.log

bus-api

Bus contract. The trait every binding implements. bus-mem and bus-nats implement it.

bus
- trait Bus: capabilities, publish, request, serve
- append, consume, kv_*, blob_*

control
- BusControl, Fault, DelayDist, Probability (fault injection)

message
- Headers, Entry, PublishAck, Reply, ReplyHandle

streams
- RequestStream, Consumer, Watch