

SHA256: afe0a54b66aecdbb28311a50ec56a7c808f600986ea59da2dfaf2071a877ec8b

EXE File type:

Copyright:

Version:

Shell or compiler: PACKER:UPX 0.89.6 - 1.02 / 1.05 - 1.24 -> Markus & Laszlo [Overlay]

Sub-file information: Detail

Key behaviour 🦬

Behaviour: Modify registry of IE homepage

\REGISTRY\USER\S-*\Software\Microsoft\Internet Explorer\Main\Start Page Detail info:

Behaviour: Set special directory property

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files

C:\Documents and Settings\Administrator\Local Settings\History

C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files\Content.IE5

C:\Documents and Settings\Administrator\Cookies

C:\Documents and Settings\Administrator\Local Settings\History\History.IE5

Behaviour: Modify registry of startup

Detail info:

Behaviour: Get TickCount value

Detail info: TickCount = 403359, SleepMilliseconds = 1000.

Process 🦬



Behaviour: Create process

Detail info: [0x00000a18]ImagePath = C:\WINDOWS\system32\wscript.exe, CmdLine = wscript C:\passion.vbs

Behaviour: Create local thread

Detail info: TargetProcess: %temp%****.exe, InheritedFromPID = 1792, ProcessID = 2520, ThreadID = 2548, StartAddress = 5BA7D7

> TargetProcess: %temp%****.exe, InheritedFromPID = 1792, ProcessID = 2520, ThreadID = 2576, StartAddress = 6D163F TargetProcess: %temp%****.exe, InheritedFromPID = 1792, ProcessID = 2520, ThreadID = 2580, StartAddress = 45DC9E TargetProcess: wscript.exe, InheritedFromPID = 2520, ProcessID = 2584, ThreadID = 2592, StartAddress = 01002FD4, Pa

> TargetProcess: wscript.exe, InheritedFromPID = 2520, ProcessID = 2584, ThreadID = 2604, StartAddress = 765E964D, Pa

File 🙀

Behaviour: Create file Detail info: C:\WINDOWS\Passion.txt

 $\label{lem:condition} C: \label{lem:condition} C: \label{lem:conditio$

C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab

C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab~

C:\passion.vbs

C:\WINDOWS\AllMail.txt

Behaviour: 修改脚本文件

Detail info: C:\passion.vbs ---> Offset = 0

Behaviour: Overwrite existing file

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

Behaviour: Find file

Detail info: FileName = C:\Documents and Settings

FileName = C:\Documents and Settings\Administrator

FileName = C:\Documents and Settings\Administrator\Local Settings

FileName = C:\Documents and Settings\Administrator\Local Settings\Application Data

FileName = C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B

FileName = C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab

FileName = C:\WINDOWS

FileName = C:\WINDOWS\system32

FileName = C:\WINDOWS\system32\wscript.exe

FileName = C:\passion.vbs

Behaviour: File remove

Detail info: C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

Behaviour: Copy file

Detail info: C:\Documents and Settings\Administrator\Local SettC:\WINDOWS\system32\MsVbdll32.exe ---> C:\WINDOWS\system32

C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MPS2.tmp ---> C:\Documents and Settings\Administrator\Application Data\Mi

Behaviour: Set special directory property

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files

C:\Documents and Settings\Administrator\Local Settings\History

C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files\Content.IE5

C:\Documents and Settings\Administrator\Cookies

C:\Documents and Settings\Administrator\Local Settings\History\History.IE5

Behaviour: Modify file

Detail info: C:\WINDOWS\Passion.txt ---> Offset = 0

C:\WINDOWS\Passion.txt ---> Offset = 40
C:\WINDOWS\Passion.txt ---> Offset = 56
C:\WINDOWS\Passion.txt ---> Offset = 102
C:\WINDOWS\Passion.txt ---> Offset = 124
C:\WINDOWS\Passion.txt ---> Offset = 151

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 0

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 164

 $C: \label{local-policy} C: \label{local-policy} On the Constraint of the Constrain$

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 6212

 $C: \label{locuments} C: \label{locuments} C: \label{locuments} Of \label{locuments} C: \label{locuments} C: \label{locuments} Of \label{locuments} C: \label{locuments} Of \label{locuments} Of \label{locuments} C: \label{locuments} Of \lab$

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176212

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176244

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176280

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp ---> Offset = 0

Registry 🦬

Behaviour: Mo

Modify registry

Detail info: \REGISTRY\USER\S-*\Software\Microsoft\Internet Explorer\Main\Local Page

\REGISTRY\USER\S-*\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC596C2FD}\Identity Ordinal

\REGISTRY\USER\S-*\Identities\Identity Ordinal

\REGISTRY\USER\S-*\Identities\\CFD7C28A-208C-4447-B3FF-2FDAC596C2FD\\Software\Microsoft\Outlook Express\5.0 \\REGISTRY\USER\S-*\Identities\\CFD7C28A-208C-4447-B3FF-2FDAC596C2FD\\Software\Microsoft\Outlook Express\5.0 \\REGISTRY\USER\S-*\Identities\\CFD7C28A-208C-4447-B3FF-2FDAC596C2FD\\Software\Micros

Behaviour: Delete registry item

Detail info: \REGISTRY\USER\S-*\Identities\Changing

\REGISTRY\USER\S-*\Identities\IncomingID \REGISTRY\USER\S-*\Identities\OutgoingID

Behaviour: Modify registry of IE homepage

Detail info: \REGISTRY\USER\S-*\Software\Microsoft\Internet Explorer\Main\Start Page

Behaviour: Modify registry of IE key property

Detail info: \REGISTRY\USER\S-*\Software\Microsoft\Internet Explorer\Main\Default_Page_URL

\REGISTRY\USER\S-*\Software\Microsoft\Internet Explorer\Main\Search Page

Behaviour: Modify registry of startup

Detail info: \REGISTRY\MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Run\MsVbdll

Other 🙀

Behaviour: Create mutex

Detail info: CTF.LBES.MutexDefaultS-*

CTF.Compart.MutexDefaultS-* CTF.Asm.MutexDefaultS-* CTF.Layouts.MutexDefaultS-* CTF.TMD.MutexDefaultS-*

CTF.TimListCache.FMPDefaultS-*MUTEX.DefaultS-*

MSIdent Logon

OutlookExpress_InstanceMutex_101897 microsoft_thor_folder_notifyinfo_mutex

c:_documents and settings_administrator_local settings_application data_identities_{cfd7c28a-208c-4447-b3ff-2fdac596c2f c:_documents_administrator_local settings_application data_identities_{cfd7c28a-208c-4447-b3ff-2fdac596c2f c:_documents_administrator_local settings_application_administrator_local settings_application_administrator_local settings_administrator_local settings_admini

MPSWabDataAccessMutex MPSWABOlkStoreNotifyMutex

Behaviour: Create event

Detail info: EventName = Global\crypt32LogoffEvent

EventName = WAB_Outlook_Event_Refresh_Contacts EventName = WAB_Outlook_Event_Refresh_Folders

Behaviour: Find specific window

Detail info: NtUserFindWindowEx: [Class,Window] = [Shell_TrayWnd,]

Behaviour: Get TickCount value

Detail info: TickCount = 403359, SleepMilliseconds = 1000.

Behaviour: Modify process token privilege

Detail info: SE_LOAD_DRIVER_PRIVILEGE

Behaviour: Open event

Detail info: HookSwitchHookEnabledEvent

Global\crypt32LogoffEvent

 $\verb|\SECURITY| LSA_AUTHENTICATION_INITIALIZED| \\$

Global\SvcctrlStartEvent_A3752DX Global\PS_SERVICE_STARTED _fCanRegisterWithShellService MSFT.VSA.COM.DISABLE.2584 MSFT.VSA.IEC.STATUS.6c736db0

Behaviour: Call Sleep function

Detail info: [1]: MilliSeconds = 1000.

Behaviour: Hide specific window

Detail info: [Window,Class] = [,ListBox]

[Window,Class] = [,Static]

[Window,Class] = [Animate1,SysAnimate32] [Window,Class] = [List1,SysListView32]

Behaviour: Open mutex

Detail info: _!MSFTHISTORY!_

c:!documents and settings!administrator!local settings!temporary internet files!content.ie5!

c:!documents and settings!administrator!cookies!

c:!documents and settings!administrator!local settings!history!history.ie5!

WininetStartupMutex
WininetConnectionMutex
WininetProxyRegistryMutex

ShimCacheMutex

Copyright © 1998 - 2021 Tencent All Rights Reserved