

SHA256: 49dba7924254a61f7abe42ea0e003dfedbc033d50b49277d73b96d7e06b1736e

File type: EXE

Copyright:

Version:

Shell or compiler: PACKER: UPX 0.89.6 - 1.02 / 1.05 - 1.24 -> Markus & Laszlo

Sub-file information: Detail

Key behaviour 🦬

Behaviour: Set special directory property

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files

C:\Documents and Settings\Administrator\Local Settings\History

C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files\Content.IE5

C:\Documents and Settings\Administrator\Cookies

C:\Documents and Settings\Administrator\Local Settings\History\History.IE5

Behaviour: Modify registry of startup

Behaviour: Get TickCount value

Detail info: TickCount = 431125, SleepMilliseconds = 30000.

TickCount = 431171, SleepMilliseconds = 30000.
TickCount = 431296, SleepMilliseconds = 30000.
TickCount = 431343, SleepMilliseconds = 30000.
TickCount = 431468, SleepMilliseconds = 30000.
TickCount = 431500, SleepMilliseconds = 30000.
TickCount = 431515, SleepMilliseconds = 30000.
TickCount = 431531, SleepMilliseconds = 30000.
TickCount = 431546, SleepMilliseconds = 30000.
TickCount = 431562, SleepMilliseconds = 30000.
TickCount = 431578, SleepMilliseconds = 30000.
TickCount = 431781, SleepMilliseconds = 30000.
TickCount = 431796, SleepMilliseconds = 30000.
TickCount = 431812, SleepMilliseconds = 30000.
TickCount = 431828, SleepMilliseconds = 30000.

Process 🥋



Detail info: TargetProcess: %temp%****.exe, InheritedFromPID = 1792, ProcessID = 2548, ThreadID = 2648, StartAddress = 5BA7D7

 $Target Process: \%temp\%^{****}.exe, Inherited From PID = 1792, ProcessID = 2548, Thread ID = 2652, Start Address = 6D163F Target Process: \%temp\%^{****}.exe, Inherited From PID = 1792, ProcessID = 2548, Thread ID = 2656, Start Address = 45DC9E Target Process: \%temp\%^{****}.exe, Inherited From PID = 1792, ProcessID = 2548, Thread ID = 2660, Start Address = 5BA7D7 Target Process: \%temp\%^{****}.exe, Inherited From PID = 1792, ProcessID = 2548, Thread ID = 2688, Start Address = 6D163F Target Process: \%temp\%^{****}.exe, Inherited From PID = 1792, ProcessID = 2548, Thread ID = 2692, Start Address = 45DC9E$

Behaviour: Enumerate process

Detail info: N/A

Behaviour: Create file

Detail info: C:\WINDOWS\MSKern32.exe

C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC C:\Documents and Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC C:\Documents Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC C:\Do

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab

C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab~

Behaviour: Overwrite existing file

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

Behaviour: Find file

Detail info: FileName = *.ht*

FileName = *.doc

FileName = C:\Documents and Settings

FileName = C:\Documents and Settings\Administrator

FileName = C:\Documents and Settings\Administrator\Local Settings

FileName = C:\Documents and Settings\Administrator\Local Settings\Application Data

 $File Name = C: \label{local_Settings-Application} Data \label{local_Application} Data \label{l$

FileName = C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab

Behaviour: File remove

Detail info: C:\Documents and Settings\Administrator\Local Settings\Application Data\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp

Behaviour: Copy file

Detail info: C:\Documents and Settings\Administrator\Local Settings*****.exe ---> C:\WINDOWS\MSKern32.exe

C:\DOCUME~1\ADMINI~1\LOCALS~1\Temp\MPS2.tmp ---> C:\Documents and Settings\Administrator\Application Data\Mi

Behaviour: Set special directory property

Detail info: C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files

C:\Documents and Settings\Administrator\Local Settings\History

C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files\Content.IE5

C:\Documents and Settings\Administrator\Cookies

C:\Documents and Settings\Administrator\Local Settings\History\History.IE5

Behaviour: Modify file

Detail info: C:\WINDOWS\MSKern32.exe ---> Offset = 0

 $C: \label{locuments} C: \label{locuments} C: \label{locuments} Of \label{locuments} C: \label{locuments} C: \label{locuments} Of \label{locuments} C: \label{locuments} Of \label{locuments} Of \label{locuments} C: \label{locuments} Of \lab$

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 164

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator,wab ---> Offset = 2212

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 6212

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 40212

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176212

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176244

C:\Documents and Settings\Administrator\Application Data\Microsoft\Address Book\Administrator.wab ---> Offset = 176280

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp ---> Offset = 0

 $\label{local_condition} C:\Documents\ and\ Settings\Administrator\Local\ Settings\Temp\MPS2.tmp\ --->\ Offset=164$

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp ---> Offset = 2212

 $\label{local-condition} C:\Documents\ and\ Settings\Administrator\Local\ Settings\Temp\MPS2.tmp\ --->\ Offset=6212$

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp ---> Offset = 40212

C:\Documents and Settings\Administrator\Local Settings\Temp\MPS2.tmp ---> Offset = 176212



Behaviour: Modify registry

Detail info: \REGISTRY\USER\S-*\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC596C2FD}\Identity Ordinal

\REGISTRY\USER\S-*\Identities\Identity Ordinal

| REGISTRY\USER\S-*\Identities\{CFD7C28A-208C-4447-B3FF-2FDAC596C2FD}\Software\Microsoft\Outlook Express\5.0 |
| REGISTRY\USER\S-*\Identities\{CFD7C28A-208C-44

\REGISTRY\USER\S-*\Software\Microsoft\Internet Account Manager\Accounts\Active Directory GC\LDAP Server ID

Behaviour: Delete registry item

Detail info: \REGISTRY\USER\S-*\Identities\Changing

\REGISTRY\USER\S-*\Identities\IncomingID \REGISTRY\USER\S-*\Identities\OutgoingID

Behaviour: Modify registry of startup

Detail info: \REGISTRY\MACHINE\SOFTWARE\Microsoft\Windows\Current\Version\Run\MS Kernel32

Other 📢

Behaviour: Modify process token privilege

Detail info: SE_LOAD_DRIVER_PRIVILEGE

Behaviour: Create mutex

Detail info: CTF.LBES.MutexDefaultS-*

CTF.Compart.MutexDefaultS-*
CTF.Asm.MutexDefaultS-*
CTF.Layouts.MutexDefaultS-*
CTF.TMD.MutexDefaultS-*

CTF.TimListCache.FMPDefaultS-*MUTEX.DefaultS-*

MSCTF.Shared.MUTEX.EBH

MSIdent Logon

OutlookExpress_InstanceMutex_101897 microsoft_thor_folder_notifyinfo_mutex

c:_documents and settings_administrator_local settings_application data_identities_{cfd7c28a-208c-4447-b3ff-2fdac596c2f documents and settings_administrator_local settings_application data_identities_{cfd7c28a-208c-4447-b3ff-2fdac596c2f documents_administrator_local settings_application data_identities_{cfd7c28a-208c-4447-b3ff-2fdac596c2f documents_administrator_local settings_application_administrator_local settings_application_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_administrator_local_settings_

MPSWabDataAccessMutex

Behaviour: Create event

Detail info: EventName = Global\crypt32LogoffEvent

EventName = WAB_Outlook_Event_Refresh_Contacts EventName = WAB_Outlook_Event_Refresh_Folders

Behaviour: Find specific window

Detail info: NtUserFindWindowEx: [Class,Window] = [Shell_TrayWnd,]

Behaviour: Window information

Detail info: Pid = 2548, Hwnd=0x10318, Text = 确定, ClassName = Button.

Pid = 2548, Hwnd=0x1031c, Text = This file is not a Win32 file valid, ClassName = Static.

Pid = 2548, Hwnd=0x30314, Text = C:\Documents and Settings\Administrator\Local Settings\%temp%****.exe, ClassName

Behaviour: Get TickCount value

Detail info: TickCount = 431125, SleepMilliseconds = 30000.

TickCount = 431171, SleepMilliseconds = 30000.
TickCount = 431296, SleepMilliseconds = 30000.
TickCount = 431343, SleepMilliseconds = 30000.

TickCount = 431468, SleepMilliseconds = 30000.
TickCount = 431500, SleepMilliseconds = 30000.

TickCount = 431515, SleepMilliseconds = 30000. TickCount = 431531, SleepMilliseconds = 30000. TickCount = 431546, SleepMilliseconds = 30000.

TickCount = 431562, SleepMilliseconds = 30000. TickCount = 431578, SleepMilliseconds = 30000. TickCount = 431781, SleepMilliseconds = 30000. TickCount = 431796, SleepMilliseconds = 30000.

TickCount = 431812, SleepMilliseconds = 30000. TickCount = 431828, SleepMilliseconds = 30000.

Behaviour: Get cursor position

Detail info: CursorPos = (72,18467), SleepMilliseconds = 30000.

Behaviour: Open event

Detail info: HookSwitchHookEnabledEvent

CTF.ThreadMIConnectionEvent.00000714.0000000.00000012
CTF.ThreadMarshalInterfaceEvent.00000714.0000000.00000012

MSCTF.SendReceiveConection.Event.EBH.IC

MSCTF.SendReceive.Event.EBH.IC

Global\crypt32LogoffEvent

\SECURITY\LSA_AUTHENTICATION_INITIALIZED

Global\SvcctrlStartEvent_A3752DX Global\PS_SERVICE_STARTED _fCanRegisterWithShellService

Behaviour: Call Sleep function

Detail info: [1]: MilliSeconds = 30000.

Behaviour: Hide specific window

Detail info: [Window,Class] = [,ListBox]

[Window,Class] = [,Static]

[Window,Class] = [Animate1,SysAnimate32] [Window,Class] = [List1,SysListView32]

Behaviour: Open mutex

Detail info: ShimCacheMutex

!MSFTHISTORY!

c:!documents and settings!administrator!local settings!temporary internet files!content.ie5!

c:!documents and settings!administrator!cookies!

c:!documents and settings!administrator!local settings!history.ie5!

WininetStartupMutex
WininetConnectionMutex
WininetProxyRegistryMutex

Copyright @ 1998 - 2020 Tencent All Rights Reserved