


[My github repo url 912410023](#)

[My Vercel url 912410023](#)


[My resume url\(dev\)](#)


W16-P1: Show w3-card in demo_xx.html



f9857b7 0x55xx5 Sun Dec 31 19:51:42 2023 +0800 W16-P1: Show w3-card in demo_xx.html

W16-P2: Show a free resume template inside resume_xx.html






The screenshot shows a code editor with two files. The left file contains HTML code for a resume section, and the right file contains CSS code for styling. The HTML code includes a header for 'B.Sc in Computer Science' and a paragraph for 'University of XYZ, 2014-2018'. The CSS code defines a margin and a border for a container.

```
75 <h3>B.Sc in Computer Science</h3>
76 <p>University of XYZ, 2014-2018</p> <br>
77 <h3>M.Sc in Computer Science</h3>
78 <p>University of XYZ, 2019-2020</p>
79 </div>


57 margin: 25px auto;
58 border: 15px groove #000080;
59 }
```

baf286c 0x55xx5 Sun Dec 31 20:31:33 2023 +0800 W16-P2: Show a free resume template inside resume_xx

W16-P3: homewokr1



W16-P4: homework2



01e86bb 912410023	Sun Dec 31 21:29:10 2023 +0800	W16-p3-p4 omework
-------------------	--------------------------------	-------------------

此堂課用到的材料在materials folder

