# W10-P1: Show how count data sync with UI

=> data not sync with UI


=> data sync with UI


```
244asdt0 912410023 Nov 13 19:33:49 2024 +0800  W10-P1: Show how count data
sync with UI
```

W10-P2: store value1, value2, value3 using useState, and show results by clicking btns

=> first time

=> click Btn1, click Btn2, click Btn3 one by one


```
843ee3u 912410023 Wed Nov 13 19:55:15 2024 +0800  W10-P2: store value1,
value2, value3 using useState, and show results by clicking btns
```

W10-P3: Implement P4Page_xx.jsx that has menu filter function

=> press btns starting from all, breakfast, lunch, dessert, shakes, and check console results

```
102t434 912410023 Wed Nov 13 21:12:23 2024 +0800  W10-P3: Implement
P4Page_xx.jsx that has menu filter function
```

W10-P4: all git logs of W10

```
244asdt0 912410023 Nov 13 19:33:49 2024 +0800  W10-P1: Show how count data
sync with UI
843ee3u 912410023 Wed Nov 13 19:55:15 2024 +0800  W10-P2: store value1,
value2, value3 using useState, and show results by clicking btns
102t434 912410023 Wed Nov 13 21:12:23 2024 +0800  W10-P3: Implement
P4Page_xx.jsx that has menu filter function
```