


W06-P1: Insert 9 blogs into Supabase, and retrieve through route localhost:3000/api/blog_xx

```
commit 619084ac096573775f33b0e53bac9479a27a64aa (HEAD -> main)
Author: Yu <912410023>
Date:   Wed Oct 16 18:38:52 2024 +0800

    W06-P1: Insert 9 blogs into Supabase, and retrieve through route
    localhost:3000/api/blog_xx
```

1/5




Author: Yu <912410023>

Date: Wed Oct 16 19:23:44 2024 +0800

W06-P2: Create a vite, and show 4 static blogs from blog.html


W06-P3: Create BlogStaticPage_xx component to show 4 static photos with corresponding react-icons




W06-P3: Create BlogStaticPage_xx component to show 4 static photos with corresponding react-icons

W06-P4: Get the blogs from node server, view not yet rendered

=> use console to check if blogs are retrieved from the node server



=> use React DevTools to view blogs



```
w06_server_blog_23 > JS server.js > ...
1 import express from 'express'
2 import logger from 'morgan'
3 import cors from 'cors'
4 const app = express()
5
6 import db from './utils/dbService.js'
7 import apiblogRo from './routers/apiblogRouter.js'
8 import pool from './utils/database-supabase.js'
9
10 app.use(express.json())
11 app.use(express.urlencoded({ extended: true }))
12 app.use(logger('dev'))
13 app.use(cors())
14 app.use(express.static('public'))
15 app.set('view engine', 'ejs')
16
17 app.use('/blog_23', async (req, res) => {
18   try {
19     const results = await db.query(`select * from blog_post_23`)
```

=> server setup cors and morgan

Author: Yu <912410023>

Date: Wed Oct 16 21:01:51 2024 +0800

W06-P4: Get the blogs from node server, view not yet rendered

git log



 All time

```
ad377aa5998bb39c84f4d838b2ce6d282dfffc268 (HEAD -> main, origin/main,
origin/HEAD) W06-P4: Get the blogs from node server, view not yet rendered
deeca6e468b032a5f0688685ff9f7f9834b18c3d W06-P3: Create BlogStaticPage_xx
component to show 4 static photos with corresponding react-icons
5dbd715684934ecee0ef2710872770e0f6fb0b0e W06-P2: Create a vite, and show 4
static blogs from blog.html
619084ac096573775f33b0e53bac9479a27a64aa W06-P1: Insert 9 blogs into
Supabase, and retrieve through route localhost:3000/api/blog_xx
```