



url



w01-p1: week01 create github repo for 1132



sharing to tutorial



w01-p2: env for tailwindcss



W01-P3: Show Navbar_xx responsive from links data

=> for screen size < 640px

The screenshot shows a web browser displaying a portfolio page titled "devMy". The page has a light green header with the text "devMy" and navigation links "Home About Skills Projects". The browser's developer tools are open, showing the HTML structure and the CSS styles for the navigation bar.

The HTML structure (highlighted by a red box) is as follows:

```
<!DOCTYPE html>
<html lang="en">
  <body>
    <div id="root">
      <nav class="bg-emerald-100">
        <div class="my-btn py-8 flex flex-col sm:flex-row sm:items-center sm:gap-x-16">
          <div class="flex gap-x-3">
            <div class="text-2xl font-bold">
              <h2 class="text-2xl font-bold">
            </div>
          </div>
        </div>
      </nav>
    </div>
  </body>
</html>
```


The CSS styles (highlighted by a red box) are as follows:

```
@layer utilities
  .sm\:gap-x-16 {
  }

@layer utilities
  .sm\:items-center {
  }

@layer utilities
  .sm\:flex-row {
  }
```

=> for screen size > 640px (small)



git log

5f0041	Wed Feb 19 21:04:27 2025 +0800	w01p3
1a22ab9	Wed Feb 19 19:46:31 2025 +0800	w01-p2
43b5034	Wed Feb 19 19:02:24 2025 +0800	mod minors
d40ad65	Wed Feb 19 18:58:05 2025 +0800	init
2f43174	Wed Feb 19 18:38:33 2025 +0800	init