

TakeOver



This explains the lab. We are being asked to respond to a claim from hackers saying they could takeover and then ransom it back to the owners. We are to figure out what they could takeover and how.

We're giving the URL of the website, and are given a hint to add the IP to the '/etc/hosts/' file.



I start by ping'ing the IP address to make sure it's up.

```
root@ip-10-66-177-131:~# nmap -sV -sC -sS 10.66.153.185
Starting Nmap 7.80 ( https://nmap.org ) at 2026-01-25 22:31 GMT
mass_dns: warning: Unable to open /etc/resolv.conf. Try using --system-dns or specify valid servers wi
th --dns-servers
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dn
s or specify valid servers with --dns-servers
Nmap scan report for 10.66.153.185
Host is up (0.0030s latency).
Not shown: 997 closed ports
PORT    STATE SERVICE  VERSION
22/tcp  open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp  open  http     Apache httpd 2.4.41 ((Ubuntu))
|_http-server-header: Apache/2.4.41 (Ubuntu)
|_http-title: Did not follow redirect to https://futurevera.thm/
443/tcp open  ssl/http Apache httpd 2.4.41 ((Ubuntu))
|_http-server-header: Apache/2.4.41 (Ubuntu)
|_http-title: FutureVera
| ssl-cert: Subject: commonName=futurevera.thm/organizationName=Futurevera/stateOrProvinceName=Oregon/
countryName=US
| Not valid before: 2022-03-13T10:05:19
|_Not valid after:  2023-03-13T10:05:19
| tls-alpn:
|_  http/1.1
MAC Address: 02:48:E8:FA:32:E7 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 14.50 seconds
root@ip-10-66-177-131:~#
```

Running an nmap scan, we see that port 22/tcp is up which is SSH. There's port 80 up, http, with a redirect to 'https://futurevera.thm/'

I'll add that to the /etc/hosts


```
  GNU nano 4.8                                    /etc/hosts
127.0.0.1       localhost
127.0.0.1       vnc.tryhackme.tech
127.0.1.1       tryhackme.lan   tryhackme
10.66.153.185 futurevera.thm
# The following lines are desirable for IPv6 capable hosts
::1     localhost ip6-localhost ip6-loopback
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
```

In the room info, we're told they're rebuilding their support, so we add support.futurevera.thm to /etc/hosts


```
root@ip-10-66-177-131:~# cat /etc/hosts
127.0.0.1       localhost
127.0.0.1       vnc.tryhackme.tech
127.0.1.1       tryhackme.lan   tryhackme
10.66.153.185 support.futurevera.thm futurevera.thm

# The following lines are desirable for IPv6 capable hosts
::1     localhost ip6-localhost ip6-loopback
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
root@ip-10-66-177-131:~#
```

i'll use firefox to go to that domain




now, adding support to the URL







you get this:




clicking on advanced, and then view certificate, we see another subdomain




adding it to /etc/hosts






when going to that URL, we get the flag.





```
root@ip-10-66-177-131:~# Exiting due to channel error.
firefox .support.futurevera.thm
[Parent 7212, Main Thread] WARNING: Failed to create DBus proxy for org.a11y.Bus: Address element “/ho
me//.cache/xdg/bus” does not contain a colon (:)
: 'glib warning', file /builds/worker/checkouts/gecko/toolkit/xre/nsSigHandlers.cpp:201

** (firefox:7212): WARNING **:            : Failed to create DBus proxy for org.a11y.Bus: Address ele
ment “/home//.cache/xdg/bus” does not contain a colon (:)
```

tips for future:


Ensure Proper Configuration in /etc/hosts
What you did
COMMAND: sudo nano /etc/hosts
COMMAND: cat /etc/hosts
Tips for the future
It appears you opened and edited the /etc/hosts file multiple times but didn't include a command to append the necessary hostname mapping. This step is crucial to ensure that the hostname resolves correctly to the lab machine IP before proceeding with enumeration. Make sure to use the command like
echo "10.10.10.10 futurevera.thm" | sudo tee -a /etc/hosts
for proper entry.
Utilize Effective Enumeration Tools


Ensure Proper Configuration in /etc/hosts
Utilize Effective Enumeration Tools
What you did
COMMAND: nmap futurevera.thm
Tips for the future
While you initiated an nmap scan on futurevera.thm, it would be beneficial to follow up with tools designed for virtual host enumeration, such as ffuf, gobuster, or wfuzz. These tools will help identify subdomains and their respective responses more effectively than a simple port scan.