2. Where each process sits

Vercel

hackohio-2026.vercel.app
Nutshell. MCP install URL is /mcp on this host.

0x90-board-api.vercel.app
Ticket API. Every path rewrites to one function, 30 second limit.

VPC 10.42.0.0/16 · public subnets 10.42.1.0/24 and 10.42.2.0/24 · no NAT

App task
Stand-in TCP 3000. Redis beside it. Public 3000 and 6379.

Board task
board.buc2agent.local:3000. Image from 0x90-NextJS-Backend. Env is PORT only.

MCP task
mcp.buc2agent.local:8080. Inbound 8080 from the load balancer. Public IP is for egress.

LLDAP task
lldap.buc2agent.local. Directory disk is the task disk.

t4g.small VPS
buck-track, ClamAV, IMDSv2. Data volume encrypted. SSH closed.

MCP load balancer
TCP 443 to task 8080. Certificate is self-signed for the balancer DNS name.

Outside the VPC

MongoDB Atlas
cluster0.3pub20.mongodb.net. Network access allows public IPv4. TLS.

S3 quarantine and clean
Private buckets. AES-256. TLS required. Quarantine expires after one day.

SQS scan queue
nutshell-upload-scan. Dead-letter after 3 receives. SSE on.

Amazon Bedrock
Nutty uses Amazon Nova through the Converse API.

Private DNS is Cloud Map namespace `buc2agent.local` for board, mcp, and lldap. Secrets are SSM SecureStrings under `/buc2agent/`: Mongo URI, LLDAP admin password, LLDAP JWT, token signing key, Redis password, upload scan callback token.