Libraries by repository

Versions are the ones declared on each default branch. A caret means the manifest accepts a later compatible release. Dev-only tools are grouped on one row.

hackohio-2026

Nutshell UI and the Mongo seed scripts. Root `package.json` and `web/package.json`.

Library	Declared	Used for
next	16.4.2	App Router pages and the auth, board, MCP, and chat routes.
react, react-dom	19.3.1	The board, project, agent, and profile screens.
mongodb	^6.21.0	Atlas client for `/api/board`, login user upsert, seed, and demo restore.
@aws-sdk/client-bedrock-runtime	^3.1156.0	Nutty. Streams Amazon Nova through the Converse API.
radix-ui, shadcn, class-variance-authority, cn	^1.8.1, ^4.22.1, ^0.7.1, ^0.5.0	Dialogs, menus, sheets, and shared class names.
lucide-react, @iconify/react, @iconify-icons/simple-icons	1.59.0, 6.0.2, 2.0.7	Icons, including brand marks.
cmdk	^1.1.1	The command menu used by search.
sonner	^2.0.8	Toasts.
next-themes	^0.4.6	Light and dark theme.
motion, tw-animate-css	^14.6.0, ^1.4.0	Small interface motion.
tailwindcss, @tailwindcss/postcss, typescript, eslint, eslint-config-next, prettier, prettier-plugin-tailwindcss, @types/node, @types/react, @types/react-dom	dev	Styles, typecheck, lint, and format. Not shipped as application logic.

0x90-NextJS-Backend

Ticket API. Node 22. No other runtime packages.

Library	Declared	Used for
ldapjs	2.3.3	LLDAP simple bind for login and the password-modify operation on signup.
next-auth	4.24.15	Credentials provider around that LDAP bind. The password is not put in the token.
redis	6.3.0	Rate-limit counters and the live event channels.
mongodb	^6.21.0	Load and save the board in Atlas when `MONGODB_URI` is set.
typescript, @types/node, @types/ldapjs	7.0.2, 26.6.5, 2.2.5	Compile the library. Dev only.

Buc2AgentMCP

Python MCP process. The server imports FastMCP. The other rows are the pins in `requirements.txt` that hold FastMCP's own dependencies at releases from before 17 Oct 2026.

Library	Declared	Used for
fastmcp	4.1.0	Streamable HTTP server on `/mcp`, plus `/health`.
mcp	2.3.0	MCP protocol types FastMCP sits on.
starlette, sse-starlette, websockets	1.7.0, 3.5.0, 16.1.1	HTTP and the stream transport.
httpx2, httpcore2	2.13.1, 2.13.1	HTTP client stack pulled in by the MCP libraries. The board calls use the Python standard library.
pydantic-settings, cyclopts, griffelib, platformdirs	2.15.0, 4.25.3, 2.3.0, 4.12.4	Settings and CLI support inside FastMCP.
joserfc, cachetools, zipp, aiofile, caio, pycparser	1.7.5, 7.2.2, 4.1.1, 3.12.3, 0.12.9, 3.11	Transitive pins. Auth helpers, caches, zip metadata, async files, and the parser dependency of those packages.

nextjsapp

Extracted UI on `nazy-u-nextjs-app-extraction`. Chat uploads and the scanner worker live here. The worker shells out to ClamAV; ClamAV is not an npm package.

Library	Declared	Used for
next, react, react-dom	16.4.2, 19.3.1	Pages and the attachment, scan-result, auth, and MCP routes.
@aws-sdk/client-s3	^3.901.0	Read quarantine, write the clean bucket, delete scanned objects.
@aws-sdk/s3-request-presigner	^3.901.0	Presigned PUT into quarantine and GET from the clean bucket.
@aws-sdk/client-sqs	^3.901.0	The VPS worker receives and deletes scan messages.
@aws-sdk/credential-providers	^3.901.0	AWS credentials for those clients.
radix-ui, shadcn, class-variance-authority, cn, lucide-react, sonner, next-themes, motion, tw-animate-css	same range as Nutshell	The extracted interface: components, icons, toasts, theme, and motion.
ClamAV `clamdscan`	system package on the VPS	Malware scan of each quarantined object. The worker writes a temp file and calls this command.
tailwindcss, typescript, eslint, prettier, and their plugins and type packages	dev	Styles, typecheck, lint, and format.

Buc2AgentNamespaceGitTracking

buck-track. No runtime dependency. Node 22 supplies HTTP, the filesystem, and the git calls.

Library	Declared	Used for
typescript	7.0.2	Compile the CLI, HTTP server, and tests. Dev only.
@types/node	26.6.5	Types for the Node 22 APIs. Dev only.

Buc2AgentTerraform

Providers and container images. Terraform 1.16.6. These are not imported by the application code.

Library	Declared	Used for
hashicorp/aws	6.69.1	VPC, Fargate, the VPS, S3, SQS, SSM, IAM, and the MCP load balancer.
hashicorp/random	3.9.1	Generated LLDAP, Redis, token, and scan-callback secrets.
hashicorp/tls	4.1.0	Self-signed certificate on the MCP load balancer.
redis image	7.4.6	Rate limits and pub/sub beside the app stand-in.
lldap/lldap image	v0.6.3	The directory on ports 3890 and 17170.
node image	22.20.0-alpine	Base of the stand-in and the board task image.
python image	3.13.12-slim-bookworm	Base of the MCP task image.

Amazon Linux 2023 is the VPS AMI, not a library. Atlas, Bedrock, and ClamAV are services or system packages called by the repos above.