

SovereignRecovery

Recover once. Recover across chains.

An Ethereum security root authorizes recovery. Attestcoin cryptographically proves the source-chain transaction. Creditcoin verifies and executes - without trusting a centralized relayer or oracle.

LIVE TESTNET RESULT

OWNER A -> ETHEREUM -> ATTESTCOIN -> CREDITCOIN -> OWNER B

Real Sepolia authorization | real proof | real CC3 execution | replay rejected on-chain

Recovery is still chain-local.

Users can establish a trusted security root on Ethereum, yet accounts on other chains often require separate guardian logic, recovery systems, or trusted intermediaries.

01

Fragmented recovery

Security policy is recreated chain by chain.

02

Trusted transport

A backend or relayer may be trusted to report that recovery happened.


03

Replay risk

Cross-chain authorization must be bound to the exact account, chain and recovery attempt.

SovereignRecovery turns a source-chain recovery authorization into destination-chain verifiable evidence.

Ethereum authorizes. Attestcoin proves. Creditcoin executes.



Attestcoin is the trust layer - not a bolt-on.

Without Attestcoin, Creditcoin would need to trust an intermediary claiming that an Ethereum recovery authorization occurred. Here, the source-chain transaction itself is cryptographically verifiable by the destination contract.

VERIFIED PATH

Ethereum Sepolia

RecoveryAuthorized
source transaction



Attestcoin / USC

Attested block
proof construction



0xFD2

Native foreign-chain
proof verification



SovereignVault

Decode + validate
then recover

Implementation: @gluwa/usc-sdk 0.18.0 + ASCBase / EvmV1Decoder + native verifier 0xFD2

The full recovery ran on live testnets.

ETHEREUM SEPOLIA

RecoveryAuthorized

Source contract	0x2d2470Ff...09fF9
Source block	11,697,145
Tx index	80
Source tx	0x0b076ac2...bab9363
Merkle siblings	7
Continuity roots	6

CREDITCOIN CC3

AccountRecovered

Vault	0x2d2470Ff...09fF9
Chain ID	102031
Execute tx	0x47391805...69f483
Owner	A -> B
Nonce	0 -> 1
Replay	Query already processed

Live app: sovereign-recovery.vercel.app

Evidence and proof artifact are committed in the public repository.

Recovery only executes when the exact authorization ve

AUTHORIZED SOURCE

Access-controlled Ethereum recovery authority.

CHAIN BINDING

Expected Attestcoin source chain key = 1 (Sepolia).

DESTINATION BINDING

Exact Creditcoin chain ID + vault address.

STATE BINDING

Old owner, new owner and expected monotonic recovery nonce.

REPLAY PROTECTION

ASCBASE query dedupe + nonce advancement.

RECEIPT VALIDATION

Successful receipt + exact RecoveryAuthorized event signature.

MVP boundary Current security root is an access-controlled Ethereum recovery authority; production extension: Safe recovery module/adaptor.

Recover once. Recover across chains.