

Privora

Admin Runbook

Prepared for: Bassam — Founder, Privora
April 2026 | Confidential

Privora — Admin Runbook

Purpose

This runbook defines procedures for operating, monitoring, and recovering the Privora platform. Follow these procedures for incidents, deployments, and routine operations.

1. System Overview

Component	Technology	Hosting
Frontend	React + Vite + Nginx	Vercel / Docker
Backend API	Node.js + Express	Railway / Docker
Database	PostgreSQL 15	Railway DB / Self-hosted
Email	nodemailer + SMTP	SendGrid / AWS SES

Key URLs - Production API: <https://api.privora.sa/api/v1> - Production App: <https://app.privora.sa> - API Health: <https://api.privora.sa/api/v1/health> - API Docs: <https://api.privora.sa/api/docs>

2. Health Checks

API Health

```
curl https://api.privora.sa/api/v1/health  
# Expected: {"success": true, "data": {"status": "ok"}}
```

Database Health

```
# Via Railway CLI  
railway run psql $DATABASE_URL -c "SELECT 1;"  
  
# Via Docker  
docker compose exec db pg_isready -U privora_user
```

Frontend Health

Open `https://app.privora.sa` in a browser. If it loads, the frontend is healthy.

3. Incident Playbooks

3.1 — Backend Is Down (503 / No Response)

Symptoms: API health check fails, users cannot log in.

Steps: 1. Check Railway dashboard → your service → see if it's running or crashed 2. View recent logs: Railway dashboard → Deployments → View logs 3. Common causes: - Database connection refused → see 3.2 - Out of memory → upgrade Railway plan - Bad deployment → see 3.3 (rollback) 4. Restart service in Railway dashboard if no obvious cause

Recovery time target: Under 15 minutes.

3.2 — Database Connection Failure

Symptoms: Backend logs show `Unable to connect to the database`, API returns 500.

Steps: 1. Check PostgreSQL service status in Railway (or your DB host) 2. Verify `DB_URL` environment variable is correct in Railway 3. Check if DB host/IP changed (Railway sometimes rotates connection strings) 4. Test connection manually: `bash psql "postgresql://user:pass@host:5432/dbname" -c`

`"SELECT 1;"` 5. If using Railway PostgreSQL: go to Railway → Database → Connect → copy new connection string → update backend env var → redeploy

Recovery time target: Under 30 minutes.

3.3 — Rollback After Bad Deployment

Symptoms: Errors immediately after a new deployment.

Steps: 1. Railway dashboard → your service → Deployments tab 2. Find the last working deployment 3. Click "Rollback" (Railway keeps the last 5 deployments) 4. Verify health check passes after rollback 5. Investigate the failed deployment code before re-deploying

3.4 — OTP Emails Not Delivering

Symptoms: Users report not receiving OTP emails. Login is impossible.

Steps: 1. Check SMTP provider dashboard (SendGrid → Activity → see if emails are bouncing) 2. Verify SMTP credentials in Railway environment variables 3. Test email manually: `bash # Railway console or local node -e "const nodemailer = require('nodemailer'); const t = nodemailer.createTransport({ host: process.env.SMTP_HOST, port: 587, auth: { user: process.env.SMTP_USER, pass: process.env.SMTP_PASS } }); t.sendMail({from: 'test@privora.sa', to: 'bassam@email.com', subject: 'Test', text: 'Test'}) .then(console.log).catch(console.error); "` 4. If SendGrid is down: switch to AWS SES — update SMTP_HOST, SMTP_USER, SMTP_PASS 5. Temporary workaround: check backend logs — OTP is logged to console in development

Note: Until this is fixed, no new users can log in. Treat as critical.

3.5 — Security Incident (Suspected Unauthorized Access)

Symptoms: Unusual activity in audit logs, user reports of unauthorized actions.

Immediate steps (within 1 hour): 1. Rotate JWT_SECRET and JWT_REFRESH_SECRET immediately (all sessions invalidated) - Railway dashboard → Variables → update both secrets → redeploy 2. Query audit logs for the suspicious actor: `GET /api/v1/audit-logs?`

`actorId={suspicious_user_id}&severity=critical` 3. Disable the affected user account if identified 4. Review what data was accessed using audit logs 5. If personal data was exposed: log it as a breach incident in Privora itself 6. If more than 1000 users affected: PDPL Art. 19 requires SDAIA notification within 72 hours

3.6 — Database Full / Disk Space

Symptoms: Backend logs show disk space errors, new records failing to save.

Steps: 1. Check disk usage in Railway (or your DB host) dashboard 2. Archive old audit logs (oldest first, 12+ months): `sql DELETE FROM audit_logs WHERE created_at < NOW() - INTERVAL '12 months' AND severity = 'info';` 3. Vacuum and analyze the database: `sql VACUUM ANALYZE;` 4. Upgrade storage tier if needed

4. Routine Operations

4.1 — Deploy New Version

Backend:

```
git add .
git commit -m "your commit message"
git push origin main
# Railway auto-deploys in 2-3 minutes
```

Frontend:

```
cd frontend
npm run build
# If using Vercel: push to GitHub → Vercel auto-deploys
# If using gh-pages:
npx gh-pages -d dist
```

Verify after deploy:

```
curl https://api.privora.sa/api/v1/health
```

4.2 — Database Backup

Manual backup:

```
pg_dump "postgresql://user:pass@host:5432/privora" > backup-$(date +%Y%m%d-%H%M).sql
gzip backup-$(date +%Y%m%d-%H%M).sql
```

Store backups: Upload to S3 bucket or secure cloud storage. Keep 30 days minimum.

Test restore (monthly drill):

```
psql "postgresql://user:pass@staging-host:5432/privora_test" < backup-20260413.sql
```

4.3 — Rotate JWT Secrets

Rotate every 90 days (or immediately after a security incident).

```
# Generate new secret
openssl rand -hex 64

# Steps:
# 1. Generate new JWT_SECRET and JWT_REFRESH_SECRET values
# 2. Update in Railway environment variables
# 3. Redeploy backend
# 4. ALL users will need to log in again (all tokens invalidated)
# 5. Communicate this to users in advance if planned
```

4.4 — Add a New Organization

```
POST /api/v1/auth/register-org
Authorization: Bearer <super_admin_token>
{
  "organizationName": "New Org Name",
  "adminName": "Admin Full Name",
  "adminEmail": "admin@neworg.com"
}
```

The admin receives an OTP email to complete registration.

4.5 — Disable an Organization

```
PATCH /api/v1/organizations/{orgId}
Authorization: Bearer <super_admin_token>
{
```

```
"isActive": false
}
```

This prevents the org's admins from logging in and hides their data from queries.

| 5. Monitoring Setup

Uptime Monitoring

Set up BetterUptime or UptimeRobot to ping every 5 minutes:

```
https://api.privora.sa/api/v1/health
```

Alert channels: Email + SMS to Bassam.

Railway Alerts

In Railway dashboard → your service → Settings → enable alerts for: - Service crash - Memory usage > 80% - Disk usage > 80%

Log Monitoring

Railway logs stream in real time. For production, add a log drain to: - **Papertrail** — simple log aggregation - **Datadog** — full observability (recommended at enterprise scale)

| 6. Useful Queries

Check active sessions (refresh tokens)

```
SELECT u.email, u.role, rt.created_at, rt.expires_at
FROM refresh_tokens rt
JOIN users u ON u.id = rt.user_id
WHERE rt.is_revoked = false AND rt.expires_at > NOW()
ORDER BY rt.created_at DESC;
```

Check overdue DSARs

```
SELECT u.email, d.request_type, d.sla_deadline, d.status
FROM dsar_requests d
JOIN users u ON u.id = d.user_id
WHERE d.sla_deadline < NOW() AND d.status NOT IN ('completed',
'rejected')
ORDER BY d.sla_deadline ASC;
```

Check overdue breach notifications

```
SELECT title, severity, discovered_at, authority_deadline,
status
FROM breach_incidents
WHERE authority_deadline < NOW() AND notified_authority = false
ORDER BY authority_deadline ASC;
```

Recent audit log entries

```
SELECT actor_role, action, resource_type, description,
ip_address, created_at
FROM audit_logs
ORDER BY created_at DESC
LIMIT 50;
```

7. Contacts & Escalation

Role	Responsibility	Contact
Founder (Bassam)	All decisions, security incidents	Direct
Lead Developer	Code issues, deployments, backend	TBD
Railway Support	Infrastructure issues	railway.app/support
SendGrid Support	Email delivery	sendgrid.com/support
MongoDB / PostgreSQL	DB issues	Respective support portals

For PDPL regulatory incidents (breach notification to SDAIA): Contact: sdaia.gov.sa — notification required within 72 hours of discovery.