r/IGCSE Resources

Topical Worksheets for Cambridge IGCSE™ Mathematics (0580/0980)

Vectors

Mark Scheme

1st edition, for examination until 2025

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\begin{pmatrix} 2 \\ 4 \end{pmatrix}$ cao	**1**			
1(b)	4.47 or 4.472…	**2**		**M1** for $(their\ 2)^2 + \left(their\ 4^2\right)$	
1(c)	(7, 10)	**2**		**B1** for each	
1(d)	$y = 2x - 4$ oe	**3**		**M1** for gradient = $\frac{6-2}{5-3}$ oe or answer $y = mx - 4$ **M1** for substituting (3, 2) or (5, 6) into $y = their\ mx + c$ or into $y - k = their\ m(x - h)$ or into $their\ y = mx - 4$	
1(e)	(0, –4)	**1**		**FT** *their* **(d)**	
2(a)	(–2, 5)	**1**			
2(b)	$\begin{pmatrix} 4 \\ -3 \end{pmatrix}$	**1**			
2(c)	(5, 4) plotted	**1**			

Question	Answer	Marks	AO Element	Notes	Guidance
2(d)	**B1** for parallelogram *PQRS* correctly drawn **B1** for (1, 7)	**2**		**FT** *their R* **FT** *their S* dep on first **B1**	
3(a)	(5, 3)	**1**			
3(b)	Point plotted at (4, −3)	**1**			
3(c)	$\begin{pmatrix} -8 \\ 2 \end{pmatrix}$	**1**			
4(a)	$\begin{pmatrix} -5 \\ 3 \end{pmatrix}$	**1**			
4(b)	$\begin{pmatrix} -15 \\ 9 \end{pmatrix}$	**1**		**FT** *their* **(a)**	
5(a)	$\begin{pmatrix} 3 \\ -7 \end{pmatrix}$	**1**			
5(b)	$\begin{pmatrix} 18 \\ 0 \end{pmatrix}$	**1**			

Question	Answer	Marks	AO Element	Notes	Guidance
6	$\begin{pmatrix} 13 \\ 18 \end{pmatrix}$	**2**		**B1** for $\begin{pmatrix} 10 \\ 0 \end{pmatrix}$ or $\begin{pmatrix} 3 \\ 18 \end{pmatrix}$ or $\begin{pmatrix} 13 \\ m \end{pmatrix}$ or $\begin{pmatrix} n \\ 18 \end{pmatrix}$	
7(a)	$\begin{pmatrix} -15 \\ 12 \end{pmatrix}$	**1**			
7(b)	$\begin{pmatrix} 5 \\ 2 \end{pmatrix}$	**1**			
8(a)	$\begin{pmatrix} -1 \\ 4 \end{pmatrix}$	**1**			
8(b)	$\begin{pmatrix} -21 \\ 28 \end{pmatrix}$	**1**			
9(a)	$\begin{pmatrix} -19 \\ -2 \end{pmatrix}$	**2**		**B1** for answer $\begin{pmatrix} -19 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -2 \end{pmatrix}$ or for $\begin{pmatrix} -9 \\ 6 \end{pmatrix}$ or $\pm\begin{pmatrix} 10 \\ 8 \end{pmatrix}$ seen	

Question	Answer	Marks	AO Element	Notes	Guidance
9(b)	3.61 or 3.605 to 3.606	**2**		**M1** for $\sqrt{([-]3)^2 + 2^2}$ oe	
9(c)	**B1** for $-3m + 5n = 14$ and $2m + 4n = 9$ **B4** for $[m =] -\frac{1}{2}$ or -0.5 and $[n =] 2\frac{1}{2}$ or 2.5 or $\frac{5}{2}$ with evidence of a correct algebraic method	**5**		Accept equivalents **M1** for correctly equating one set of coefficients of *their* equations or rearranges one of *their* equations to make *m* or *n* the subject e.g. $[m =] \frac{1}{2}(9 - 4n)$ oe **M1** for correct method to eliminate one variable for *their* equations or correctly substitutes *their m* or *their n* into the other equation e.g. $-\frac{3(9 - 4n)}{2} + 5n = 14$ oe **B1** for one correct answer	

Question	Answer	Marks	AO Element	Notes	Guidance
10(a)	$\mathbf{c} + \frac{2}{3}\mathbf{a}$	**2**		**M1** for correct unsimplified form or correct route e.g. $\overrightarrow{OC} + \overrightarrow{CP}$	
10(b)(i)	$\frac{2}{5}\mathbf{a} + \frac{3}{5}\mathbf{c}$	**2**		**M1** for correct unsimplified form or correct route e.g. $\overrightarrow{OC} + \overrightarrow{CX}$	
10(b)(ii)	3 : 2 oe	**2**		**B1** for $\overrightarrow{OX} = \frac{3}{5}\overrightarrow{OP}$ oe or $\overrightarrow{XP} = \frac{2}{5}\mathbf{c} + \frac{4}{15}\mathbf{a}$	
11(a)(i)	$-\mathbf{a} + 2\mathbf{c}$	**1**			
11(a)(ii)	$\frac{3}{8}(-\mathbf{a} + 2\mathbf{c})$ or $-\frac{3}{8}\mathbf{a} + \frac{3}{4}\mathbf{c}$ oe	**1**		**FT** $\frac{3}{8}(their(\mathbf{a})(\mathbf{i}))$ in simplest form	
11(a)(iii)	$\frac{1}{2}(5\mathbf{a} - 2\mathbf{c})$ or $\frac{5}{2}\mathbf{a} - \mathbf{c}$ oe	**1**			
11(a)(iv)	$\frac{1}{8}(5\mathbf{a} - 2\mathbf{c})$ or $\frac{5}{8}\mathbf{a} - \frac{1}{4}\mathbf{c}$ oe	**2**		**M1** for a correct unsimplified route	
11(b)	4	**1**			

Question	Answer	Marks	AO Element	Notes	Guidance
12(a)	12.6 or 12.64 to 12.65	**3**		**M2** for $12^2 + (-4)^2$ OR **B1** for $\begin{pmatrix} 12 \\ -4 \end{pmatrix}$ **M1** for $(their\ 12)^2 + (their - 4)^2$	
12(b)	$\begin{pmatrix} -11 \\ 13 \end{pmatrix}$	**2**		**B1** for $\begin{pmatrix} -11 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 13 \end{pmatrix}$ or for $\left[\overrightarrow{BA} =\right] \begin{pmatrix} -8 \\ 7 \end{pmatrix}$	
13(a)	$-\frac{1}{3}\mathbf{q} + \frac{1}{2}\mathbf{p}$ oe	**2**		**M1** for correct unsimplified answer or correct route	
13(b)	$\frac{1}{2}\mathbf{p} + \frac{1}{2}\mathbf{q}$ oe	**2**		**M1** for correct unsimplified answer or correct route	
14(a)	$\frac{1}{3}\mathbf{p} - \frac{1}{2}\mathbf{q}$ oe simplified	**2**		**M1** for a correct unsimplified answer or a correct route	

Question	Answer	Marks	AO Element	Notes	Guidance
14(b)	$\frac{5}{6}\mathbf{p} + \frac{3}{4}\mathbf{q}$ oe simplified	**2**		**M1** for a correct unsimplified answer or a correct route	
15(a)	$-\mathbf{s} + \mathbf{t}$	**1**			
15(b)	$-\frac{4}{5}\mathbf{s} - \frac{1}{5}\mathbf{t}$ oe simplified	**3**		**M2** for correct unsimplified e.g. $-\mathbf{t} + \frac{4}{5}(-\mathbf{s} + \mathbf{t})$ or $-\mathbf{s} - \frac{1}{5}(-\mathbf{s} + \mathbf{t})$ or **M1** for a correct route e.g. $\overrightarrow{CB} + \overrightarrow{BN}$ or $\left[\overrightarrow{BN} =\right] \frac{4}{5}(-\mathbf{s} + \mathbf{t})$ or $\left[\overrightarrow{DN} =\right] -\frac{1}{5}(-\mathbf{s} + \mathbf{t})$	
16(a)	$\frac{5}{3}\mathbf{p} - 2\mathbf{q}$ oe simplified	**2**		**M1** for correct unsimplified answer or $c\mathbf{p} - 2\mathbf{q}$ or $\frac{5}{3}\mathbf{p} + c\mathbf{q}$ $c \neq 0$ or for a correct route	

Question	Answer	Marks	AO Element	Notes	Guidance
16(b)	$\frac{5}{6}$	**2**		**B2FT** for $\frac{\textit{their } c}{2}$ if *their* **(a)** is $c\mathbf{p} - 2\mathbf{q}$ oe **M1** for $\overrightarrow{MX} = \frac{5}{6}\mathbf{p} - \mathbf{q}$ or $\overrightarrow{MX} = \frac{1}{2}$ *their* **(a)** or $\overrightarrow{BX} = \frac{1}{2}\overrightarrow{AN}$ or $\mathbf{q} + \frac{1}{2}$ *their* **(a)** or $\mathbf{q} + \overrightarrow{MX} - k\mathbf{p} = 0$ oe	
17(a)	$6\mathbf{a} - 2\mathbf{b}$ or $2(3\mathbf{a} - \mathbf{b})$	**2**		**M1** for $4\mathbf{a} + \mathbf{b} - (-2\mathbf{a} + 3\mathbf{b})$ or better	
17(b)	$5\mathbf{a} - \mathbf{b}$	**2**		**M1** for a correct route e.g. $\overrightarrow{OD} + \overrightarrow{DE}$, $4\mathbf{a} + \mathbf{b} + \mathbf{a} - 2\mathbf{b}$, $\overrightarrow{OE}$	
18(a)	$\frac{1}{3} = \left(-\mathbf{a} + \mathbf{b}\right)$ oe	**2**		**M1** for any correct route eg $AO + OB + \frac{2}{3}BA$ or **B1** for $\underset{AB}{\rightarrow} = -\mathbf{a} + \mathbf{b}$ oe	

Question	Answer	Marks	AO Element	Notes	Guidance
18(b)	$\frac{2}{3}\mathbf{a} + \frac{1}{3}\mathbf{b}$ oe simplified	**2**		**FT** *their* **(a) + a** simplified only if in terms of **a** and **b.** **M1** for for identifying $\overrightarrow{OC}$ as position vector or correct route in any form or for correct unsimplified answer	
19	$\mathbf{p} + \frac{3}{4}\mathbf{q}$	**2**		**M1** for a correct route or for $\overrightarrow{AE} = \frac{3}{4}\mathbf{q}$	
20	26	**2**		**M1** for $10^2 + (-24)^2$ or better	
21	$\mathbf{x} + 7\mathbf{y}$	**2**		**M1** for a correct route	
					[Total: 83]

r/IGCSE Resources

r/IGCSE Resources repository | r/IGCSE subreddit | Official Discord Server

Subreddit: igcse.reddit.com

Official Discord Server: discord.gg/IGCSE

Acknowledgements and Information:

© UCLES 2018 as the publisher of the Cambridge IGCSE™ Mathematics (0580/0980) syllabus. Content which is in the worksheets are also provided by UCLES, compiled from past-year question papers.

© r/IGCSE Resources 2023, worksheets provided by Pt

The information on this booklet was generously prepared by alumni who have taken the subject, and the author(s) have been acknowledged where possible. The website links which may be in this document should not be understood to be an endorsement of that website or the site/folder's owners (or their products/services).

This booklet is meant to be for educational purposes only, and is to remain free of cost for the benefit of all students. The moderators of r/IGCSE will be pleased to make amendments at the earliest possible opportunity if requested.

© r/IGCSE Resources 2023