r/IGCSE Resources

Topical Worksheets for Cambridge IGCSE™

Mathematics (0580/0980)

Coordinate Geometry

Mark Scheme

1st edition, for examination until 2025

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$2x - 3$	**2**		**B1** for $kx - 3$ or $2x + k \quad k \neq -3$	
1(b)	Ruled line perpendicular to L	**1**			
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(3, 1)	**1**			
1(b)	D plotted at (–2, –1)	**1**			
1(c)	E plotted at (1, –2)	**2**		**B1** for E plotted at $(1, k)$ or $(k, -2)$ or $\overrightarrow{AE} = \begin{pmatrix} 4 \\ -3 \end{pmatrix}$	
					[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	3	**2**		**M1** for $\frac{3k}{1k}$	
1(b)	$y = 3x - 2$ oe	**1**		**FT** *their* **(a)**	
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	4 7 4	**2**		**B1** for one correct	
1(b)	Correct curve	**4**		**B3FT** for 6 or 7 points correct or **B2FT** for 4 or 5 points correct or **B1FT** for 2 or 3 points correct	
1(c)	$x = 1$ oe	**1**			
1(d)	−1.9 to −1.7 and 3.7 to 3.9	**2**		**B1** for each	
					[Total: 9]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	Kite	**1**			
1(b)(i)	Translation $\begin{pmatrix} 4 \\ 9 \end{pmatrix}$	**2**		**B1** for each	
1(b)(ii)	Reflection $x = 0.5$ oe	**2**		**B1** for each	
1(b)(iii)	Rotation 90° clockwise oe [centre] (0, 0) oe	**3**		**B1** for each	
1(c)(i)	(−5, −6)	**1**			
1(c)(ii)	Image at (−5, 0), (−2, 3), (7, 0),(−2, −3)	**2**		**B1** for correct size, wrong position or correct shape with incorrect scale factor	
					[Total: 11]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(−1, −2)	**1**			
1(b)	$\begin{pmatrix} 6 \\ 0 \end{pmatrix}$	**1**			
1(c)	*C* marked at (3, 3)	**1**			
1(d)(i)	$\begin{pmatrix} 4 \\ 5 \end{pmatrix}$	**1**		**FT** *their* **(b)** + $\begin{pmatrix} -2 \\ 5 \end{pmatrix}$	
1(d)(ii)	$\overrightarrow{AC}$	**1**			
1(e)(i)	Correct parallelogram drawn	**1**		**FT** *their* **(c)** provided *ABCD* forms a parallelogram	
1(e)(ii)	30 cm^2	**2**		**FT** the area of *their ABCD* provided it is a parallelogram. **B1** for each	
					[Total: 8]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	15.7 or 15.65...	**3**		**M2** for $\sqrt{(-4-10)^2+(4--3)^2}$ oe or **M1** for $(-4-10)^2+(4--3)^2$ oe	
1(b)	**M1** for $\frac{-10-4}{4--3}$ [$=-2$] oe **A1** for $10=-2(-3)+c$ or $-4=-2(4)+c$ and correct completion to $y=-2x+4$	**2**			
1(c)	$y=\frac{1}{2}x+\frac{11}{4}$ oe	**4**		**M1** for grad $=\frac{1}{2}$ soi **M1** for [midpoint =] $(\frac{1}{2}, 3)$ **M1** for substitution of $(\frac{1}{2}, 3)$ into *their* $y=mx+c$ oe	

[Total: 9]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, –2)	**1**			

[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\frac{3}{8}$	**2**		**M1** for $8y=3x+20$ or better	
1(b)	(0, 2.5) oe	**1**			

[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	15.6 or 15.62…	**3**		**M2** for $\sqrt{(9--3)^2+(-2-8)^2}$ oe seen or **M1** for $(9--3)^2$ or $(-2-8)^2$ oe seen	
1(b)	$y=-\frac{5}{6}x+4$ oe	**3**		**M1** for gradient $\frac{-2-8}{9--3}$ oe **M1** for substituting (6, −1) into a linear equation oe	
1(c)	$y=\frac{6}{5}x-\frac{3}{5}$ oe	**4**		**M1** for gradient $-1/\textit{their}\left(-\frac{5}{6}\right)$ **B1** for midpoint at (3, 3) **M1** for their midpoint substituted into $y=\textit{their } m \times x+c$ oe	
					[Total: 10]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$4x+2$	**3**		**B2** for $4x+c$ or **B1** for $mx+2,\ m\neq 0$ and **M1** for rise/run of $\frac{4k}{k}$	
1(b)(i)	3	**1**			
1(b)(ii)	(0, –4)	**1**			
1(c)	Correct ruled line from $x=-4$ to $x=5$	**3**		**B2** for 2 correct points plotted or **B1** for one correct point plotted soi or **M1** for line with gradient –2 If **B0** or **M0** scored, **SC1** for a correct table with a minimum of 3 correct coordinates	
					[Total: 8]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	−3, −1	**1**			
1(b)	1.5 oe	**2**		**M1** for rise ÷ run e.g. $\frac{6}{4}$	
1(c)	[$y=$] $1.5x-1$ oe	**2**		**B1** for $jx-1\ \ j\neq 0$ or $1.5x+k$ or *their* (**b**) $x+k$	
					[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, –8)	**1**			
					[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = 2x - 3$ oe	**3**		**B2** for $2x - 3$ or $y =$ *their* $m\,x - 3$ or $y = 2x + c$ or **M1** for $\frac{9-(-3)}{6-0}$ oe or $9 = 6m - 3$ oe or **B1** for $2x$ seen or $[y =]mx - 3 \;\; m \neq 0$	
1(b)	$y = -\frac{1}{2}x + 2$ oe	**2**		**FT** *their* **(a)** $y = -\frac{1}{\text{their } m}x + 2$ **B1** for gradient $-\frac{1}{2}$, gradient **FT** *their* **(a)** or for $y = mx + 2 \;\; m \neq 0$	
					[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1	3	**1**			
					[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1	13.9 or 13.92 to 13.93	**3**		**M2** for $\sqrt{(7-2)^2 + (12--1)^2}$ oe or **M1** for $(7-2)^2 + (12--1)^2$ oe	
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1	$y = 6x$ oe	**1**			
					[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, –3)	**1**			
					[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	–3 5 2	**2**		**B1** for 2 correct	
1(b)	Correct curve	**4**		**B3FT** for 6 or 7 points correct or **B2FT** for 4 or 5 points correct or **B1FT** for 2 or 3 points correct	
1(c)(i)	Ruled line $x = 1$ drawn	**1**			
1(c)(ii)	$x = 1$	**1**			
1(d)	–0.5 to –0.3 and 2.3 to 2.5	**2**		**B1** for each If 0 scored, **B1** for $y = 4$ drawn	
1(e)(i)	Correct ruled continuous line	**1**			
1(e)(ii)	$[y =] 2x + 4$	**3**		**B2** for $[y =] 2x + k$ or **M1** for $\frac{\text{rise}}{\text{run}}$ **B1** for $kx + 4$, $k \neq 0$, or $c = 4$	
					[Total: 14]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)(i)	16	**1**			
1(a)(ii)	12	**1**			
1(b)(i)	(5, 2)	**1**			
1(b)(ii)A	(−5, 2)	**1**			
1(b)(ii)B	(5, 10)	**2**		**B1** for (5, *k*) or (7, 2)	
1(b)(iii)	$\begin{pmatrix} 44 \\ -14 \end{pmatrix}$	**2**		**FT** *their* **(b)(i)** **B1** for $\begin{pmatrix} 44 \\ k \end{pmatrix}$ or $\begin{pmatrix} 49 - their5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -14 \end{pmatrix}$ or $\begin{pmatrix} k \\ -12 - their2 \end{pmatrix}$	
1(c)(i)	Enlargement (SF) 0.5 oe (centre) (−3, 1)	**3**		**B1** for each	
1(c)(ii)	Rotation 180° (centre) (4, 8)	**3**		**B1** for each	

[Total: 14]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	–1	**2**		**M1** for $[a =] \frac{2}{3} \times 9 - 7$ or better	
1(b)	15	**2**		**M1** for $3 = \frac{2}{3} b - 7$ or better	

[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = -2$ drawn, ruled	**1**			
1(b)	$y = -2x$ drawn, ruled	**1**			

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	1.5 oe	**1**			
1(b)	(0, 2)	**1**			

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	12.6 or 12.64 to 12.65	**3**		**M2** for $\sqrt{(8 - -4)^2 + (5 - 1)^2}$ oe **M1** for $(8 - -4)^2 + (5 - 1)^2$ oe	
1(b)	(2, 3)	**2**		**B1** for each	

[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	[$y =$] $4x + 5$	**3**		**B2** for answer [$y =$] $4x + c$ oe (c can be numeric or algebraic) OR **M2** for $\frac{y-9}{x-1} = \frac{9-(-3)}{1-(-2)}$ oe OR **M1** for $\frac{9--3}{1--2}$ oe **M1** for correct substitution of (–2, –3) or (1, 9) into $y = (\textit{their } m)x + c$ oe	
1(b)	76[.0] or 75.96...	**2**		**M1** for tan[ ] = 4 oe	
1(c)(i)	[$y =$] $-\frac{1}{4}x + \frac{23}{8}$ oe	**3**		**B2FT** for [$y =$] $-\frac{1}{\textit{their } m \text{ from } (\mathbf{a})}x + c$ oe (c can be numeric or algebraic) OR **M2** for $\frac{y-2}{x-3.5} = -\frac{1}{\textit{their } m \text{ from } (\mathbf{a})}$ oe OR **M1** for $-\frac{1}{\textit{their } m \text{ from } (\mathbf{a})}$ soi **M1** for correct substitution of (3.5, 2) into $y = (\textit{their } m)x + c$ oe	
1(c)(ii)	(–4.5, 4)	**2**		**B1** for each value or for $\begin{pmatrix} -8 \\ 2 \end{pmatrix}$ seen	
					[Total: 10]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = -2x + 6$ oe final answer	**3**		**B2** for $y = -2x + c$ oe or $y = mx + 6$ oe $m \neq 0$ or for answer $-2x + 6$ or **B1** for [gradient =] $-\frac{6}{3}$ oe or $c = +6$ soi	
1(b)	$y = 0.5x - 1.5$ oe final answer	**3**		**B1** for [gradient =] -1 divided by *their* gradient from **(b)(i)** evaluated soi **M1** for substitution of (9, 3) into $y = (their\ m)x + c$ seen in working	
					[Total: 6]

Question	Answer	Marks	AO Element	Notes	Guidance
1	[$y =$] $\frac{5}{8}x + \frac{7}{4}$	**4**		**M1** for $\frac{-5-3}{7-2}$ oe **M1** for $-1/their -\frac{8}{5}$ **M1** for $3 = 2 \times$ *their* gradient $+ c$ oe	
					[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(4.5, –1)	**2**		**B1** for each	
					[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1	[$y =$] $-\frac{1}{2}x + 3$	**3**		**B2** for [$y =$] $-\frac{1}{2}x + c$ or **M1** for $\frac{rise}{run}$ or $m = \pm\frac{1}{2}$ oe and **B1** for [$y =$] $kx + 3$, $k \neq 0$ or $c = 3$	
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\frac{1}{2}$ or 0.5	**2**		**M1** for $\frac{Rise}{Run}$ e.g. $\frac{2}{4}$ or $\frac{2--1}{2--4}$	
1(b)	$y = \frac{1}{2}x + 1$ oe	**1**		**FT** *their* **(a)** e.g. [$y =$] *their* **(a)** $x + 1$ oe	
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	–3, 2	**1**			
1(b)	*B* plotted at (1, –3)	**1**			
					[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(5, 3)	**1**			
1(b)	Point plotted at (4, −3)	**1**			
1(c)	$\begin{pmatrix} -8 \\ 2 \end{pmatrix}$	**1**			
					[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	4 cao	**1**			
1(b)	−6 cao	**1**			
					[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1	$\left(2w,\ \frac{r+t}{2}\right)$ final answer	**2**		**B1** for $2w$ oe nfww or $\frac{r+t}{2}$ oe	
					[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1	$-2x + 5$	**4**		**M1** for $\frac{7-2}{9--1}$ oe **M1** for gradient of perpendicular = $\frac{-1}{\textit{their}\ 0.5}$ **M1** for (1, 3) correctly substituted into *their* $y = -2x + c$	
					[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = \frac{1}{2}x + 2$ oe	**3**		**M2** for gradient = $-\frac{1}{2}$ oe soi or **M1** for rise / run or gradient = $\frac{1}{2}$ and **B1** for $y = mx + 2$, $m \neq 0$	
1(b)	Correct ruled line for $-5 \leqslant x \leqslant 5$	**2**		**B1** for line through (0, −1) or line parallel to line L or correct short line at least from (−4, 1) to (4, −3)	
					[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(−2, 5)	**1**			
1(b)	$\begin{pmatrix} 4 \\ -3 \end{pmatrix}$	**1**			
1(c)	(5, 4) plotted	**1**			
1(d)	**B1** for parallelogram *PQRS* correctly drawn **B1** for (1, 7)	**2**		**FT** *their R* **FT** *their S* dep on first **B1**	
					[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(5, 6)	**1**			
1(b)	$[y =] -\frac{4}{5}x + 3$ nfww	**3**		**B2** for $[y =] -\frac{4}{5}x + c$ nfww or **M1** for $\frac{rise}{run}$ using any two of (–5, 7), (0, 3) and (5, –1) **and B1** for $[y =]mx + 3$ $(m \neq 0)$	
1(c)	$y = -\frac{4}{5}x - 2$ oe	**2**		**FT** their gradient from **(b)** **B1** for $y =$ (*their* gradient)$x + c$ (c not 0) or for $y = mx - 2$ $(m \neq 0)$ or for $-\frac{4}{5}x - 2$ alone	
1(d)(i)	$y = \frac{5}{4}x + 4$ oe	**3**		**M1** for $\frac{1}{their \text{ gradient}}$ from **(b)** **M1** for (8, 14) substituted into *their* $y = mx + c$ or $\frac{y - 14}{x - 8} = m$ or better	
1(d)(ii)	8.54 or 8.544...	**3**		**M2** for $(14 - their6)^2 + (8 - their5)^2$ or better or **M1** for $14 - their\ 6$ and $8 - their\ 5$ seen	
1(d)(iii)	(4, 6)	**2**		**B1** for each	
					[Total: 14]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	–3, 17	**2**		**B1** for each	
1(b)	Fully correct curve	**4**		**B3** FT for 10 or 11 points or **B2** FT for 8 or 9 points or **B1** FT for 6 or 7 points	
1(c)(i)	Correct ruled tangent for *their* curve through (0, –17)	**1**			
1(c)(ii)	(1.7 to 2.2, –1 to 2.5)	**1**			
1(c)(iii)	$[y =] 9x - 17$ final answer	**3**		**M2dep** for answer $[y =]9x [+] - c$ OR **M1dep** for gradient = $\frac{rise}{run}$ for *their* tangent at any point **B1** for answer $[y =]kx [+] - 17$ $(k \neq 0)$	
1(d)	$y = 3x + 2$ ruled correctly and –2.2 … to –2.1 –0.6 to –0.4 2.6 to 2.8	**4**		**B2** for $y = 3x + 2$ ruled or **B1** for $[y =] 3x + 2$ soi or $y = 3x + k$ ruled or $y = kx + 2$ but not $y = 2$ **B2** for all 3 values or **B1** for 2 values	
					[Total: 15]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\begin{pmatrix} 2 \\ 4 \end{pmatrix}$ cao	**1**			
1(b)	4.47 or 4.472…	**2**		**M1** for $(their\ 2)^2 + (their\ 4^2)$	
1(c)	(7, 10)	**2**		**B1** for each	
1(d)	$y = 2x - 4$ oe	**3**		**M1** for gradient = $\frac{6-2}{5-3}$ oe or answer $y = mx - 4$ **M1** for substituting (3, 2) or (5, 6) into $y = their\ mx + c$ or into $y - k = their\ m(x - h)$ or into $their\ y = mx - 4$	
1(e)	(0, –4)	**1**		**FT** *their* **(d)**	
					[Total: 9]

r/IGCSE Resources

r/IGCSE Resources repository | r/IGCSE subreddit | Official Discord Server

Subreddit: igcse.reddit.com

Official Discord Server: discord.gg/IGCSE

Acknowledgements and Information:

© UCLES 2018 as the publisher of the Cambridge IGCSE™ Mathematics (0580/0980) syllabus. Content which is in the worksheets are also provided by UCLES, compiled from past-year question papers.

© r/IGCSE Resources 2023, worksheets provided by Pt

The information on this booklet was generously prepared by alumni who have taken the subject, and the author(s) have been acknowledged where possible. The website links which may be in this document should not be understood to be an endorsement of that website or the site/folder's owners (or their products/services).

This booklet is meant to be for educational purposes only, and is to remain free of cost for the benefit of all students. The moderators of r/IGCSE will be pleased to make amendments at the earliest possible opportunity if requested.

© r/IGCSE Resources 2023