50 findings / Unicode Zürich αβγ

Assessment

Title

50 findings / Unicode Zürich αβγ

Assessment ID

assessment

Reviewer

Not assigned

Period

Retained execution timestamps

Snapshot

8ce300f5dbccb2874acfffb0f9ff7057be527f26cd567ff5969a2c871a64aa4d

Renderer

assessment-html-pdf-v1-reportlab-4.4.9-dejavu-2.37

Executive summary

Summary

Evidence-backed assessment of explicitly selected security rules.

Finding status

{"candidate": 0, "confirmed": 50, "rejected": 0, "retest_pending": 0, "retest_verified": 0}

Scope and methodology

Scope

http://127.0.0.1:38557

Method

Explicit rules, source-bound requests and valid controls. Evidence remains local; observations are reviewed at their recorded verification level.

Coverage

No selective retest comparison supplied; no claim of current coverage beyond retained executions.

Finding 46: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-010f80933d510fd0cfff29c7

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

91e9b6649b5713577830160d6a4688d85bc3623c96ce7b26362f74629c1554a6

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

f346416c5485b1f6c4152bc423c8c1946548c4397ee1bcc1591fa9e870610014

Source report root

7a6c654244e62ba074070d38abe25deb85d1151e5e0016104ca38d126865f1c6

Finding record digest

aacedf81bf43bde8f61f1a15d698c9f99c17024a995cbcdd0bd5b7ab6057add4

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 43: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-03bbdcc0c531da13a3c62f51

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

27fad600c8d5f475e928f72ede4180d20c2773e2edef3a69e6484dc58acb7daf

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

b8126487dc06c9c6f187d99861cb216cf6aecda70bfc3b4780d79075fd57b9be

Source report root

b8a25563275e5638d608bf4e28fc9b2659b9de9866f3b200c3fbde14fef7170c

Finding record digest

7fdee124f669a48ddfed5060ec63388b047ffee608f1fe9a64b2feed1e390eb1

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 25: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-049313f457c51c99d3faf74f

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

4fcbb8335e9af37c030630643a2572c5bd857ca12b3ac3be09c148118864c877

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

7ffabc853d543508a64fc3fae8c75a3fad98d22441e896b7091e340f4d8dbbe4

Source report root

235dd9033066083a6cbe521eae6cd9a5ad0936dd563db74d81689f16ab2f60e7

Finding record digest

b4191404ac243ea450e11ed225806b04fcd9ac4b2f3c70c356b28a4668dc8880

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 21: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-06e917dfc5faecf1d10788cf

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

82877c3d3a36e9b2d0ec5f87f7b355b3c655345bdf9fd9a107e66a865f3530ac

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

f254f3d96c927aa91227718025bdc81287508fa189025b889bc551e4cc931ca9

Source report root

0c369a3e96dc11fc37e59f32a6df248370c69306e6459e5643d614833d47ba2e

Finding record digest

907ec40e522936030faa24101a175a0a21f1507f15f31cf449544b095ffece1e

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 16: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-14089a97d8c40908f97d16a8

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

914311ef2bf1e17b8f72908f146f0979d357472be982f0aebae91731237c116b

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

fa1e0662a31772839abac124d46b57cdaac3a0c690205886679ea9d23f340f40

Source report root

4ab1e516b42c30b37a39d3b3aceeeeaec62659db3ab9592ae64b8d52cf411e50

Finding record digest

5f4499a38118a208b7e25a489f74ce9ecb15e87b959774b5cb8d718b22352af3

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 49: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-170d2503b4bc1ade25579379

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

379e668e21624ca75c228b0c9ecb8153be159f7c5a022c41b81ce57e455b677d

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

661c2fea3a1830f246bb6360527f2eddcb234966292c832a5dc8ee3b8d90599d

Source report root

4f2266b9869c52065bbc1bab28fe9bebe0c8c706d1eb357225e9495fa4a44bbb

Finding record digest

0c78448336285001c3d37d0dcaed87b1955737abdd4c031830d7891861d9b233

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 45: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-1c57264271414d6eb1672313

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

b73676722f985655de0fd6a5c36f4ca0be137d91e773db9a455abbb2ad9dea8e

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

50f1ae1889d8ff9f556f988b447f462f975e875009b203d949a781a4b511a617

Source report root

77bed6a4c3fc27881fa02a6b511af09aa3089a8e01d33ff76022a11b703d19c7

Finding record digest

f451319fca777f508d09130a94f193ba56856e2e7d3a1aaed5430b99347581db

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 31: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-1f05748a46a41454c129b3ad

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

5718302d6b26b949050637ef16631969d047bbf0001bff0799f5b438ac926213

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

d0d1984fdce459fc7dac2b2883ac07671b0d9e63ee506cc3acb8e396ec54ea9a

Source report root

e2183fed87aad1916d160ebfb86bd6b57eaa4996b71a28bc60a0d8b3baf3bfb9

Finding record digest

093fc50c865ac61bccfda39db89b63823896a8728a7f96089cbeb2f0f8503fca

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 20: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-235073cc77c87251a9efcf57

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

de9923e3204feb08844ed837625ff554e16089ae780bbab5932d967e2b5475dd

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

9bf095c681961f1e1e243f141617957b134a87a949aa874f8dcad2ca404384fb

Source report root

07b73c0fd8b38afd34967e40e66a05f26f5bf84134b86b4a0c9e01c82a5dedd4

Finding record digest

b86dda7fc82df672468bd49187c249d3df86873782961accf93868e4ac87f008

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 11: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-24b300717a993dc5727a55fc

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

6e551f3442115129b3868e10615e44929e993ff3b6537a31690e608be0133d0e

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

98bd9965060f6b7ee2750890ff89d8a04ee39e97d39793a030e130f6322fc76c

Source report root

4be01ddb3d509fb8cd9509144936d4694a7503200085822e355594442cb4e30d

Finding record digest

e18d0baed121f65ed9546277279b9b4b6376f9894e37c8ffbc5f52f0a242b525

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 23: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-279f4e087a3f84cd4c0cdefd

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

16320891c91fe7b9daa1392ebe858ef1e654e05f86913fd4ab97a253ac2967a7

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

4e2a515a08875453914f5fb6654d0e82786644c51b1435d01014ce03105ef2a9

Source report root

e32c693966f1bbf702fd653c209989c762dbc6b0f121e0f59d2c0b8363fcf101

Finding record digest

636b4a1ceba4e7075ee099c7b1eb1300cab8ff4d0b38013297f3e8efd99e6954

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 41: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-2eea22150f4cf7fa5d47c27d

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

cdb02322b1d5695ebcf50778e3e2cb4694a4fdb45179fb6472f8bf132a52a85e

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

8be7d859777e475c568c64e3c2da721d1c744f7f22145f4cb27645312d311085

Source report root

190f973b6a56d57b0f6e89cfe202081ab6eaf555c7debdfd3cd64abd265f70fc

Finding record digest

478070caef834f94856efc46ff6042c901493157bdeb5e5d655c2d0eff4481c3

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 48: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-33fdc8610cb485272a279393

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

83c24f7970121c4358aa28e9dcf6a208ba23ae7ca8960c65934e8cf368e5f10a

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

31f9c81ea9c03cc3956d2d7a2bcee60906d83886db2e2a99d290dd971fe64810

Source report root

78d92874a07e8fe7e2d4cb070006697459d1f036eb781839594d4cdac89d9e85

Finding record digest

caa56d9c5ebaf22c107de4f9b00da584646368b71cb04e90a28090e90f3ee292

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 27: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-3616f79d52f723968a3fe72a

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

0b07a3f583b6b47c4ac5a4fa11a234ac7f3b9fca83a5afaaa26492a1a7d6b7e5

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

d7eb94144c593fd7d88f03248b3903e4ba8f3d0d61f93e237420365e7a7afdb7

Source report root

d237de4151777274d28bc61ac550f4684480de1e324ea597b40d89ea262f53f1

Finding record digest

1f7ffa9b05dc7c00b29b3c6b66010457d8792bd2a7f6cfa0d740eea2823c4c49

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 28: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-3f8a4932aa0beca49c27ce24

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

3f4bdc00035b33ab2a119fc32639913f8b9924f645bfda87e399b6808058bda7

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

982abc3ca03921fa8dc205352e33d5a66f6c2acf5eb112d9e56f17dace5bdb73

Source report root

6554513b315f1c85ee1df90aa7917c72afe208b1cb05b9de5cab01d8228140dd

Finding record digest

e0721ea76ea35da33b386650b2d419d7eac49b720701b82737eb7d5d284f29cd

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 06: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-41d839dc209ba4955d9a8a2d

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

b29de5adc8ebb74c9c67b7033221ba56f631856ddeaaf36a9d825029053398c4

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

d349c7d29f533e4903c9c3516f0ead58bc001d73d6bb43e9c12bcc93aee4ce74

Source report root

e54880e0785c3cbe926559cb29978fcd41d23417f29bd06ea5e7108b71075526

Finding record digest

ec624dba7a5756e7e24915f13a212e5f542383b126a4a723939eb52b5e97b628

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 42: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-4216f711126f56bd9accca4d

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

31ca56221c5fb72af853fbc80eb5f80d0fd5d9f9a32b7f49f97c0ec490dc0cef

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

4548f703b2c62686ef5c4f6db8ac1e9ed0c5e8f9004f7a2a4ca91bf7edafcd4b

Source report root

8a2c5b2bbd8de182766c65ad539284bfd3ac2a8c92a5f918ad3945288b8f70e4

Finding record digest

a6c706d8ea8678566d6e339ea3ce81f34fc0919fdc7f2ac3dbbc59908ee943b7

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 37: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-4420f649f24b6ee560087e15

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

ba0c80d4bfe1fdf0592a63dea8adda6307bd06ccad43385abdb5bfe16748a3e6

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

7e3ecfb67e801a31c0de8dc32f5d858d14e4c3e504d3127c803a9d9b2a976bad

Source report root

8182da9bb84addebd3896afef406240a131ea3ccf25674f9f154f68296031452

Finding record digest

c588a985921980df109310c21f16c0a99040c26dfc52ac9f80003878e3a7b544

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 33: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-55336c002cbbc5bd0cf3e0ee

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

00ee020392f4d367df817cc6293a8ecb9638caac94262692a44cbdc43281a632

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

f35153030adc07ca84e1440c77e52f6bfefaa80d8ab9afada3fbcb5e7d66ee91

Source report root

833c573885f9f1455ab7ddedef255cd7e52fecc722e92fe94a8cf3a2190ebeec

Finding record digest

abf84b4305b3ef5b5247e63e9526c52fb6532952848046558ab67e7804fc510c

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 10: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-58c3367a73aa2b90b5e7b8b9

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

a5f6b2833fdbfb70e8ef6d1846257093dde7d9b901f835c949ed3767b8875919

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

cb1c7e36211918b4d9eb915fe989938bce520ea290e96401086125f2fd9c860a

Source report root

b3e213bc55abc8a385a04a79b22f1faf18bc14c9aadba78efc6a29be25151de6

Finding record digest

874c3d14f94a8cc5215b97c2c55255229ad2f7b2606e3b4571b209745ca0b587

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 18: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-5ca991583539277c2d16071a

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

57cdda0b43172a2d1c864d5ad86ce9348c88f983d03c34cccd92e9643eab0e25

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

dbec4717e5103ca00e239635bf39d1c863fe4013266c28c89807e016deb88372

Source report root

4fe94109dab93d96d8ef8d2f1292ca52face6c03989c6d7240f19c48209fbfc9

Finding record digest

487d669bebdf0d146194c709a79b2c54b2e25be91c68922f16689ed36ddaf31a

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 09: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-5ed982e3d0e5a338eeb48306

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

04d7742923c052d1fc97da215517a2d553bf8091519a9a280ca4ef41b8cdeec9

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

67a3630b9156fcca883603dad0db1a9f4f38e1738318fdb50c599a064e73df9d

Source report root

6ce8756ea5fbf30b0a59887a6d84065b355de4f612e2be5f18940ba1f7e3bf87

Finding record digest

7a7b1b1d178255e45f90a56429b88120f370241edb7b5e8dc210f79934cd3408

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 30: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-61f7ced3647b5cd5a48720e4

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

9e3cc9a51aff1e530492ef929cc542f1ff8917efecd9cbf3b5cad189cacaaafb

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

720b0ce6a587a80e22d9cbd684c9b4ea439bf754175fdda79ac84d5dbcce7958

Source report root

7535669d2467c861e71a9afb30a450aaa259f3fd96b3997b7de987ad9df22b0e

Finding record digest

052a3123a63e06ab1348b75cbd78227fa0fe2b05bae55cc53c556eb493e48939

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 29: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-6ac3dee1f4939d133991d803

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

2304aae2ff8aa72e7597f32d5a4bb68aac61d1b0bf4279c919a3138182256c29

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

b0fdebb2ef4c21e0f841b0ad966f16545da6fc5218ad2c5a4eba942d08a51f2f

Source report root

49b0510626bb6955513bc617dd8484c8e8fe2e4abadb2d3c92d8a41c2a4a9b17

Finding record digest

0db46dc56b43c7e92feb0298d2dc11e9b88386680ab484e45597013810442ce4

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 19: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-6bfbb4d027bca562c952e475

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

acc4ddb0db3d351af292e327b91ac831d290637b0f2b0eb1b3a721dfbba0706b

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

a34c097d74720a25e63c9fe7d9aeaf778c648d0cfb0655b69adc872631407db6

Source report root

dfda0ca7bed9d78229f8f634f43d51fca5d8cc44b120de248a2f82af0801d9dc

Finding record digest

6947ad773fd90b50c9ee93b5ab62718ea8eb523a7a74e30d19b4e519b0b777e6

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 34: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-6c03a724802484c4b12f7124

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

45b60949d1a9867ee5ba23a23f0a59b6205ffbbc2f0c3cd147082cf7b993ce7d

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

c03c6b0f74c8def3f47a7e2f0d3c7eef8d1e6c2cfb0f8374d96daadd336cab9d

Source report root

2b49ce5b384ec1560c88686a30ff9d4630e922712cdc68a66b1ab22b52c3c393

Finding record digest

78e75c8d5b41c69459bcd1d6ad2a78faafbc3687b930c3ec2b0e8740c2674d1b

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 12: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-71b9d8f4d6ea60b62ab859cb

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

f66b2d677953b6e68390e774a88ced8ed58acf631cc65193e130361832c477da

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

12512c350cf176e71e7051e452c7975369febbc1763aa1d72339361995896eec

Source report root

90c407609259c7587a7f7383b17bb1890d7fb17d4167fe77821edec30c0e13bb

Finding record digest

11bb49f2672935f47212c42d38992445b865d4a002c541de5de37c432084dc13

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 13: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-722277e299084c2ed5b1ada5

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

66d848df6c15c8ec68807305edd5ba8ad194b7f4f275c9c2666c70c6fa8a029e

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

1e2d1e0a9572590926b2ad3d3fd7f90036ed6d8b0107b6839525f0f6c34ebc5b

Source report root

87c1859c0231a9fc961dc44c8e62913d96aa3a0162dce9847a9053cbd86705c0

Finding record digest

13666936e8ebc867ec29f655c61919926571e398779ec87e8bb3be1f77639316

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 35: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-79bb58fe5053c8eefaba4114

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

19bde5c3be5872b40c15e9cc0b3cea9c5d9e49e145a81292ea31194b6e6a7fdb

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

d02219682c8b46b98513fbd219f4f2b49b5c6f23caad4d9531835f7e9fa78821

Source report root

b6d3f3ffcecc9b8c1ff695a621e046c9e57a321ccbeccc53b20a4a4ab1532eaa

Finding record digest

ce17337e57046ab4540a98bd9f10aad690fa7241a7444cfdaa63a733ec910e16

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 07: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-7a8dddfd2099f64e2213ae3e

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

fe0a3510b3d716ea1592267396a31695d2b708f37b69e65d65abe0bea8434ecb

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

77232df4417a374df034695fb1ed6c445c551524c888d5f6f9ca68b50d928ff2

Source report root

a90001bb90e77a60205f92f749c9aa878a85b7a45c20a95158bc34012757ed05

Finding record digest

16f5e9ce04b9c3368cf996244ea6a12854f60bbe6bbd02cf6af355075b0ceb76

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 32: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-8281420aa72bb74579065d4c

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

923f2c3c61a601309ee29570afc415128490ed975b911e4a8c7e95cc9764b2e9

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

169c94b024aa856b031844986f9f85c19948dda603fb41fd461e1f58c62dd089

Source report root

71046a1434fb6bb20e53b61f94f4c2af571276937a9f69a1e519d8402ce213fd

Finding record digest

f94e4c07940a177e41f1b3e34276cd32cc427dac67e9fcc3840b75c4ef6f2448

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 05: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-8aaa4e62dc0bd11aa2726115

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

3ceaeace4a917dfb1e1b7a332006838f4ea61dab1a570f027265af47ccdc05cc

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

7312a4cea6b3595d95cc82cd86f488f36204e108ada48a59d371d73fc73e660d

Source report root

c6c21391ed2f7c886f70dc0bd7d042aae382f8e2695a52b986b3ee6b08121509

Finding record digest

ff349a2d3aa0012ce99e98068b278f623fdb7615ebe411a20489d619001428a4

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 26: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-8daffc71ee68cf6bdbff9e61

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

c1fe503c86e22b337fc6d02938764d3e4681f34b11f5549614180782ad363350

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

d26caacaaa365317dc4f7236932ce51854018b1318773e34a64ab5c980238c4e

Source report root

865780943b230e48f972b0ab7da8d10e1e3b0df6cc96043d6199f26916c2ccfe

Finding record digest

bccac2da1140d06125d8854e3d9f8976c8b94e100065aff41bfeaf5594ba5f2e

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 24: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-9d5d36a1bb4ee465e34fd5c3

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

3ee48c3a13c9e0eab7c6f91c4420761f6fe247a34c6b70a08edef608fddbc8f2

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

eb379714ae3b391ae5e035018479b1492b6fabff88c925647736fca4738b1cb1

Source report root

36520c8a17d83ea9f239be3d3bd22b5b00ef001338eed3f9ee552826f936a911

Finding record digest

a4fa444d9b842c579c5c6c6a73723a12a4edcadebc44b44452eda61cf3898881

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 39: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-acfacbd7d2c512efb2f53215

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

e38fecaf9291cf8a16febad4bd19df66e14c0799aa964cb30b85cd17b036ae1a

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

7939ec4aea37aca48e2f74587252e39e419389922bf64f5c4bc47f5ae9d5f21d

Source report root

af3f689de29c48269ac19aad392b6cc6846206c2ee02d198679b07069fbbaad0

Finding record digest

76e272cdffc878462796a8dbdf7bd7365f0d7d3b9c2c931b2b244900cf8d6fd9

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 38: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-b215b194638791226915655d

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

13c9f9630952912f8adebd308fdcc8ce7dc5a5d4854da8e0fdb3dcf6d1f2d204

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

aeb5eecde82ebde10fc948068f0591ca65a3974f263e60f59c13d7c81c8dfe21

Source report root

153deed1be224e9e1104dcb0714067a75c67ee56780cf7f17f64c3be7d996a01

Finding record digest

132170174aabe8252fa4c5049547daac4b2a9aebddbc277fd4e42ed58a84f681

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 01: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-cabc998160232f4339e3eb04

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

ab46ae131421e4a967de2d0fba46cef59332a99757d6b1b3c5bc479a2680de18

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

27e2cd167c1939e5277a396c81a4c73e1b124900705b665f5713fb70cd3b5281

Source report root

c0881323fc0a5198c308afa7d61c467ff23215ef86e3d1f6f1ba3cf9c398b93f

Finding record digest

5891cd56f808ef6d2adb830286ce2a76aeb2b62763ea98fa8263d030f32a3a15

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 36: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-cd463f84d5e10e9144c51f92

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

1047a0cc417133953441103c96d543b77a2f986038ed3aa82ac4813480b9cfa1

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

4dffc07e11ee21497a956bfae5d2582fa180a2f29d66619e7e77ad85429be73e

Source report root

44131f09e0730840ef8e95cc0742442e1e0fb348e235cc7145f12bd373a22a63

Finding record digest

1151ceb91f42c7e06b19e36b05aa3830e8fd5a19064668692361294bd68d8bc5

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 15: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-d317460ee6468e8512b12f98

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

c155d26b524f6b316233c296742b39b44c794d90764256eb6087ae55af8b9f05

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

b65cf9fc4a0ccd0367bddb647dc1b679228128f31b3eaad4e427c73ffc710e11

Source report root

4930d8e18b0c9df244bc7832ff99b86efdf0c3d99778a52466017ee649f40e31

Finding record digest

fd8c57282989851c52abd277cc3c09d6fb70e19fb86907cccbd9c4dd28833dbf

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 08: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-db5a5a5d67b6279e96a285a3

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

f1bc32b36e3468be556bf5e10992ea7423d9519f3487bd56a5d785d5139db0ae

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

4a7ace67b3776f4ae73d67dcc169799893beb4e04d5afaf097fbcb8e6950b052

Source report root

d5bef0614bcd62c7dd0cfb417c7e5bd67a62115a14d89551fc8efbdc68bede0d

Finding record digest

2244562f7cf5b0751a965c4e31db48e02b3d34330372cf09b3b078677a3fb972

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 40: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-dbcdaa9812b17da37a1e0c0d

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

520b0ec435afbf8f12b5fd544d2ee003f1c4fee3d636278c956b8c3189387b10

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

3366e0716aa67fbfbd767d496435a7826c147514394e0bd9f708eb5a648712ae

Source report root

3768c69b7eac34a3cf7c879f97e29070d280f88d9a97661971a45bde1a55229a

Finding record digest

3b56060609b5b08a492ed3e23f987fc4715534625920e309af7b282b439cf032

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 02: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-e351ef93b926a22ed433dff3

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

1b018072ca4d0f290562ac90615430c9278f9e3bbcbbd117db5900a3ae1b2e72

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

4348e64c313bb49d4beae84ace2ab3d051bed45884d56be074a9811883c411a9

Source report root

8dccf9703021493ce5e74c49ec6083ec567cc74987c0cd91c92375274754fb37

Finding record digest

8c3b71df853de7fdd93648d8f238ac1447eb241cf1147e990324bc98902b4942

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 00: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-e89f9ee23f448b87b043b8ee

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

c917c30dffee60ed9c5c18b2842a1ffaf2356553d094725d731d12c1d664726b

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

989a0945072d94ad68c9c5cf894a51a5511996aa5eec1145acb0989f9e340b6a

Source report root

3874a16fa1ab4587779d46070622ea7401dc6ebeeb0c0a8f5b3a173014c22b57

Finding record digest

51f465aaf9ee1dfe488fc938c239dd4359bf739f2f48cd7f33c07a6ce532e5f8

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 17: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-ea19d5178b0e8e2d832b2ae4

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

6aad82e05e05676b09f7461f200e71fe70837ddf24d9a343bf2a46fc5006f0ac

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

ed526c7b32e644b2ad089788c94f19201460224757ece5f7605767475aa14e6c

Source report root

ecbc12df8c3cb14e3bc481f63cd857cbd22bb84c7d63788f651241d82ca08d80

Finding record digest

69848f15005dedd1af4eea8a5d68549cf5219cbdc32bb47e32a2e2b1430bf01d

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 44: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-ecc650b6e479caf1a9ee5c40

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

819fde02daa84cb4f110e6a801334d5cb414259d7700e3c74a633769e8c2f81e

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

a7955f6b8d55a96fb1334d7de63b8a05a680f0a2adf794f254ccfc7a13cb8d27

Source report root

7ad9531d2802ca574aa61ddfa257b850de10f3e4c6a3982651bbde91de2a8c49

Finding record digest

a7d524a6d29bf50b5b2eacd6905a03ebb29862b06d37151c55d16fcead8ba649

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 22: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-f115a9a84ea64896831dabf7

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

aa3477a8fe5fea5ac63063e98f850e895d3b79c0d7673867402f430b39b2b8e2

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

ba6a0bd5b8a9721692983921621b0ed874830111bb4bd9ac44bf2c2c431b8e2d

Source report root

3f9eaf3a81331129ad8b17c8afc729c1893db5bf0aa7a539cd05d5edf35c17ef

Finding record digest

f1a1fec248414e69eb43e383932f6656d087e3a34663e114df54aa68630d119c

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 47: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-f7112170c22b71259c9a09f0

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

fe6c6fdca8349452fdcf9f258114e81b26ea0276739f5a6115a36b9e802faa33

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

f7c40ef866c941a04260faf8bfaef81814d8ccd2260381117adb76e11665dec9

Source report root

bf5bf20dcda5b2a9ddaf0767b711990bb81836fc130b7ea12e608d325a830dc7

Finding record digest

0307f5c07a10bb3db5234199247cbd18ac9b110b3b51a8bd7b9fed88cd966ae5

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 03: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-f71f40013bfbcdfce4b93582

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

a15d26fbdad8535c4c54d02a715c50bc4d5bc2880ce5eb6852ea1b79bce018d3

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

5489d509965648de3cc4871b2e0acdcdece37ecb0fee781728b23b13e15a9e0a

Source report root

b456bfbe90e449e5068c6d7a100f1da4b28e35c5de70f33c0681f9f65d04eed0

Finding record digest

9e397b13747619809428960f938f8c9cfcea3ab396112c843be7924500b93292

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 14: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context long context

Finding ID

finding-f7a957ffc345e4923dfbb550

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

362f5a084f4d6bbabbeefc4845e5d2ee9827d5970bf3e2c912f8bda04b2ab526

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

06e966c1421b577454fa236953308a78931c22273b3ca698cd6a833a9f2d0f8b

Source report root

24f99a5c0b427c330b1baf8d363d8417e11bd63cc0ccbc4785f0e3b4311ac777

Finding record digest

d1374226fa512820d05f5f37990ec8de2e8e9d44ce1917a3b16fe09940344e08

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Finding 04: Überprüfung von Mandantengrenzen αβγ - long context long context long context long context long context long context long context long context long context

Finding ID

finding-fefd1a5cd8497bd5af91e82f

Status

confirmed

Execution record status

confirmed

Interpretation

violation

Category

authorization_rule_violation

Rule digest

0e032476a52eb977da68d5c6e85dc6737d55470d68748cb8f3df4c60b7057e71

Resource

invoice-a

Identity

peer

Case

variant-peer-1

Reproduction

GET /invoices/a as peer; execute controls before this case. Use the retained source contract and environment/session credential references.

Expected checks

{"json_absent": ["/protected_marker"], "status": [401, 403, 404]}

Observation

[{"body_complete": true, "controls_valid": true, "interpretation": "violation", "status": 200, "verification_level": "captured_inputs_replayed"}]

Controls

actor-identity-0, known-denial-0, owner-object

Evidence

436f551fe598e5bf0dbb4a53c18ff710ad29f5933ef92b163c479783a4efcf20

Source report root

15926a473fe6233455fabdfa2ff824e0ce328011720466a9c47dc8f1d4b2135b

Finding record digest

6d52e122dff03d9944f6d70e26e39512c5c8ff26f0cf1ca56155497304e24ba3

Verification level

captured_inputs_replayed

Impact

The configured protected marker was disclosed to the tested identity.

Remediation

Enforce the configured rule at the resource and response boundary; rerun this experiment with fresh controls.

Business risk

Not assessed by reviewer

CVSS 4.0

not_scored; vector: not supplied

Retest

not_retested

Standards mapping

No requirement-level mapping reviewed.

Limitations

Remote response authenticity is not established by local signing.
Only selected oracle inputs are replayed; their projection from the omitted raw body remains signer-attested.

Standards profile

API 2023

https://api-security.owasp.org/editions/2023/en/0x11-t10/

ASVS 5.0.0

https://github.com/OWASP/ASVS/tree/v5.0.0

CVSS 4.0

https://www.first.org/cvss/v4.0/specification-document

WSTG 4.2

https://wstg.owasp.org/v4.2/

Limitations and independent verification

Limitation

This is a scoped assessment, not certification or complete ASVS/WSTG/API coverage.

Limitation

Finding status, technical severity and business risk are separate dimensions.

Limitation

A restored configured check is not automatically a verified vulnerability fix.

Limitation

Retest omissions retain not_retested and historical evidence only.

Limitation

Signatures authenticate retained bytes and signing keys; they do not prove remote execution truth.

Limitation

Replayed oracle inputs are approved projections; their relationship to unavailable raw response bytes remains signer-attested.

Limitation

The standalone verifier provides integrity_only; semantic verification requires AuthzLedger and the pinned report renderer.

Limitation

Synthetic controlled loopback evidence; not a claim about a remote production system.

Limitation

https://example.invalid/path-segment/path-segment/path-segment