

1. A company wants to run thousands of virtual machines on a server. Which licensing model of Windows Server 2025 is best suited for this scenario?

- A. Per-VM licenses
- B. Core-based licensing model
- C. User CAL per VM
- D. Standard edition only

Answer: B

2. Which of these tasks cannot be performed on a Windows Server Core installation?

- A. Installing Windows roles
- B. Configuring network settings
- C. Running Hyper-V
- D. Installing a GUI desktop

Answer: D

3. After installing Windows Server 2025 Core edition, you need to configure it using a menu-driven tool. Which tool would you use?

- A. Server Manager
- B. Local Group Policy Editor
- C. Sconfig
- D. Hyper-V Manager

Answer: C

4. Which Windows Server 2025 edition does NOT require the purchase of Client Access Licenses (CALs) when used in a small organization?

- A. Datacenter
- B. Standard
- C. Essentials
- D. Education

Answer: C

5. What is the maximum size of a partition using an MBR partition table?

- A. 512 MB
- B. 2 TB
- C. 16 TB
- D. 256 TB

Answer: B

6. Which partition style must you use to create a partition larger than 2 TB?

- A. FAT32
- B. MBR
- C. GPT

D. ReFS

Answer: C

7. You need to create a mirrored (two-way) volume to protect against a single drive failure. This is most similar to which RAID level?

A. RAID-0

B. RAID-1

C. RAID-5

D. RAID-10

Answer: B

8. Which VHD format should you use for a virtual disk if you plan to expand it in the future?

A. Fixed VHD

B. Differencing VHD

C. Dynamically expanding VHDX

D. ISO image

Answer: C

9. Which CPU feature must be enabled to run Hyper-V on a Windows Server?

A. Hyper-Threading


B. Virtualization extensions (VT-x/AMD-V)

C. SpeedStep

D. NUMA support

Answer: B

10. Your network contains an Active Directory domain named aftel.local. The domain contains a DHCP server named Server1. All client computers run Windows 10 and are configured as DHCP clients. Your helpdesk received calls today from users who failed to access the network from their Windows 10 computer. You open the DHCP console as shown in the exhibit.



You need to ensure that all of the Windows 10 computers can receive a DHCP lease.

Solution: You activate the scope.

Does this meet the goal?

A. Yes

B. No

Answer: A

11. Which feature allows you to run Hyper-V inside a virtual machine?

A. Virtual Switch

B. Nested Virtualization

C. Dynamic Memory

D. GPU Passthrough

Answer: B

12. What type of virtual switch allows VMs to communicate only with the host OS and other VMs on the same host, but not with the external network?

A. External

B. Internal

C. Private

D. NAT

Answer: B

13. In the context of servers, what does “high availability” mean?

A. Services have minimal downtime

B. Services are shut down frequently

C. Services run only on weekends

D. Services require no backups

Answer: A

14. Which Windows Server feature allows seamless migration of a running virtual machine to another host with no downtime?

A. Quick Migration

B. Live Migration

C. Cold Migration

D. Hyper-V Replica

Answer: B

15. You have servers named Server1 and DHCP1. Both servers run Windows Server 2016. DHCP1 contains an IPv4 scope named Scope1. You have 1,000 client computers. You need to configure Server1 to lease IP addresses for Scope1. The solution must ensure that Server1 is used to respond to up to 30 percent of the

DHCP client requests only. You install the DHCP Server server role on Server1. What should you do next?

- A. From the DHCP console, run the Configure Failover wizard.
- B. From Server Manager, install the Network Load Balancing feature.
- C. From Server Manager, install the Failover Clustering feature.
- D. From the DHCP console, create a super scope.

Answer: A

16. To ensure that a web server remains available even if one server fails, which technology should you use?

- A. RAID-5 on a single server
- B. Disk cloning
- C. Network Load Balancing (NLB)
- D. Hyper-V Replica

Answer: C

17. Which built-in Windows Server feature can be used to back up an entire server or specific volumes on a regular schedule?

- A. Time Machine
- B. Windows Server Backup
- C. Carbonite
- D. System Restore

Answer: B

18. WSUS stands for:

- A. Windows Software Upgrade Service
- B. Windows Server Update Services
- C. Web Server User Service
- D. Windows System Utilities

Answer: B

19. On which UDP port does a DHCP server listen for client requests?

- A. 53
- B. 67
- C. 80
- D. 443

Answer: B


20. What does a DHCP scope define?

- A. A range of IP addresses and options to assign (Correct)
- B. A security permission set
- C. A DNS namespace

D. A VLAN ID

Answer: A

21. Your network contains an Active Directory domain named aftel.local. The domain contains a single site named Site1. All computers are in Site1. The Group Policy objects (GPOs) for the domain are configured as shown in the exhibit:



The relevant users and client computer in the domain are configured as shown in the following table:

Object name	Object type	Object location
Computer	Computer	OU4
User1	User	OU4
User2	User	OU2

End of repeated scenario. You are evaluating what will occur when you block inheritance on OU4. Which GPO or GPOs will apply to User1 when the user signs in to Computer1 after block inheritance is configured?

A. A1, A5, and A6

B. A3, A1, A5, and A7

C. A3 and A7 only

D. A7 only

Answer: D

22. Your server has a DHCP reservation for a workstation. What does this do?

A. **Guarantees the same IP address to that workstation each time**

B. Automatically updates the client's DNS name

- C. Blocks the workstation from the network
- D. Extends the lease time indefinitely

Answer: A

23. What is the term for a device that forwards DHCP broadcasts across network segments?

- A. DHCP Relay Agent (Correct)
- B. NAT Router
- C. WINS Server
- D. Proxy Server

Answer: A

24. What does DNS stand for?

- A. Domain Name System
- B. Dynamic Name Service
- C. Domain Network Server
- D. Data Number System

Answer: A

25. Which disk type allows you to combine multiple physical disks into a single volume for resiliency in Windows Server?

- A. Basic disk
- B. Dynamic disk (supports RAID-1, RAID-5, spanning)
- C. NAS disk
- D. USB removable disk

Answer: B

26. Which of the following is a **thin provisioning** feature?

- A. Overcommitting storage capacity until actually used
- B. Creating fixed-size VHD only
- C. Dedicating each user their own physical drive
- D. None; Windows Server does not support thin provisioning

Answer: A

27. Which DNS record type maps a hostname to an IPv4 address?

- A. CNAME
- B. MX
- C. A
- D. TXT

Answer: C

28. What is an Active Directory–integrated DNS zone?

- A. A zone stored in AD DS and replicated with other domain controllers
- B. A zone that only allows updates from AD-integrated clients

- C. A DNS zone that is read-only
- D. A DNS zone for non-Windows clients only

Answer: A

29. Which DNS record type is used to delegate a subdomain to another DNS server?

- A. A
- B. CNAME
- C. NS
- D. PTR

Answer: C

30. Which command can you use from the command line to test DNS name resolution?

- A. ping
- B. ipconfig
- C. nslookup
- D. netstat

Answer: C

31. What does RODC stand for?

- A. Remote Office Data Center
- B. Read-Only Domain Controller
- C. Redundant Online DC
- D. Reliable Object Directory Cache

Answer: B

32. Deploying a Read-Only Domain Controller (RODC) is most appropriate for which scenario?

- A. Main data center with secure hardware
- B. A branch office with limited physical security (Correct)
- C. A workstation group in a home network
- D. A cloud-only environment

Answer: B

33. What does DFS stand for in Windows Server?

- A. Domain Fault System
- B. Distributed File System
- C. Data Forwarding Service
- D. Dynamic File Share

Answer: B

34. You configure DFS Namespaces and Replication to ensure file shares are available in multiple office locations. What is the benefit of DFS replication?

- A. It replicates the Active Directory database.
- B. It synchronizes files between servers at different locations (Correct).

- C. It automatically balances network load.
- D. It provides encryption for data in transit.

Answer: B

35. What is the purpose of Windows Deployment Services (WDS)?

- A. To host Internet websites on the server
- B. To deploy Windows operating system images to client machines (Correct)
- C. To manage Hyper-V virtual machines
- D. To synchronize Active Directory data

Answer: B

36. Which service is responsible for hosting websites on Windows Server?

- A. WDS Service
- B. Internet Information Services (IIS) (Correct)
- C. Remote Desktop Services
- D. SMTP Service

Answer: B

37. What is the default TCP port for HTTP on IIS?

- A. 21
- B. 80
- C. 443
- D. 3389

Answer: B

38. In a WDS environment, which protocol is used for PXE network boot?

- A. DHCP
- B. TFTP
- C. FTP
- D. HTTP

Answer: B

39. What does "AD DS" stand for in Windows Server?

- A. Active Directory Database Services
- B. Active Directory Domain Services
- C. Advanced Data Distribution Service
- D. Autonomous Directory Deployment System

Answer: B

40. Which AD DS object type is primarily used to group user accounts for assigning permissions?

- A. Organizational Unit (OU)
- B. Group
- C. Computer

D. Site

Answer: B

41. How many Flexible Single Master Operations (FSMO) roles exist in a Windows domain?

A. 2

B. 3

C. 5

D. 7

Answer: C

42. What command-line tool can manage disks and volumes in Windows Server?

A. DISKPART

B. REGEDIT

C. NETSH

D. GPEDIT.MSC

Answer: A

43. Your network contains an Active Directory Forest. The forest contains one domain named aftel.local. The domain contains two domain controllers named DC1 and DC2. DC1 holds all of the operations master roles.

During normal network operations, you run the following commands on DC2:

```
Move-ADDirectoryServerOperationMasterRole -Identity `DC2` -OperationMasterRole PDCEmulator
Move- ADDirectoryServerOperationMasterRole ""Identity `DC2` -OperationMasterRole RIDMaster
```

DC1 fails.

You remove DC1 from the network, and then you run the following command:

```
Move-ADDirectoryServerOperationMasterRole ""Identity `DC2` -OperationMasterRole SchemaMaster
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Answer Area

Statements	Yes	No
DC2 holds the schema master operations role.	☐	☐
DC2 holds the PDC emulator master operations role.	☐	☐
Currently, you can add additional domains to the forest.	☐	☐

Answer

Answer Area

Statements	Yes	No
DC2 holds the schema master operations role.	☐	☒
DC2 holds the PDC emulator master operations role.	☒	☐
Currently, you can add additional domains to the forest.	☐	☒

44. How does Windows Server implement RAID-5 without dedicated hardware?

- A. Dynamic disk software RAID-5
- B. It cannot; RAID-5 requires hardware in Windows Server
- C. Storage Spaces parity mode
- D. Both A and C

Answer: D

45. In Hyper-V, what is a **Parent Partition**?

- A. A VM running Windows 10
- B. The logical host partition that runs the hypervisor and management services
- C. A VM with shielded template
- D. A container host in Azure

Answer: B

46. Which file format is used for the newest virtual hard disk in Hyper-V?

- A. .vhd (old format)
- B. .vhdx (supports >2TB, 4K sectors)
- C. .iso
- D. .vhdx

Answer: B

47. A user changes their password on one domain controller, but it is not recognized by another DC for a few minutes. What concept explains this delay?

- A. DNS cache
- B. DHCP lease time
- C. AD DS replication latency
- D. Domain trust restrictions

Answer: C

48. Which group has administrative rights over all domain controllers in a domain by default?

- A. Domain Admins
- B. Backup Operators
- C. Server Operators
- D. Everyone

Answer: A

49. You want to allow help desk users to reset passwords for accounts in a specific OU without giving them full administrative rights. Which feature should you use?

- A. Make them Domain Admins
- B. Delegation of Control on that OU
- C. Assign them the Domain Users group
- D. Implement a trust with another domain

Answer: B

50. Which container in Active Directory holds the default user and group accounts created when AD is installed?

- A. OU=Default
- B. CN=Users
- C. OU=Builtin
- D. CN=System

Answer: B

51. Which Group Policy setting enforces the requirement for strong (complex) passwords?

- A. Minimum password age
- B. Password must meet complexity requirements
- C. Account lockout threshold
- D. Audit logon events

Answer: B

52. What is the purpose of the Delegation of Control Wizard in Active Directory?

- A. Assign specific administrative tasks to a user or group
- B. Delegate forest-wide DNS management
- C. Grant a computer account rights to manage a domain
- D. Backup the Active Directory database

Answer: A

53. You want a help desk group to be able to reset passwords only for users in the HR OU. Which approach should you use?

- A. Make them Domain Admins
- B. Use the Delegation of Control Wizard on the HR OU
- C. Create a new domain trust

D. Use Group Policy Preferences

Answer: B

54. On which object in Active Directory do you typically configure delegation of control for a subset of users or tasks?

A. Domain partition

B. Group Policy Object

C. **Organizational Unit (OU)**

D. Site

Answer: C

55. Which permission might you grant during delegation to allow an administrator to manage user accounts?

A. Modify schema

B. **Reset password**

C. Delete the domain

D. Manage DNS zone

Answer: B

56. What does GPMC stand for?

A. Group **Policy Management Console**

B. Group Process Manager

C. Global Policy Menu Control

D. Gateway Policy Manager

Answer: A

57. What is the default order of Group Policy application?

A. **Local, Site, Domain, OU**

B. Domain, OU, Site, Local

C. OU, Domain, Site, Local

D. Local, Domain, Site, OU

Answer: A

58. To troubleshoot which GPOs have applied to a user, which command-line tool can you run?

A. gpedit.msc

B. **gpresult**

C. rsop.msc

D. dcdiag

Answer: B

59. Which Group Policy section would contain a computer startup script?

A. User Configuration

B. **Computer Configuration**

- C. Site Configuration
- D. Domain Configuration

Answer: B

60. What does "CA" stand for in the context of PKI and AD CS?

- A. Certificate Authority
- B. Client Administrator
- C. Control Access
- D. Central Asset

Answer: A

61. In AD CS, what is a "Root CA"?

- A. A subordinate certificate authority
- B. The top-level certificate authority in the hierarchy
- C. A CA running on a domain controller
- D. A CA without any subordinate CAs

Answer: B

62. Which certificate template setting allows domain-joined computers to automatically enroll for certificates?

- A. User Approval
- B. Autoenroll
- C. Manual Enroll Only
- D. None (Certificates are always manual)

Answer: B

63. If you need to revoke a certificate before its expiration date, which list must you update?

- A. The Certificate Template list
- B. The Certificate Revocation List (CRL)
- C. The Domain Controllers OU
- D. The CA backup directory

Answer: B

64. Which backup type includes only the files that have changed since the last full backup?

- A. Full
- B. Incremental (Correct)
- C. Differential
- D. Mirror

Answer: B

65. To recover the Active Directory database after a failure, which backup do you need?

- A. System State backup
- B. Bare metal image
- C. Copy-only backup
- D. Differential backup

Answer: A


66. Your network contains an Active Directory forest. The forest contains two domains named litwarenc.com and aftel.local. The aftel.local domain contains two domain controllers named LON-DC01 and LON-DC02. The domain controllers are located in a site named London that is associated to a subnet of 192.168.10.0/24. You discover that LON-DC02 is not a global catalog server. You need to configure LON-DC02 as a global catalog server. What should you do?
- A. From Active Directory Sites and Services, modify the properties of the 192.168.10.0/24 IP subnet.
 - B. From Windows PowerShell, run the Set-NetNatGlobal cmdlet.
 - C. From Active Directory Sites and Services, modify the NTDS Settings object of LON-DC02.
 - D. From Windows PowerShell, run the Enable-ADOptionalFeature cmdlet.

Answer: C

67. Your company has multiple branch offices. The network contains an Active Directory domain named aftel.local. In one of the branch offices, a new technician is hired to add computers to the domain. After successfully joining multiple computers to the domain, the technician fails to join anymore computers to the domain. You need to ensure that the technician can join an unlimited number of computers to the domain. What should you do?
- A. Modify the Security settings of the technician's user account.
 - B. Modify the Security settings of the Computers container.
 - C. Configure the technician's user account as a managed service account.
 - D. Run the redircmp.exe command.

Answer: B

68. Your network contains an Active Directory domain named aftel.local. The domain contains a DHCP server named Server1. All client computers run Windows 10 and are configured as DHCP clients. Your helpdesk received calls today from users who failed to access the network from their Windows 10 computer. You open the DHCP console as shown in the exhibit.



You need to ensure that all of the Windows 10 computers can receive a DHCP lease.

Solution: You activate the scope.

Does this meet the goal?

A. Yes

B. No

Answer: A

69. Which activation method is best suited for organizations with a large number of Windows servers that are not always connected to the corporate network?

- A) Multiple Activation Key (MAK)
- B) Key Management Service (KMS)
- C) Active Directory-Based Activation (ADBA)
- D) Retail activation

Answer: B

70. What is the primary role of a Domain Controller in Active Directory?

- A) To manage user sessions
- B) To provide data storage solutions
- C) To authenticate and authorize users and computers in a Windows domain
- D) To distribute software updates

Answer: C

71. The DORA process in DHCP stands for:

- A) Delete, Offer, Request, Acknowledge
- B) Discover, Offer, Request, Acknowledge

- C) Discover, Obtain, Renew, Acknowledge
- D) Delete, Obtain, Renew, Acknowledge

Answer: A

72. Which feature of the File Server Resource Manager (FSRM) is used to limit the types of files users can store in a directory?

- A) DHCP failover
- B) File Screens
- C) Storage Reports
- D) Classification Management

Answer: B

73. How does DHCP failover work in Windows Server?

- A) By assigning the same IP address to multiple servers for load balancing
- B) By automatically updating DNS records when a DHCP lease is renewed
- C) By allowing two DHCP servers to share lease information and provide high availability
- D) By transferring all DHCP roles to a secondary server in case the primary fails

Answer: C

74. Virtual Network Manager (available from the Hyper-V Manager snap-in) offers three types of virtual networks that you can use to define various networking topologies for virtual machines and the virtualization server. Which type of virtual network is isolated from all external network traffic on the virtualization server, as well any network traffic between the management operating system and the external network?

- A. Private virtual network
- B. Internal virtual network

Answer: A

75. Your network contains an Active Directory domain named aftel.local. The domain contains a DNS server named Server1. Server1 configured to use a forwarder named server2.aftel.local that has an IP address of 10.0.0.10. You need to prevent Server1 from using root hints if the forwarder is unavailable. What command should you run? To answer, select the appropriate options in the answer area.

▼
Suspend-DnsServerZone
Set-DnsServer
Set-DnsServerForwarder
Set-DnsServerRootHint

▼
-Name *. * -PassThru
-IPAddress 10.0.010
-NameServer server2.contoso.com
-UseRootHints. \$false

Answer

▼
Suspend-DnsServerZone
Set-DnsServer
Set-DnsServerForwarder
Set-DnsServerRootHint

▼
-Name *. * -PassThru
-IPAddress 10.0.010
-NameServer server2.contoso.com
-UseRootHints. \$false

76. What are the five **FSMO** roles in Active Directory?

- A. PDC, RID master, Infrastructure master, Schema master, Domain Naming master
- B. Global Catalog, DNS, DHCP, WINS, File
- C. Administrator, Schema Admin, DNS Admin, Backup Admin, Print Admin
- D. There are no roles in AD

Answer: A

77. You created an **Internal switch** to test communication between VMs and the host. The host can ping the VMs, but the VMs cannot ping each other. What should you check?

- A. Windows Firewall settings inside the VMs.
- B. Physical NIC binding order.
- C. VLAN mismatch on host interface.
- D. DHCP Guard configuration.

Answer: A

78. What is the primary function of a server in a network environment?

- A. To provide user authentication
- B. To act as a workstation
- C. To provide services to client computers
- D. To manage internet connections only

Answer: C

79. Which DNS record type is specifically used to map domain names to the IP addresses of mail servers?

- A) A Record

- B) MX Record
- C) CNAME Record
- D) SRV Record

Answer: B

80. In a DHCP failover configuration, what mode allows both DHCP servers to serve client requests simultaneously?

- A) Load Balance mode
- B) Hot standby mode
- C) Active-active mode
- D) Active-passive mode

Answer: A