Search Engines

Mahmoud M. Awali

@0xAwali

attacker

Cyberspace Engines Workflow

Functionalities

Words

Dashboards

attacker

My Methodology

Use These Words While Searching About

D a s h b o a r d s

dashboard

"control panel"

admin

attacker

Dashboards Workflow



attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

D a s h b o a r d s

ssl.cert.subject.cn:"company.com" http.title:"dashboard"

_ssl:"company.com" http.title:"dashboard"

FOFA cert="company.com" && title="dashboard"

FOFA cert.subject="company" && title="dashboard"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

D a s h b o a r d s

ssl.cert.subject.cn:"company.com" dashboard

_ssl:"company.com" dashboard

FOFA cert="company.com" && body="dashboard"

FOFA cert.subject="company" && body="dashboard"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

D a s h b o a r d s

ZoomEye

ssl:company.com +title:"dashboard"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:dashboard

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

D a s h b o a r d s

ZoomEye

ssl:company.com +dashboard

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

asn:ASN Number e.g. AS19551+http.title:"dashboard"

FOFA

asn="Number e.g. 19551" && title="dashboard"

ZoomEye

asn:Number e.g. 19551 +title:"dashboard"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

asn:ASN Number e.g. AS19551+dashboard

FOFA

asn="Number e.g. 19551" && body="dashboard"

asn:Number e.g. 19551 +dashboard

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

hostname:company.com http.title:dashboard

FOFA

domain="company.com" && title="dashboard"

ZoomEye

hostname:company.com +title:"dashboard"

Websites

company.com AND 443.https.get.title:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

hostname:company.com dashboard

domain="company.com" && body="dashboard"

hostname:company.com +dashboard

Websites

company.com AND 443.https.get.body:dashboard

attacker

My Methodology

Find Dashboard Pages With Google

site:*.company.com intitle:"dashboard"

Google Search

I’m Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

net:"I.P.v.4/CIDR" http.title:dashboard

ip="I.P.v.4/CIDR" && title="dashboard"

cidr:I.P.v.4/CIDR +title:"dashboard"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

net:"I.P.v.4/CIDR" dashboard

ip="I.P.v.4/CIDR" && body="dashboard"

cidr:I.P.v.4/CIDR +dashboard

IPv4

I.P.v.4/CIDR AND 443.https.get.body:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

org:"Company Inc" http.title:dashboard

FOFA

org="Company Name Inc." && title="dashboard"

ZoomEye

organization:"Company" +title:"dashboard"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:dashboard

attacker

My Methodology

Use Cyberspace Engines To Discover

D a s h b o a r d s

org:"Company Inc" dashboard

org="Company Name Inc." && body="dashboard"

organization:"Company" +dashboard

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:dashboard

attacker

Functionalities Workflow



attacker

Sign Up Workflow



attacker

My Methodology

Use These **Words** While Searching About

Sign Up Pages

"sign up"

"new account"

registration

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Sign Up Pages

ssl.cert.subject.cn:"company.com" http.title:"sign up"

_ssl:"company.com" http.title:"sign up"

FOFA cert="company.com" && title="sign up"

FOFA cert.subject="company" && title="sign up"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Sign Up Pages

ssl.cert.subject.cn:"company.com" "sign up"

_ssl:"company.com" "sign up"

FOFA cert="company.com" && body="sign up"

FOFA cert.subject="company" && body"sign up"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Sign Up Pages

ZoomEye

ssl:company.com +title:"sign up"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"sign up"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Sign Up Pages

ZoomEye

ssl:company.com +"sign up"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

asn:ASN Number e.g. AS19551+http.title:"sign up"

FOFA

asn="Number e.g. 19551" && title="sign up"

asn:Number e.g. 19551 +title:"sign up"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

asn:ASN Number e.g. AS19551+"sign up"

FOFA

asn="Number e.g. 19551" && body="sign up"

asn:Number e.g. 19551 +"sign up"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

hostname:company.com http.title:"sign up"

FOFA domain="company.com" && title="sign up"

ZoomEye hostname:company.com +title:"sign up"

Websites company.com AND 443.https.get.title:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

hostname:company.com "sign up"

FOFA

domain="company.com" && body="sign up"

ZoomEye

hostname:company.com +"sign up"

Websites

company.com AND 443.https.get.body:"sign up"

attacker

My Methodology

Find Sign Up Pages With Google

site:*.company.com intitle:"sign up"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

net:"I.P.v.4/CIDR" http.title:"sign up"

FOFA

ip="I.P.v.4/CIDR" && title="sign up"

ZoomEye

cidr:I.P.v.4/CIDR +title:"sign up"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

net:"I.P.v.4/CIDR" "sign up"

ip="I.P.v.4/CIDR" && body="sign up"

cidr:I.P.v.4/CIDR +"sign up"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

org:"Company Inc" http.title:"sign up"

FOFA

org="Company Name Inc." && title="sign up"

ZoomEye

organization:"Company" +title:"sign up"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"sign up"

attacker

My Methodology

Use Cyberspace Engines To Discover

Sign Up Pages

org:"Company Inc" "sign up"

FOFA

org="Company Name Inc." && body="sign up"

ZoomEye

organization:"Company" +"sign up"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"sign up"

Sign Up

First Name

Last Name

Email Address

Password

My Sign Up Checklist

attacker

Log In Workflow



attacker

My Methodology

Use These **Words** While Searching About

Log In Pages

"log in"

"sign in"

login

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Log In Pages

ssl.cert.subject.cn:"company.com" http.title:"log in"

_ssl:"company.com" http.title:"log in"

FOFA cert="company.com" && title="log in"

FOFA cert.subject="company" && title="log in"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Log In Pages

ssl.cert.subject.cn:"company.com" "log in"

_ssl:"company.com" "log in"

FOFA cert="company.com" && body="log in"

FOFA cert.subject="company" && body="log in"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Log In Pages

ssl:company.com +title:"log in"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"log in"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Log In Pages

ssl:company.com +"log in"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

asn:ASN Number e.g. AS19551+http.title:"log in"

FOFA

asn="Number e.g. 19551" && title="log in"

asn:Number e.g. 19551 +title:"log in"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

asn:ASN Number e.g. AS19551+"log in"

FOFA

asn="Number e.g. 19551" && body="log in"

asn:Number e.g. 19551 +"log in"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

hostname:company.com http.title:"log in"

FOFA

domain="company.com" && title="log in"

ZoomEye

hostname:company.com +title:"log in"

Websites

company.com AND 443.https.get.title:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

hostname:company.com "log in"

domain="company.com" && body="log in"

hostname:company.com +"log in"

Websites

company.com AND 443.https.get.body:"log in"

attacker

My Methodology

Find Log In Pages With Google

site:*.company.com intitle:"log in"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

net:"I.P.v.4/CIDR" http.title:"log in"

ip="I.P.v.4/CIDR" && title="log in"

cidr:I.P.v.4/CIDR +title:"log in"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

net:"I.P.v.4/CIDR" "log in"

ip="I.P.v.4/CIDR" && body="log in"

cidr:I.P.v.4/CIDR +"log in"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

org:"Company Inc" http.title:"log in"

FOFA

org="Company Name Inc." && title="log in"

ZoomEye

organization:"Company" +title:"log in"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"log in"

attacker

My Methodology

Use Cyberspace Engines To Discover

Log In Pages

org:"Company Inc" "log in"

org="Company Name Inc." && body="log in"

organization:"Company" +"log in"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"log in"

Log In

Email Address OR Mobile Number

Password

My Log In Checklist

attacker

OAuth Workflow



attacker

My Methodology

Use These Words While Searching About

OAuth Pages

- "log in with"
- "login with"
- "sign up with"
- "signup with"
- "sign in with"
- "signin with"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

OAuth Pages

ssl.cert.subject.cn:"company.com" http.title:"log in with"

_ssl:"company.com" http.title:"log in with"

FOFA cert="company.com" && title="log in with"

FOFA cert.subject="company" && title="log in with"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

OAuth Pages

ssl.cert.subject.cn:"company.com" http.status:302 oauth

ssl:"company.com" http.status:302 oauth

FOFA cert="company.com" && status_code="302" && header="oauth"

FOFA cert.subject="company" && status_code="302" && header="oauth"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

OAuth Pages

ssl.cert.subject.cn:"company.com" oauth

ssl:"company.com" oauth

FOFA

cert="company.com" && body="oauth"

FOFA

cert.subject="company" && body="oauth"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

OAuth Pages

ssl:company.com +title:"log in with"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"log in with"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

OAuth Pages

ssl:company.com +("302 Found" +"oauth")

IPv4

(443.https.tls.certificate.parsed.names:Company.com) AND 443.https.get.status_code:302 AND 443.https.get.body:oauth

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

OAuth Pages

ssl:company.com +"log in with"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

asn:ASN Number e.g. AS19551+http.title:"log in with"

FOFA

asn="Number e.g. 19551" && title="log in with"

asn:Number e.g. 19551 +title:"log in with"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

asn:ASN Number e.g. AS19551 http.status:302 oauth

asn="Number" && status_code="302" && header="oauth"

asn:Number +("302 Found" +"oauth")

IPv4

(autonomous_system.asn:Number) AND 443.https.get.status_code:302 AND 443.https.get.body:oauth

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

asn:ASN Number e.g. AS19551+"log in with"

asn="Number e.g. 19551" && body="log in with"

asn:Number e.g. 19551 +"log in with"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

hostname:company.com http.title:"log in with"

domain="company.com" && title="log in with"

hostname:company.com +title:"log in with"

Websites company.com AND 443.https.get.title:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

hostname:company.com http.status:302 oauth

FOFA domain="company.com" && status_code="302" && header="oauth

ZoomEye hostname:company.com +("302 Found" +"oauth")

Websites company.com AND 443.https.get.status_code:302 AND 443.https.get.body:oauth

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

hostname:company.com "log in with"

domain="company.com" && body="log in with"

hostname:company.com +"log in with"

Websites

company.com AND 443.https.get.body:"log in with"

attacker

My Methodology

Find OAuth Pages With Google

site:*.company.com intitle:"log in with"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

net:"I.P.v.4/CIDR" http.title:"log in with"

ip="I.P.v.4/CIDR" && title="log in"

cidr:I.P.v.4/CIDR +title:"log in with"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

net:"I.P.v.4/CIDR" http.status:302 oauth

ip="I.P.v.4/CIDR" && status_code="302" && header="oauth"

cidr:I.P.v.4/CIDR +("302 Found" +"oauth")

IPv4

(I.P.v.4/CIDR) AND 443.https.get.status_code:302 AND 443.https.get.body:oauth

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

net:"I.P.v.4/CIDR" "log in with"

ip="I.P.v.4/CIDR" && body="log in"

cidr:I.P.v.4/CIDR +"log in with"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

org:"Company Inc" http.title:"log in with"

org="Company Name Inc." && title="log in with"

organization:"Company" +title:"log in with"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"log in with"

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

org:"Company Inc" http.status:302 oauth

org="Company Name Inc." && status_code="302" && header="oauth"

organization:"Company" +("302 Found" +"oauth")

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.status_code:302 AND 443.https.get.body:oauth

attacker

My Methodology

Use Cyberspace Engines To Discover

OAuth Pages

org:"Company Inc" oauth

org="Company Name Inc." && body="oauth"

organization:"Company" +"oauth"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:oauth

OAuth
Sign Up AND Log In
Sing Up With Google
Log In With Apple
My OAuth Checklist

attacker

SSO Workflow



attacker

My Methodology

Use These **Words** While Searching About

Single Sign-On Pages

"sso login"

"login with sso"

SAMLRequest

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Single Sign-On Pages

ssl.cert.subject.cn:"company.com" http.title:"login sso"

_ssl:"company.com" http.title:"login sso"

FOFA cert="company.com" && title="login sso"

FOFA cert.subject="company" && title="login sso"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Single Sign-On Pages

ssl.cert.subject.cn:"company.com" http.status:302 sso

ssl:"company.com" http.status:302 sso

FOFA cert="company.com" && status_code="302" && header="sso"

FOFA cert.subject="company" && status_code="302" && header="sso"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Single Sign-On Pages

ssl.cert.subject.cn:"company.com" "login sso"

_ssl:"company.com" "login sso"

FOFA cert="company.com" && body="login sso"

FOFA cert.subject="company" && body="login sso"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Single Sign-On Pages

ssl:company.com +title:"sso"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"sso"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Single Sign-On Pages

ZoomEye

ssl:company.com +("302 Found" +"sso")

IPv4

(443.https.tls.certificate.parsed.names:Company.com) AND 443.https.get.status_code:302 AND 443.https.get.body:sso

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Single Sign-On Pages

ZoomEye

ssl:company.com +sso

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

asn:ASN Number e.g. AS19551+http.title:"sso"

FOFA

asn="Number e.g. 19551" && title="sso"

ZoomEye

asn:Number e.g. 19551 +title:"sso"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

asn:ASN Number e.g. AS19551 http.status:302 sso

FOFA

asn="Number" && status_code="302" && header="sso"

asn:Number +("302 Found" +"sso")

IPv4

(autonomous_system.asn:Number) AND 443.https.get.status_code:302 AND 443.https.get.body:sso

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

asn:ASN Number e.g. AS19551+sso

FOFA

asn="Number e.g. 19551" && body="sso"

asn:Number e.g. 19551 +sso

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

hostname:company.com http.title:"sso"

FOFA domain="company.com" && title="sso"

ZoomEye hostname:company.com +title:"sso"

Websites company.com AND 443.https.get.title:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

hostname:company.com http.status:302 sso

FOFA

domain="company.com" && status_code="302" && header="sso"

hostname:company.com +("302 Found" +"sso")

Websites

company.com AND 443.https.get.status_code:302 AND 443.https.get.body:sso

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

hostname:company.com sso

FOFA domain="company.com" && body="sso"

ZoomEye hostname:company.com +sso

Websites company.com AND 443.https.get.body:"sso"

attacker

My Methodology

Find Single Sign-On Pages With Google

site:*.company.com intitle:"sso"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

net:"I.P.v.4/CIDR" http.title:"sso"

ip="I.P.v.4/CIDR" && title="sso"

cidr:I.P.v.4/CIDR +title:"sso"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

net:"I.P.v.4/CIDR" http.status:302 sso

ip="I.P.v.4/CIDR" && status_code="302" && header="sso"

cidr:I.P.v.4/CIDR +("302 Found" +"sso")

IPv4

(I.P.v.4/CIDR) AND 443.https.get.status_code:302 AND 443.https.get.body:sso

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

net:"I.P.v.4/CIDR" sso

FOFA ip="I.P.v.4/CIDR" && body="sso"

cidr:I.P.v.4/CIDR +sso

IPv4 I.P.v.4/CIDR AND 443.https.get.body:"sso"

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

org:"Company Inc" http.title:"sso"

FOFA

org="Company Name Inc." && title="sso"

ZoomEye

organization:"Company" +title:"sso"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:sso

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

org:"Company Inc" http.status:302 sso

org="Company Name Inc." && status_code="302" && header="sso"

organization:"Company" +("302 Found" +"sso")

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.status_code:302 AND 443.https.get.body:sso

attacker

My Methodology

Use Cyberspace Engines To Discover

Single Sign-On Pages

org:"Company Inc" sso

org="Company Name Inc." && body="sso"

organization:"Company" +sso

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:sso

SSO
Single Sign-On
My SSO Checklist

attacker

Reset Password Workflow



attacker

My Methodology

Use These **Words** While Searching About

Reset Password Pages

- reset pass
- forget
- password

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Reset Password Pages

ssl.cert.subject.cn:"company.com" http.title:"password"

_ssl:"company.com" http.title:"password"

FOFA

cert="company.com" && title="password"

FOFA

cert.subject="company" && title="password"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Reset Password Pages

ssl.cert.subject.cn:"company.com" "reset pass"

_ssl:"company.com" "reset pass"

FOFA cert="company.com" && body="reset pass"

FOFA cert.subject="company" && body="reset pass"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Reset Password Pages

ZoomEye

ssl:company.com +title:"password"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"password"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Reset Password Pages

ZoomEye

ssl:company.com +"reset pass"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"reset pass"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

asn:ASN Number e.g. AS19551+http.title:"password"

FOFA

asn="Number e.g. 19551" && title="password"

ZoomEye

asn:Number e.g. 19551 +title:"password"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"password"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

asn:ASN Number e.g. AS19551+"reset pass"

FOFA

asn="Number e.g. 19551" && body="reset pass"

asn:Number e.g. 19551 +"reset pass"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"reset pass"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

hostname:company.com http.title:"password"

FOFA domain="company.com" && title="password"

ZoomEye hostname:company.com +title:"password"

Websites company.com AND 443.https.get.title:"password"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

hostname:company.com "reset pass"

FOFA domain="company.com" && body="password"

ZoomEye hostname:company.com +"reset pass"

Websites company.com AND 443.https.get.body:"reset pass"

attacker

My Methodology

Find Reset Password Pages With Google

site:*.company.com intitle:"password"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

net:"I.P.v.4/CIDR" http.title:"password"

FOFA ip="I.P.v.4/CIDR" && title="password"

ZoomEye cidr:I.P.v.4/CIDR +title:"password"

IPv4 I.P.v.4/CIDR AND 443.https.get.title:"password"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

net:"I.P.v.4/CIDR" "reset pass"

ip="I.P.v.4/CIDR" && body="reset pass"

cidr:I.P.v.4/CIDR +"reset pass"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"reset pass"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

org:"Company Inc" http.title:"password"

FOFA

org="Company Name Inc." && title="password"

ZoomEye

organization:"Company" +title:"password"

IPv4

443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"reset pass"

attacker

My Methodology

Use Cyberspace Engines To Discover

Reset Password Pages

org:"Company Inc" "password"

org="Company Name Inc." && body="password"

organization:"Company" +"password"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"password"

A T O

Reset Password

Email Address OR Mobile Number

My resetPASS Checklist

attacker

File Upload Workflow



attacker

My Methodology

Use These **Words** While Searching About

File Upload Pages

"file upload"

upload

uploading

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

File Upload Pages

ssl.cert.subject.cn:"company.com" http.title:"upload"

_ssl:"company.com" http.title:"upload"

FOFA cert="company.com" && title="upload"

FOFA cert.subject="company" && title="upload"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

File Upload Pages

ssl.cert.subject.cn:"company.com" "upload"

_ssl:"company.com" "upload"

FOFA cert="company.com" && body="upload"

FOFA cert.subject="company" && body="upload"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

File Upload Pages

ZoomEye

ssl:company.com +title:"upload"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"upload"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

File Upload Pages

ZoomEye

ssl:company.com +"upload"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

asn:ASN Number e.g. AS19551+http.title:"upload"

FOFA

asn="Number e.g. 19551" && title="upload"

asn:Number e.g. 19551 +title:"upload"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

asn:ASN Number e.g. AS19551+"upload"

asn="Number e.g. 19551" && body="upload"

asn:Number e.g. 19551 +"upload"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

hostname:company.com http.title:"upload"

FOFA domain="company.com" && title="upload"

ZoomEye hostname:company.com +title:"upload"

Websites company.com AND 443.https.get.title:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

hostname:company.com "upload"

domain="company.com" && body="upload"

hostname:company.com +"upload"

Websites

company.com AND 443.https.get.body:"upload"

attacker

My Methodology

Find File Upload Pages With Google

site:*.company.com intitle:"upload"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

net:"I.P.v.4/CIDR" http.title:"upload"

ip="I.P.v.4/CIDR" && title="upload"

cidr:I.P.v.4/CIDR +title:"upload"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

net:"I.P.v.4/CIDR" "upload"

ip="I.P.v.4/CIDR" && body="upload"

cidr:I.P.v.4/CIDR +"upload"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

org:"Company Inc" http.title:"upload"

org="Company Name Inc." && title="upload"

organization:"Company" +title:"upload"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"upload"

attacker

My Methodology

Use Cyberspace Engines To Discover

File Upload Pages

org:"Company Inc" "upload"

org="Company Name Inc." && body="upload"

organization:"Company" +"upload"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"upload"

File Upload

Upload File From Your Computer

My File Upload Checklist

attacker

Settings Workflow



attacker

My Methodology

Use These **Words** While Searching About

Settings Pages

settings

"edit profile"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Settings Pages

ssl.cert.subject.cn:"company.com" http.title:"settings"

_ssl:"company.com" http.title:"settings"

FOFA cert="company.com" && title="settings"

FOFA cert.subject="company" && title="settings"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Settings Pages

ssl.cert.subject.cn:"company.com" "settings"

_ssl:"company.com" "settings"

FOFA cert="company.com" && body="settings"

FOFA cert.subject="company" && body="settings"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Settings Pages

ZoomEye

ssl:company.com +title:"settings"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"settings"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Settings Pages

ZoomEye

ssl:company.com +"settings"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

asn:ASN Number e.g. AS19551+http.title:"settings"

FOFA

asn="Number e.g. 19551" && title="settings"

asn:Number e.g. 19551 +title:"settings"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

asn:ASN Number e.g. AS19551+"settings"

FOFA

asn="Number e.g. 19551" && body="settings"

ZoomEye

asn:Number e.g. 19551 +"settings"

IPv4

(autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

hostname:company.com http.title:"settings"

FOFA domain="company.com" && title="settings"

ZoomEye hostname:company.com +title:"settings"

Websites company.com AND 443.https.get.title:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

hostname:company.com "settings"

domain="company.com" && body="settings"

hostname:company.com +"settings"

Websites

company.com AND 443.https.get.body:"settings"

attacker

My Methodology

Find Settings Pages With Google

site:*.company.com intitle:"settings"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

net:"I.P.v.4/CIDR" http.title:"settings"

ip="I.P.v.4/CIDR" && title="settings"

cidr:I.P.v.4/CIDR +title:"settings"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

net:"I.P.v.4/CIDR" "settings"

ip="I.P.v.4/CIDR" && body="settings"

cidr:I.P.v.4/CIDR +"settings"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

org:"Company Inc" http.title:"settings"

org="Company Name Inc." && title="settings"

organization:"Company" +title:"settings"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"settings"

attacker

My Methodology

Use Cyberspace Engines To Discover

Settings Pages

org:"Company Inc" "settings"

org="Company Name Inc." && body="settings"

organization:"Company" +"settings"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"settings"

Settings

Edit - Add - Remove



My Settings Checklist

attacker

Contact Support Team Workflow



attacker

My Methodology

Use These **Words** While Searching About

Contact Support Pages

support

"contact us"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Contact Support Pages

ssl.cert.subject.cn:"company.com" http.title:"support"

_ssl:"company.com" http.title:"support"

FOFA cert="company.com" && title="support"

FOFA cert.subject="company" && title="support"

attacker

My Methodology

Use Shodan AND Fofa Engines To Discover

Contact Support Pages

ssl.cert.subject.cn:"company.com" "support"

_ssl:"company.com" "support"

FOFA cert="company.com" && body="support"

FOFA cert.subject="company" && body="support"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Contact Support Pages

ZoomEye

ssl:company.com +title:"support"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.title:"support"

attacker

My Methodology

Use Zoomeye AND Censys Engines To Discover

Contact Support Pages

ZoomEye

ssl:company.com +"support"

IPv4

(443.https.tls.certificate.parsed.names:company.com) AND 443.https.get.body:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

asn:ASN Number e.g. AS19551+http.title:"support"

FOFA asn="Number e.g. 19551" && title="support"

ZoomEye asn:Number e.g. 19551 +title:"support"

IPv4 (autonomous_system.asn:Number e.g. 19551) AND 443.https.get.title:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

asn:ASN Number e.g. AS19551+"support"

FOFA asn="Number e.g. 19551" && body="support"

ZoomEye asn:Number e.g. 19551 +"support"

IPv4 (autonomous_system.asn:Number e.g. 19551) AND 443.https.get.body:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

hostname:company.com http.title:"support"

domain="company.com" && title="support"

hostname:company.com +title:"support"

Websites

company.com AND 443.https.get.title:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

hostname:company.com "support"

FOFA domain="company.com" && body="support"

ZoomEye hostname:company.com +"support"

Websites company.com AND 443.https.get.body:"support"

attacker

My Methodology

Find Contact Support Pages With Google

site:*.company.com intitle:"support"

Google Search

I'm Feeling Lucky

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

net:"I.P.v.4/CIDR" http.title:"support"

ip="I.P.v.4/CIDR" && title="support"

cidr:I.P.v.4/CIDR +title:"support"

IPv4

I.P.v.4/CIDR AND 443.https.get.title:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

net:"I.P.v.4/CIDR" "support"

ip="I.P.v.4/CIDR" && body="support"

cidr:I.P.v.4/CIDR +"support"

IPv4

I.P.v.4/CIDR AND 443.https.get.body:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

org:"Company Inc" http.title:"support"

org="Company Name Inc." && title="support"

organization:"Company" +title:"support"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.title:"support"

attacker

My Methodology

Use Cyberspace Engines To Discover

Contact Support Pages

org:"Company Inc" "support"

org="Company Name Inc." && body="support"

organization:"Company" +"support"

IPv4 443.https.tls.certificate.parsed.subject.organization:"Company Inc" AND 443.https.get.body:"support"

Contact

Support Of The Company

Email Address

Describe Your Issue

Message

My Contact Team Checklist

Thank You

Mahmoud M. Awali

@0xAwali