# INFO 2602 Lab 4 Collection

# **GET Root**

```
https://uwidict-todo-api.herokuapp.com
```

```
Example Request Root
```

```
curl --location --request GET 'https://uwidict-todo-api.herokuapp.com'
```

Example Response 200 OK

# **GET Identify User**

https://uwidict-todo-api.herokuapp.com/identify

#### **AUTHORIZATION**

API Key

# Key

<key>

# **HEADERS**

Example Request Identify User

```
curl --location --request GET 'https://uwidict-todo-api.herokuapp.com/identify'
```

Example Response 200 OK

```
Body Header (5)
```

```
{
   "email": "bob@mail.com",
   "id": 1,
   "num_done": 0,
   "num_todos": 2,
   "password": "sha256$wFW3HRhP$b2a684951212353a37458cd652a35e3f5220c38e49b4a160e7ec059fb689d902",
   "username": "bob"
}
```

# **POST Sign Up**

https://uwidict-todo-api.herokuapp.com/signup

# **HEADERS**

#### **Content-Type**

application/json

#### **BODY** raw

```
"username":"bob",
"email":"bob@mail.com",
"password":"bobpass"
}
```

Example Request New user ▼

```
curl --location --request POST 'https://uwidict-todo-api.herokuapp.com/signup' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username":"bob",
    "email":"bob@mail.com",
    "password":"bobpass"
}'
```

Example Response 200 OK

```
Body Header(7)
{
   "message": "user created"
}
```

# **POST Login**

https://uwidict-todo-api.herokuapp.com/auth

Logs in the user

# **HEADERS**

# **Content-Type**

application/json

# **BODY** raw

```
{
    "username":"bob",
    "password":"bobpass"
}
```

Example Request Success ▼

```
curl --location --request POST 'https://uwidict-todo-api.herokuapp.com/auth' \
--header 'Content-Type: application/json' \
--data-raw '{
    "username":"bob",
    "password":"bobpass"
```

**Documentation Settings** 

```
}'
```

Example Response 200 OK

```
Body Header(7)

{
    "access_token": "eyJ@eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJleHAiOjE10DkxNzU30DgsImlhdCI6MTU40DU3MDk40C
}
```

# **POST Create Todo**

https://uwidict-todo-api.herokuapp.com/todos

#### **AUTHORIZATION**

**API** Key

#### Key

<key>

#### Value

<value>

# **HEADERS**

# **Authorization**

**IWT** 

 $eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9. eyJleHAiOjE1ODkxNTI1NDAsImlhdCl6MTU4ODU0Nzc0MCwibmJmIjoxNTg4NTQ3Nz\\ QwLCJpZGVudGl0eSl6MX0.bCFpfOP0q5LK6BR5T9HB07Wz64Dv6G1pib\_BavyYl8M\\$ 

# **Content-Type**

application/json

# **BODY** raw

```
{
    "text": "go grocery"
}
```

Example Request

```
\equiv
```

#### **GET GET Todos**

https://uwidict-todo-api.herokuapp.com/todos

# **AUTHORIZATION**

**API Key** 

# Key

<key>

#### Value

<value>

#### **HEADERS**

# **Authorization**

JWT

 $eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJleHAiOjE1ODkxNTI1NDAsImlhdCl6MTU4ODU0Nzc0MCwibmJmIjoxNTg4NTQ3Nz\\ QwLCJpZGVudGl0eSl6MX0.bCFpfOP0q5LK6BR5T9HB07Wz64Dv6G1pib\_BavyYl8M$ 

Example Request GET Todos

Example Response 200 OK

```
Body Header (7)
```

```
{
    "id": 1,
    "text": "washcar",
    "userid": 1,
    "done": false
},
{
    "id": 2,
```

"text": "do laundry",

**View More** 

# **GET GET Todo**

https://uwidict-todo-api.herokuapp.com/todos/:todold

#### **AUTHORIZATION**

**API** Key

#### Key

<key>

#### Value

<value>

#### **HEADERS**

#### **Authorization**

JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJleHAiOjE1ODM2NDUzODIsImlhdCl6MTU4MzA0MDU4MiwibmJmljoxNTgzMDQwNTgyLCJpZGVudGl0eSl6M30.hJQpnJs6ONRH3JoTLOQsl0HqYfVF2WSHpbUxAGUtD5Q

# **PATH VARIABLES**

#### todold

2

Example Request GET Todo

```
\equiv
```

```
curl --location --request GET 'https://uwidict-todo-api.herokuapp.com/todo/2' \
--header 'Authorization: JWT eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJleHAi0jE10DM2NDUz0DIsImlhdCI6MTU4
```

```
Example Response

200 OK

Body Header (7)

{
    "id": 2,
    "text": "do laundry",
    "userid": 1,
    "done": false
}
```

# **PUT Update Todo**

https://uwidict-todo-api.herokuapp.com/todos/:todold

#### **AUTHORIZATION**

**API Key** 

# Key

<key>

#### Value

<value>

# **HEADERS**

#### **Authorization**

JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJleHAiOjE1ODM2NDUzODIsImlhdCl6MTU4MzA0MDU4MiwibmJmljoxNTgzMDQwNTgyLCJpZGVudGl0eSl6M30.hJQpnJs6ONRH3JoTLOQsl0HqYfVF2WSHpbUxAGUtD5Q

# **Content-Type**

application/json

#### **PATH VARIABLES**

#### todold

```
BODY raw
```

```
Tocumentation Settings

{
    "done": true
}
```

Example Request Update Todo

```
curl --location --request PUT 'https://uwidict-todo-api.herokuapp.com/todo/3' \
--header 'Authorization: JWT eyJ@eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJleHAiOjE10DM2NDUzODIsImlhdCI6MTU4
--header 'Content-Type: application/json' \
--data-raw '{
    "done": true
}'
```

Example Response

201 CREATED

```
Body Header (7)
{
   "message": "Updated"
```

# **DEL Delete Todo**

https://uwidict-todo-api.herokuapp.com/todos/:todold

# **AUTHORIZATION**

**API Key** 

# Key

<key>

# Value

<value>

#### **HEADERS**

# Authorization

JWT

 $eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJleHAiOjE1ODM2NDUzODIsImlhdCl6MTU4MzA0MDU4MiwibmJmljoxNTgzMDQw\\NTgyLCJpZGVudGl0eSl6M30.hJQpnJs6ONRH3JoTLOQsl0HqYfVF2WSHpbUxAGUtD5Q$ 

**Gontent-Type** 

application/json

# **PATH VARIABLES**

#### todold

1

Example Request Delete Todo

**Documentation Settings** 

```
curl --location --request DELETE 'https://uwidict-todo-api.herokuapp.com/todo/2' \
--header 'Authorization: JWT eyJ0eXAi0iJKV1QiLCJhbGci0iJIUzI1NiJ9.eyJleHAi0jE10DM2NDUz0DIsImlhdCI6MTU4
--header 'Content-Type: application/json' \
--data-raw ''
```

Example Response 200 OK

```
Body Header (7)
```

```
{
   "message": "Deleted"
}
```

# **GET Get Todo Stats**

https://uwidict-todo-api.herokuapp.com/stats/todos

Gets statistics on a user's todos

# **AUTHORIZATION**

**API** Key

Key

<key>

Value

<value>

Example Request Get Todo Stats

Documentation Settings

```
curl --location --request GET 'https://uwidict-todo-api.herokuapp.com/stats/todos'
```

Example Response 200 OK

```
Body Header (5)
{
   "num_done": 0,
   "num_todos": 3
```

 $\equiv$