Date:

Section 1: Data Protection Mechanisms in Health-c
-are

Healthcare organizations are primary targets for cyber-attacks due to the high black market value of protected Health Information (PHI).

Data Anonymization (The Privacy Pillar):
Beyond simple masking reasearch-grade anonymization utilizes Differential Privacy. By adding mathematicl "noise" to a dataset we ensure that an individual's presence in a database can't be reverse-engineered, even if the attacker has access to extanal auxiliary data.

Tokenization (The security Pillar):

Unlike encryption, which relies on reversible mathematical tokenization replaces sensitive data with UUID. The De-tokenization process occurs only within hardened PCI-DSS or HIPAA Compliant vault significantly reducing the attack surface of the primary application databases.

Page:
Date:

Data Loss Prevention (DLP)

Modern DLP utilizes Regex and Machine Learning to identify sensitive patterns. In a healthcare cloud DLP monitors Data in use (endpoint) Data in motion" network to prevent unauthorized exfiltration.

Risk Identification and solution

Risk	
Insider Threats (unauthorized access by employees)	Implement RBAC and Principle of Least Privilege.
Data Breach in Transit	Enforce TLS.1.3 for all data moving between the hospital and the cloud.
Re-identification Attacks	Use L-Diversity or T-Closeness alongside anonymization to prevent linking data sets

Page:
Date:

2 Network & Infrastructure Security.

Scenario: A cloud-based organization is under frequent network layer attack (DDoS, MitM)

A Secure Architecture Design

To mitigate frequent attack we move away from static hardware and utilize a Software-Defined Architecture

1 Software-Defined Network (SDN):
By separating the control plane from the Data Plane we can programmatically reroute or block during an attack without manually reconfiguring hardware

2 Vlan (virtual LAN)

we segment the network into logical zones (eg. Public-facing web zone Internal App) This prevent an attacker who breaches the web server from reaching the patient database

Page:
Date:

IDS (Intrusion Detection System)

we deploy NIDS (Network based) to monitor traffic patterns for anomalies and HIDS (Host-based) or individual cloud instances to detect unauthorized file change.

B Strategic Defense workflow

Detection: The IDS identifies a signature of a SQL injection attempt

Isolation: The SDN Controller triggers a rule to isolate the affected Containers

Containment: Because the database is a separate VLAN the lateral movement is blocked.

Technical Implemention

As a developer, I ensure these principle are applied in the code

→ Environment security: Storing database Credentials in .env files (never hard coded)

→ Middle ware: Implementing helmet.js in express to secure HTTP headers