Arc Network

Copy page

An open Layer-1 blockchain purpose-built for onchain finance with stablecoins, deterministic finality, and predictable fees.

Arc is an EVM-compatible Layer-1 blockchain designed for onchain finance. It combines **predictable fiat-based fees** using stablecoins as gas, **sub-second deterministic finality**, and **opt-in configurable privacy** to support payments, lending, capital markets, and FX at scale.

Key features

Arc is purpose-built for real-world economic activity, not general-purpose computation. Each design choice directly supports the needs of financial applications.

Stable fee design

Transaction fees are denominated in USDC, so costs stay predictable regardless of token volatility.

Deterministic finality

Transactions finalize in under one second with no risk of chain reorganization.

Opt-in privacy

Confidential transfers and selective disclosure for regulated use cases, available when you need them.

EVM compatibility

Deploy existing Solidity contracts and use standard Ethereum tooling like Hardhat, Foundry, and Viem.

Network architecture

Arc separates consensus from execution so each layer can optimize independently while maintaining full compatibility with the Ethereum ecosystem.

- **Consensus layer**: Built on Malachite, a BFT consensus engine designed for sub-second finality and high throughput. A permissioned validator set provides security and compliance guarantees while keeping the network open for developers and users.
- **Execution layer**: Runs the EVM, so Solidity contracts, development tools, and wallet infrastructure work without modification.

For a complete view of how the layers interact, see the **system overview**.

Stablecoins on Arc

USDC is the native **gas token** on Arc, so transaction fees are denominated in dollars and you don't need to hold or manage a separate token to transact. The base fee targets $0.01 per transaction and uses an **EIP-1559-style smoothing mechanism** to keep costs predictable even under varying network load.

Arc also supports EURC for euro-denominated transfers. Both USDC and EURC are available on the **Circle Faucet** for testnet development, and their contract addresses are listed on the **contract addresses** page.

Network details

Property	Value
Consensus	Malachite BFT
Execution environment	EVM
Gas token	USDC
Finality	Deterministic, sub-second
Validator participation	Permissioned
Developer access	Permissionless

For RPC endpoints, chain ID, and connection details, see **Connect to Arc**. For deployed contract addresses, see **contract addresses**.

Start building

Ready to build on Arc? Head to the **Build** section for quickstarts and tutorials covering smart contract deployment, stablecoin transfers, crosschain bridging, and AI agent integration.

Was this page helpful? Yes No

Deterministic finality and settlement ›

Links

Network status

Blog

Community

Arc homepage

Resources

Terms of service

Privacy policy

Cookie policy

Powered by **mintlify**

By using the Arc Network Testnet, you agree to the Terms of Service and Privacy Policy.