Network

Contract addresses

Copy page

Arc contract addresses for USDC, EURC, and crosschain components such as CCTP and Gateway.

Stablecoins

Stablecoins are the foundation of the Arc ecosystem, supporting a growing set of fiat-backed and yield-bearing tokens. These assets provide price stability, onchain yield, and multi-currency support for payments, FX, and financial applications. The ERC-20 functions affect native balance movements.

USDC

USDC is the native EVM asset on Arc and is used for gas fees. The native balance, consistent with most EVM implementations, expresses the balance up to 18 decimals of precision.

An optional USDC ERC-20 interface is also available for developers who need ERC-20 features such as `transferFrom`, `approve`, and allowance management. The ERC-20 function call directly affects native USDC balance movements.

Contract	Address	Notes
USDC	`0x3600000000000000000000000000000000000000`	Optional ERC-20 interface for interacting with the native USDC balance. Uses 6 decimals.

Getting testnet USDC: You can request USDC on Arc Testnet from the **Circle Faucet**. USDC is required to pay for gas and interact with contracts on Arc.

Note: As with any ERC-20 token, always use the `decimals()` function to interpret balances and transfer amounts accurately. On Arc, the **native USDC gas token** uses 18 decimals of precision, while the **USDC ERC-20 interface** uses 6 decimals. Avoid mixing these values directly, as doing so may result in incorrect balance handling. For applications integrating USDC, it's recommended to rely solely on the standard ERC-20 interface for reading balances and sending transfers.

EURC

EURC is the euro-denominated stablecoin issued by Circle and supported natively on Arc for use in payments, FX, and other financial applications.

Contract	Address	Notes
EURC	`0x89B50855Aa3bE2F677cD6303Cec089B5F319D72a`	Main EURC token contract. Uses 6 decimals.

Getting testnet EURC: Testnet EURC can be requested from the **Circle Faucet**. Select **Arc Testnet** as the network and **EURC** as the token to receive a small test allocation.

USYC

USYC is a yield-bearing token issued by Circle International Bermuda Ltd. and supported on Arc for institutional and DeFi use cases. It represents shares of a tokenized money market fund backed by short-duration U.S. Treasury securities, offering onchain access to regulated, low-risk yield.

USYC is only accessible to institutions outside the United States, subject to eligibility restrictions and a $100,000 USD minimum investment. See **USYC Document Certification Requirements** for more information.

Contract	Address	Notes
USYC	`0xe9185F0c5F296Ed1797AaE4238D26CCaBEadb86C`	The main USYC token contract representing tokenized money market fund shares. Uses 6 decimals.
Entitlements	`0xcc205224862c7641930c87679e98999d23c26113`	Manages allowlisted access and entitlement controls for permissioned addresses on the Arc Testnet.
Teller	`0x9fdF14c5B14173D74C08Af27AebFf39240dC105A`	Contract used to mint and redeem testnet USYC from testnet USDC once your wallet is allowlisted.

Getting testnet USYC:

1. Obtain testnet USDC from the **Circle Faucet**.
2. Request allowlisting by opening a ticket with **Circle Support** and include your Arc Testnet wallet address. Requests are typically processed in 24–48 hours.
3. Once approved, call the USYC Teller contract or interact with the **USYC Portal** to deposit testnet USDC and receive testnet USYC.

For more information on issuance, redemption, and eligibility, see **USYC Overview**.

Crosschain

The contracts below enable crosschain interoperability between Arc and other blockchains through Circle's **Cross-Chain Transfer Protocol** (CCTP) and **Gateway**. CCTP handles crosschain message passing and stablecoin transfers, while Gateway provides chain-abstracted USDC balances for seamless liquidity movement.

CCTP

Contract	Domain	Address
TokenMessengerV2	26	`0x8FE6B999Dc680CcFDD5Bf7EB0974218be2542DAA`
MessageTransmitterV2	26	`0xE737e5cEBEEBa77EFE34D4aa090756590b1CE275`

Contract	Domain	Address
TokenMinterV2	26	`0xb43db544E2c27092c107639Ad201b3dEfAbcF192`
MessageV2	26	`0xbaC0179bB358A8936169a63408C8481D582390C4`

Gateway

Contract	Domain	Address
GatewayWallet	26	`0x0077777d7EBA4688BDeF3E311b846F25870A19B9`
GatewayMinter	26	`0x0022222ABE238Cc2C7Bb1f21003F0a260052475B`

Payments and settlement

Arc provides payment and settlement contracts that enable foreign exchange and onchain settlement workflows using stablecoins. These components support application-level use cases such as FX execution and escrow-based settlement.

StableFX

StableFX is an enterprise-grade stablecoin FX engine that combines Request-for-Quote (RFQ) execution with onchain settlement on Arc. The following is the address for the escrow contract used to settle stablecoin swaps.

Contract	Address	Notes
FxEscrow	`0x867650F5eAe8df91445971f14d89fd84F0C9a9f8`	The escrow contract used by both makers and takers to settle stablecoin swaps.

> Before executing FX trades, StableFX must be able to transfer USDC from your wallet. To enable this, you need to grant a USDC allowance to the Permit2 contract. See **Common Ethereum contracts** for the Permit2 address.

Common Ethereum contracts

Arc Testnet includes a set of widely used Ethereum ecosystem contracts for deterministic deployment, batched reads, and standardized token approvals. Although not Circle-managed, these contracts are deployed on Arc to ensure compatibility with common EVM tooling and workflows.

Contract	Address	Notes
CREATE2 Factory (Arachnid)	`0x4e59b44847b379578588920cA78FbF26c0B4956C`	Minimal proxy for deterministic contract deployment using the `CREATE2` opcode.
Multicall3	`0xcA11bde05977b3631167028862bE2a173976CA11`	Aggregates multiple read calls into a single call for efficient data retrieval.
Permit2	`0x000000000022D473030F116dDEE9F6B43aC78BA3`	Universal contract for signature-based token approvals. Required for StableFX.

Was this page helpful? Yes No

‹ Architecture Consensus layer ›

Powered by mintlify

By using the Arc Network Testnet, you agree to the Terms of Service and Privacy Policy.