

OXSCANS

TensorNode

Al Generated at 03:37 PM, UTC

March 11, 2024

OVERVIEW

This audit has been perpared for 'TensorNode' to review the main aspects of the project to help investors make an informative decision during their research process

You will find a summarized review of the following key points:




Table of Content

1 General Info
2 General Analysis
3 Vulnerability check
4 Threat Analysis
5 Risks & Recommendations
6 Conclusions
7 Disclaimer

General Information

TensorNode Name TensorNode Info

General Information

Tokenomics

Contract Address

0x81841bc0cf65834ce64ce987e8b094781222b595

General Analysis

Audit Review Process

- Testing the smart contracts against both common and uncommon vulnerabilities
- Assessing the codebase to ensure compliance with current best practices and industry standards
- Ensuring contract logic meets the specifications and intentions of the client
- Cross referencing contract structure and implementation against similar smart contracts produced by industry leaders
- Thorough line-byline Al review of the entire codebase by industry

Token Transfer Stats

Transactions (Latest Mine Block)

Token holders

Compiler



4



620



v0.8.23

Smart Contract Stats

Functions

Events

Constructor



19




4



1

Threat Level High Issues on this level are critical to the smart contract's performace/functionality and should be fixed before moving to a live enviroment Issues on this level are critical to the smart contract's performace/functionality and should be fixed before moving to a live enviroment Low Issues on this level are minor details and warning that can remain unfixed Informational Informational level is to offer suggestions for improvement of efficacy or secruity for fratures with risk free factor





Detail Analysis 14 Passed 7 Fail				
CATEGORY	STATUS	NOTES		
Arbitrary Jump/Storage Write	•	No arbitrary jumps or storage writes detected, standard ERC20 and Ownable patterns used.		
Centralization of Control	•	No risk of centralization as the contract owner is a dead address.		
Compiler Issues	•	Compiled with a recent Solidity version (v0.8.23) without known compiler issues.		
Delegate Call to Untrusted Contract	•	No delegate calls to external contracts present in the contract.		
Dependence on Predictable Variables	•	No critical dependence on variables like block.timestamp or block.number.		

Detail Analysis 14 Passed 7 Fail				
CATEGORY	STATUS	NOTES		
Ether/Token Theft		Standard ERC20 transfer mechanisms, no functions that could lead to Ether or token theft.		
Flash Loans		Flash loan attack vectors not applicable, no external calls or token price dependencies.		
Front Running		Some functions might be susceptible to front-running due to public visibility and transfer mechanics, although no direct financial risk observed.		
Improper Events	•	All external state-changing functions emit appropriate events.		
Improper Authorization Scheme		Centralized authorization scheme with 'onlyOwner', potential risk if the owner is compromised.		
Integer Over/Underflow		Solidity 0.8.23 inherently protects against integer overflow and underflow.		

Detail Analysis 14 Passed 7 Fail					
CATEGORY	STATUS	NOTES			
Logical Issues		Logic appears sound, but some custom functions like 'openTrading' and 'manualSwap' need careful review to ensure they behave as intended.			
Oracle Issues		No external oracles or dependencies on off-chain data.			
Outdated Compiler Version	•	Compiled with a recent and stable version of Solidity.			
Race Conditions		Potential for race conditions in functions like 'transfer' and 'approve', common in ERC20 tokens.			
Reentrancy		No external calls that could lead to reentrancy attacks.			
Signature Issues	•	No signature-based functionalities in the contract.			

Detail Analysis	• 14 Passed	7 Fail
CATEGORY	STATUS	NOTES
Sybil Attack		While not directly vulnerable, ERC20 tokens can potentially be affected by sybil attacks in broader ecosystem.
Unbounded Loops	•	No unbounded loops that could lead to gas limit issues.
Unused Code		Some code paths are not used in current contract logic but do not pose a risk.
Overall Contract Safety		While the contract follows common ERC20 and Ownable patterns, the presence of a dead owner address reduces centralization risk.

Market Analysis





Oxscans operates as an automated system for smart contract due diligence, acknowledging the possibility of bugs or vulnerabilities impacting token values. We do not hold specific obligations regarding your trading outcomes or the utilization of audit content. Users release Oxscans from any liability associated with content obtained through the tool.



Al generated by Oxscans Al technology

Chat with us

Telegram

For more information. Visit below:

Twitter

Github