

Dash - Cat etc passwd
Can you cat /etc/passwd?

Summary: This document has been made by @42Tokyo

		1				
$\mathbf{\Omega}$	$\mathbf{n}$	T 4	വ	n.	$\Gamma$	7
V	11	υ·	ر ب	LL	しん	)

Ι	Foreword	2
II	Objective	3
III	Instructions	4
IV	Exercise 00 : cat /etc/passwd	5

## Chapter I Foreword "How ????????" - O.o

## Chapter II Objective


Create the smallest shell script which cat the /etc/passwd file but you can only use 3 specific alphabetic characters.

## Chapter III Instructions

- This dash is a solo project.
- You are allowed to use these alphabetic characters: 'c', 'a', 't'.
- You are allowed to use non-alphabetic characters such as '/'.
- Evaluation will be done on 42 Tokyo's Mac.
- $\bullet\,$  make sure your script run.

## Chapter IV

Exercise 00: cat /etc/passwd



```
c1r10s1% grep "[bdefghijklmnopqrsuvwxyzBDEFGHIJKLMNOPQRSUVWXYZ]" cat_etc_passwd.sh
c1r10s1%
c1r10s1% sh cat_etc_passwd.sh
# System-wide .bashrc file for interactive bash(1) shells.
....
_reportmemoryexception:*:269:269:ReportMemoryException:/var/db/reportmemoryexception:/usr/bin/false
c1r10s1%
```