



Dash - Encrypted Born2Code

Can you hide the string "Born2Code" ?

Summary: This document has been made by @42Tokyo

Contents

I	Foreword	2
II	Objective	3
III	Instructions	4
IV	Exercise 00 : Encrypted Born2Code	5

Chapter I

Foreword

"What if we use 100% of our brain?"

Chapter II

Objective

Create the smallest script that prints `Born2Code`.
Your script should not contain these strings `"Born"`, `"2"`, `"Code"`.


Chapter III

Instructions

- make sure your script run.
- Your program should never unexpectedly quit(Segfault for example).
- Evaluation will be done on 42 Tokyo's Mac.
- This dash is a solo project.

Chapter IV

Exercise 00 : Encrypted Born2Code

	Exercise 00
Encrypted Born2Code	
Turn-in directory : <i>ex00/</i>	
Files to turn in : born2code.sh	
Allowed functions : *	

- Turn in your script inside the turn-in repository.
- script should be named **born2code.sh**.
- Your program should display :

```
$>sh born2code.sh | cat -e
Born2Code$
$>
```

- this command line should not output anything :

```
$>grep -E "(Born|2|Code)" born2code.sh
$>
```



Don't use any programming language!No Python! No Ruby! etc...



Shell Script