






tugas3
localhost:5173/admin
Admin
Dashboard
Mahasiswa
Mahasiswa
Daftar Mahasiswa
+ Tambah Mahasiswa
NIM
Nama
Aksi
A11.2020.13139
Rizqy Akbar Dinul Putra
Edit
Hapus
2521120078
Natha Wijaya
Edit
Hapus
© 2026 PSK-4701. All rights reserved.


Document1 - Word
Admin
Dashboard
Mahasiswa
Daftar Mahasiswa
+ Tambah Mahasiswa
NIM
Nama
Aksi
C:\Windows\system32\cmd.exe
C:\xampp\htdocs\PSK-4701\tugas3>npm run dev
> tugas3@0.0.0 dev
> vite
08.33.40 [vite] (client) Re-optimizing dependencies because lockfile has changed
VITE v8.3.1 ready in 606 ms
Local: http://localhost:5173/
Network: use --host to expose
press h + enter to show help
08.35.12 [vite] (client) hmr update /src/pages/Login.jsx, /src/index.css
08.37.08 [vite] (client) hmr update /src/index.css, /src/components/Input.jsx
08.37.25 [vite] (client) hmr update /src/index.css, /src/components/Modal.jsx
08.39.32 [vite] (client) hmr update /src/index.css, /src/components/Button.jsx
08.39.34 [vite] (client) hmr update /src/pages/Admin.jsx, /src/index.css
08.45.25 [vite] (client) hmr update /src/index.css
08.46.34 [vite] (client) hmr update /src/index.css (x2)
08.46.35 [vite] (client) hmr update /src/index.css (x3)
08.46.35 [vite] (client) hmr update /src/index.css (x4)
08.50.04 [vite] (client) hmr update /src/index.css, /src/components/Modal.jsx
08.52.29 [vite] (client) hmr update /src/index.css, /src/components/Modal.jsx (x2)
08.52.43 [vite] (client) hmr update /src/index.css
08.53.48 [vite] (client) page reload src/main.jsx
Page 1 of 1
0 words
English (United States)
Type here to search
ENG
9:04
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
main.jsx M
tugas3 > src > main.jsx
1 import { StrictMode } from 'react' 5k (gzipped: 2k)
2 import { createRoot } from 'react-dom/client' 208k (gzipped: 65.1k)
3 import './index.css'
4 import App from './App.jsx'
5
6
7 createRoot(document.getElementById('root')).render(
8 <StrictMode>
9 <App />
10 </StrictMode>,
11)
12
main* 0 0 0
Ln 12, Col 1 Spaces: 2 UTF-8 LF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:04
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
index.css
tugas3 > src > # index.css
1 @import "tailwindcss";
main*
0 0
0xVdkaaa (36 minutes ago)
Ln 1, Col 23
Spaces: 4
UTF-8
CRLF
CSS
Go Live
Quokka
Prettier
Type here to search
ENG
9:04
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
App.jsx
tugas3 > src > App.jsx > App
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom'; 211.8k (gzipped: 66.4
import Admin from './pages/Admin';
import Login from './pages/Login';
export default function App() {
return (
<Router>
<Routes>
{/* Halaman pertama yang dibuka (Login) */}
<Route path="/" element={<Login />} />
{/* Halaman Admin */}
<Route path="/admin" element={<Admin />} />
</Routes>
</Router>
);
}
main* 0 0 4
0xVdkaaa (36 minutes ago) Ln 17, Col 2 Spaces: 4 UTF-8 LF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:05
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
App.css
tugas3 > src > App.css > .counter
.counter {
font-size: 16px;
padding: 5px 10px;
border-radius: 5px;
color: var(--accent);
background: var(--accent-bg);
border: 2px solid transparent;
transition: border-color 0.3s;
margin-bottom: 24px;
&:hover {
border-color: var(--accent-border);
}
&:focus-visible {
outline: 2px solid var(--accent);
outline-offset: 2px;
}
}
.hero {
position: relative;
.base,
.framework,
.vite {
inset-inline: 0;
margin: 0 auto;
}
.base {
width: 170px;
position: relative;
z-index: 0;
}
.framework,
.vite {
position: absolute;
}
.framework {
z-index: 1;
top: 34px;
height: 28px;
transform: perspective(2000px) rotateZ(300deg) rotateX(44deg) rotateY(39deg)
scale(1.4);
main*
Ln 1, Col 1
Spaces: 2
UTF-8
LF
CSS
Go Live
Quokka
Prettier
Type here to search
ENG
9:05
30/09/2026

```
  }

  .vite {
    z-index: 0;
    top: 107px;
    height: 26px;
    width: auto;
    transform: perspective(2000px) rotateZ(300deg) rotateX(40deg) rotateY(39deg)
      scale(0.8);
  }
}

#center {
  display: flex;
  flex-direction: column;
  gap: 25px;
  place-content: center;
  place-items: center;
  flex-grow: 1;

  @media (max-width: 1024px) {
    padding: 32px 20px 24px;
    gap: 18px;
  }
}

#next-steps {
  display: flex;
  border-top: 1px solid var(--border);
  text-align: left;

  & > div {
    flex: 1 1 0;
    padding: 32px;
    @media (max-width: 1024px) {
      padding: 24px 20px;
    }
  }

  .icon {
    margin-bottom: 16px;
    width: 22px;
```

```
      height: 22px;
    }

    @media (max-width: 1024px) {
      flex-direction: column;
      text-align: center;
    }
  }

#docs {
    border-right: 1px solid var(--border);

    @media (max-width: 1024px) {
      border-right: none;
      border-bottom: 1px solid var(--border);
    }
  }

#next-steps ul {
    list-style: none;
    padding: 0;
    display: flex;
    gap: 8px;
    margin: 32px 0 0;

    .logo {
      height: 18px;
    }

    a {
      color: var(--text-h);
      font-size: 16px;
      border-radius: 6px;
      background: var(--social-bg);
      display: flex;
      padding: 6px 12px;
      align-items: center;
      gap: 8px;
      text-decoration: none;
      transition: box-shadow 0.3s;

      &:hover {
```

```
      box-shadow: var(--shadow);
    }
    .button-icon {
      height: 18px;
      width: 18px;
    }
  }

  @media (max-width: 1024px) {
    margin-top: 20px;
    flex-wrap: wrap;
    justify-content: center;

    li {
      flex: 1 1 calc(50% - 8px);
    }


    a {
      width: 100%;
      justify-content: center;
      box-sizing: border-box;
    }
  }
}

#spacer {
  height: 88px;
  border-top: 1px solid var(--border);
  @media (max-width: 1024px) {
    height: 48px;
  }
}

.ticks {
  position: relative;
  width: 100%;

  &::before,
  &::after {
    content: '';
    position: absolute;
    top: -4.5px;
    border: 5px solid transparent;
  }


  &::before {
    left: 0;
    border-left-color: var(--border);
  }
  &::after {
    right: 0;
    border-right-color: var(--border);
  }
}
```


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Login.jsx
tugas3 > src > pages > Login.jsx > Login
import AuthLayout from '../layouts/AuthLayout';
import Card from '../components/Card';
import Form from '../components/Form';
import Label from '../components/Label';
import Input from '../components/Input';
import Button from '../components/Button';
import { useNavigate } from 'react-router-dom';
211.8k (gzipped: 66.4k)
export default function Login() {
const navigate = useNavigate();
const handleLogin = (e) => {
e.preventDefault(); // Biar halaman nggak nge-refresh
navigate('/admin'); // Arahin ke halaman admin
};
return (
<AuthLayout>
<Card className="p-8 w-96">
<h2 className="text-3xl font-bold text-center text-blue-600 mb-6">Login</h2>
<Form onSubmit={handleLogin}>

<Label htmlFor="email">Email</Label>
<Input id="email" type="email" placeholder="Masukkan email" />

<Label htmlFor="password">Password</Label>
<Input id="password" type="password" placeholder="Masukkan password" />


<Button type="submit" className="w-full mt-4">Login</Button>
</Form>
</Card>
</AuthLayout>
);
}
main*
0 0 7
0xVdkaaa (24 minutes ago)
Ln 30, Col 81
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Quokka
Prettier
Type here to search
ENG
9:06
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Admin.jsx
tugas3 > src > pages > Admin.jsx > Admin
import { useState } from 'react'; 5k (gzipped: 2.1k)
import AdminLayout from '../layouts/AdminLayout';
import Card from '../components/Card';
import Button from '../components/Button';
import Modal from '../components/Modal';
export default function Admin() {
const [isModalOpen, setIsModalOpen] = useState(false);
const [editData, setEditData] = useState(null);
// Data default tabel mahasiswa
const [students, setStudents] = useState([
{ id: 1, nim: 'A11.2020.13139', nama: 'Rizqy Akbar Dinul Putra' }
]);
// Fungsi klik Simpan (Berlaku buat Tambah Baru sekaligus Edit)
const handleSave = (data) => {
if (editData) {
// Kalau lagi mode edit, update data yang id-nya cocok
setStudents(students.map(s => s.id === editData.id ? { ...s, nim: data.nim, nama: dat
} else {
// Kalau mode tambah baru, masukin ke array paling bawah
const newStudent = { id: Date.now(), nim: data.nim, nama: data.nama };
setStudents([...students, newStudent]);
}
setIsModalOpen(false);
setEditData(null);
};
// Fungsi klik tombol Tambah
const handleAdd = () => {
setEditData(null); // Kosongin form
setIsModalOpen(true);
};
// Fungsi klik tombol Edit di tabel
const handleEdit = (student) => {
setEditData(student); // Lempar data ke form
setIsModalOpen(true);
};
// Fungsi klik tombol Hapus di tabel
const handleDelete = (id) => {
const confirmDelete = window.confirm("Yakin mau hapus data ini?");
if (confirmDelete) {
setStudents(students.filter(s => s.id !== id));
main*
0 0 50
0xVdkaaa (39 minutes ago)
Ln 97, Col 2
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Quokka
Prettier
Type here to search
ENG
9:07
30/09/2026

```
47          }
48      };
49
50      return (
51          <AdminLayout title="Mahasiswa">
52              <Card className="p-6">
53                  <div className="flex justify-between items-center mb-4">
54                      <h3 className="text-lg font-bold text-gray-700">Daftar Mahasiswa</h3>
55                      <Button onClick={handleAdd}>+ Tambah Mahasiswa</Button>
56                  </div>
57
58                  <div className="overflow-x-auto">
59                      <table className="w-full text-left border-collapse">
60                          <thead>
61                              <tr className="bg-blue-800 text-white text-sm">
62                                  <th className="p-3 border-b">NIM</th>
63                                  <th className="p-3 border-b">Nama</th>
64                                  <th className="p-3 border-b">Aksi</th>
65                              </tr>
66                          </thead>
67                          <tbody className="text-sm text-gray-700">
68                              {students.map((student) => (
69                                  <tr key={student.id} className="hover:bg-gray-50">
70                                      <td className="p-3 border-b">{student.nim}</td>
71                                      <td className="p-3 border-b">{student.nama}</td>
72                                      <td className="p-3 border-b">
73                                          <button onClick={() => handleEdit(student)}
                                            className="bg-yellow-500 text-white px-3 py-1
                                            rounded text-xs mr-1 hover:bg-yellow-600">Edit</
                                            button>
74                                          <button onClick={() => handleDelete(student.id)}
                                            className="bg-red-500 text-white px-3 py-1
                                            rounded text-xs hover:bg-red-600">Hapus</button>
75                                      </td>
76                                  </tr>
77                              ))}
78                              {/* Muncul kalau semua data dihapus */}
79                              {students.length === 0 && (
80                                  <tr>
81                                      <td colSpan="3" className="text-center p-4
                                        text-gray-500">Belum ada data mahasiswa.</td>
82                                  </tr>
```

```
                        )}
                    </tbody>
                </table>
            </div>
        </Card>

        <Modal
            isOpen={isModalOpen}
            onClose={() => { setIsModalOpen(false); setEditData(null); }}
            onSave={handleSave}
            editData={editData}
        />
    </AdminLayout>
  );
}
```





File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
AdminLayout.jsx
tugas3 > src > layouts > AdminLayout.jsx > ...
import Sidebar from '../components/Sidebar';
import Header from '../components/Header';
import Footer from '../components/Footer';
export default function AdminLayout({ children, title }) {
return (

<Sidebar />


<Header title={title} />
<main className="p-6 flex-1">
{children}
</main>
<Footer />

);
}
main*
0 0
Ln 1, Col 1
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Quokka
Prettier
Type here to search
ENG
9:09
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Sidebar.jsx 5
tugas3 > src > components > Sidebar.jsx > Sidebar
export default function Sidebar() {
return (
<aside className="w-64 bg-blue-900 text-white flex-shrink-0 min-h-screen">


<h1 className="text-2xl font-bold">Admin</h1>


<nav className="mt-2 text-sm">
<a href="#" className="block py-3 px-6 hover:bg-blue-800 flex items-cente
<a href="#" className="block py-3 px-6 bg-blue-800 flex items-center">
</nav>
</aside>
);
}
main*
Ln 1, Col 1
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Quokka
Prettier
Type here to search
ENG
9:09
30/09/2026






```
47                         <Button type="submit">Simpan</Button>
48                     </div>
49                 </Form>
50             </div>
51         </div>
52     );
53 }
```



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Label.jsx
tugas3 > src > components > Label.jsx > Label
1 export default function Label({ htmlFor, children }) {
2 return (
3 <label htmlFor={htmlFor} className="block text-gray-700 text-xs font-bold mb-2">
4 {children}
5 </label>
6);
7 }
main* 0 5
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:09
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Input.jsx
tugas3 > src > components > Input.jsx > Input
export default function Input({ id, type, placeholder, value, onChange }) {
return (
<input
id={id}
type={type}
placeholder={placeholder}
value={value}
onChange={onChange}
className="border border-gray-300 rounded w-full py-2 px-3 text-sm focus:outl
/>
);
}
main* 0 5
0xVdkaaa (41 minutes ago) Ln 12, Col 2 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Header.jsx
tugas3 > src > components > Header.jsx > Header
1 export default function Header({ title }) {
2 return (
3 <header className="bg-white shadow p-4 flex justify-between items-center">
4 <h2 className="text-xl font-semibold text-gray-800">{title}</h2>
5
6 </header>
7);
8 }
main* 0 5
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Form.jsx
tugas3 > src > components > Form.jsx > Form
1 export default function Form({ children, onSubmit }) {
2 return (
3 <form onSubmit={onSubmit}>
4 {children}
5 </form>
6);
7 }
main* 0 5
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Footer.jsx
tugas3 > src > components > Footer.jsx > Footer
1 export default function Footer() {
2 return (
3 <footer className="bg-white p-4 text-center text-sm text-gray-500 shadow mt-aut
4 © 2026 PSK-4701. All rights reserved.
5 </footer>
6);
7 }
main* 0 5
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026



File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx 5
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx M
.gitignore
eslint.config.js M
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Card.jsx
tugas3 > src > components > Card.jsx > Card
1 export default function Card({ children, className = "" }) {
2 return (
3 <div className={`bg-white rounded-xl shadow-md ${className}`}>
4 {children}
5
6);
7 }
main* 0 5
Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
Button.jsx
Card.jsx
Footer.jsx
Form.jsx
Header.jsx
Input.jsx
Label.jsx
Modal.jsx
Sidebar.jsx
layouts
AdminLayout.jsx
AuthLayout.jsx
pages
Admin.jsx
Login.jsx
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
OUTLINE
TIMELINE
Button.jsx
tugas3 > src > components > Button.jsx > Button
export default function Button({ children, onClick, type = "button", className = "" }) {
return (
<button
type={type}
onClick={onClick}
className={` bg-blue-600 hover:bg-blue-700 text-white font-bold py-2 px-4
{children}
</button>
);
}
main*
0 5
0xVdkaaa (42 minutes ago)
Ln 10, Col 2
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Quokka
Prettier
Type here to search
ENG
9:10
30/09/2026


File Edit Selection View Go Run
PSK-4701
EXPLORER
PSK-4701
tugas3
node_modules
public
src
assets
components
layouts
pages
App.css
App.jsx
index.css
main.jsx
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
admin.html
login.html
README.md
test.html
Tugas1_13139.pdf
Tugas1.docx
Tugas2.docx
Tugas2.js
OUTLINE
TIMELINE
eslint.config.js M
tugas3 > eslint.config.js > default
1 import js from '@eslint/js' 8.8k (gzipped: 2.4k)
2 import globals from 'globals' 90.9k (gzipped: 12.9k)
3 import reactHooks from 'eslint-plugin-react-hooks'
4 import reactRefresh from 'eslint-plugin-react-refresh' 7.2k (gzipped: 2.5k)
5 import { defineConfig, globalIgnores } from 'eslint/config' 6.2k (gzipped: 2.4k)
6
7 export default defineConfig([
8 globalIgnores(['dist']),
9 {
10 files: ['**/*.{js,jsx}'],
11 extends: [
12 js.configs.recommended,
13 reactHooks.configs.flat.recommended,
14 reactRefresh.configs.vite,
15],
16 languageOptions: {
17 globals: globals.browser,
18 parserOptions: { ecmaFeatures: { jsx: true } },
19 },
20 },
21])
22
main* 0 5
Ln 20, Col 5 Spaces: 2 UTF-8 LF JavaScript Go Live Quokka Prettier
Type here to search
ENG
9:10
30/09/2026


tugas3
localhost:5173
Hi, Person 1
Login
Email
Masukkan email
Password
Masukkan password
Login
Type here to search
ENG
9:12
30/09/2026


tugas3
localhost:5173
Login
Email
111202013139@mhs.dinus.ac.id
Password
Login
Type here to search
ENG
9:13
30/09/2026


tugas3
localhost:5173/admin
Admin
Dashboard
Mahasiswa
Mahasiswa
Daftar Mahasiswa
NIM
Nama
A11.2020.13139
Save password?
Username
111202013139@mhs.dinus.ac.id
Password
Never
Save
No thanks
Passwords are saved to Google Password Manager on this device.
© 2026 PSK-4701. All rights reserved.
Type here to search
ENG
9:13
30/09/2026