LAPORAN UJIAN TENGAH SEMESTER


Pemrograman Sisi Klien

Identitas Mahasiswa


- **Nama:** Rizqy Akbar Dinul Putra
- **NIM:** A11.2020.13139
- **Universitas:** Universitas Dian Nuswantoro

1. Halaman Login


- **Tampilan Awal Login:**



- **Notifikasi Validasi / Login Gagal:**




- **Login Berhasil & Pengalihan Halaman:**




2. Layout Admin & Dashboard

- **Tampilan Dashboard (Statistik 3 Kartu):**




3. Halaman Daftar Dosen & Operasi CRUD


- **Tabel Data Dosen & Indikator Status (Badge):**




- **Implementasi Pencarian Data Dosen:**




- **Modal Form Tambah dan Edit Dosen:**






4. Halaman Detail Dosen

- **Tampilan Rincian Data Dosen (NIDN: 1202013139):**





5. Implementasi Source Code

- **Komponen Navigasi & Struktur Utama (`App.jsx`):**

```
import { BrowserRouter, Routes, Route, Navigate } from
"react-router-dom";
import AuthLayout from "@/layouts/AuthLayout";
import AdminLayout from "@/layouts/AdminLayout";
```

```jsx
import ProtectedRoute from "@/routes/ProtectedRoute";

import Login from "@/pages/Login";
import Dashboard from "@/pages/Dashboard";
import DosenList from "@/pages/DosenList";
import DosenDetail from "@/pages/DosenDetail"; // <-- Ini yang baru ditambah
import NotFound from "@/pages/NotFound";

function App() {
  return (
    <BrowserRouter>
      <Routes>
        {/* Rute Publik */}
        <Route path="/" element={<AuthLayout />}>
          <Route index element={<Login />} />
        </Route>

        {/* Rute Admin (Dilindungi) */}
        <Route path="/admin" element={<ProtectedRoute />}>
          <Route element={<AdminLayout />}>
            <Route index element={<Navigate to="dashboard" replace />} />
            <Route path="dashboard" element={<Dashboard />} />
            <Route path="dosen" element={<DosenList />} />
            {/* INI RUTENYA BIAR GAK 404 LAGI BOS */}
            <Route path="dosen/:nidn" element={<DosenDetail />} />
          </Route>
        </Route>

        {/* Rute 404 */}
        <Route path="*" element={<NotFound />} />
      </Routes>
    </BrowserRouter>
  );
}

```

```
export default App;
```

- **Komponen Tampilan Beranda (`Dashboard.jsx`):**

```
import { useState, useEffect } from "react";
import { Card } from "@/components/Card";

export default function Dashboard() {
  const [stats, setStats] = useState({ total: 0, aktif: 0, cuti: 0 });
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    // Syarat wajib: Delay 500ms pakai setTimeout
    const timer = setTimeout(() => {
      let dosenData = JSON.parse(localStorage.getItem("dosenData"));

      // Kalau localStorage kosong, kita suntik 4 data awal sesuai aturan UTS
      if (!dosenData || dosenData.length === 0) {
        dosenData = [
          {
            nidn: "1202013139", // NIDN lu (10 digit angka)
            nama: "Rizqy Akbar Dinul Putra", // Nama lu sebagai dosen pertama
            mataKuliah: "Pemrograman Sisi Klien",
            status: "Aktif"
          },
          {
            nidn: "0623048802",
            nama: "Rina Kartika, M.T.",
            mataKuliah: "Basis Data",
            status: "Cuti"
          },
          {
            nidn: "0612078501",
            nama: "Dr. Andi Wijaya, M.Kom",
            mataKuliah: "Pemrograman Web",
            status: "Aktif"
```

```
            },
            {
              nidn: "0605119003",
              nama: "Bayu Pratama, M.Cs.",
              mataKuliah: "Struktur Data",
              status: "Aktif"
            }
          ];
          localStorage.setItem("dosenData",
JSON.stringify(dosenData));
        }

        // Hitung otomatis buat angka di kartu dashboard
        setStats({
          total: dosenData.length,
          aktif: dosenData.filter((d) => d.status ===
"Aktif").length,
          cuti: dosenData.filter((d) => d.status === "Cuti").length
        });

        setLoading(false);
      }, 500);

      return () => clearTimeout(timer);
    }, []);

    if (loading) {
      return <div className="text-center py-20 text-gray-500
font-medium animate-pulse">Memuat data dashboard...</div>;
    }

    return (
      <div>
        <h1 className="text-2xl font-bold text-gray-900
mb-1">Selamat Datang di Dashboard</h1>
        <p className="text-gray-500 mb-8 text-sm">Ringkasan data
dosen</p>

        <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
```

```
          {/* Ganti fuchsia dengan warna tema asli lu */}
          <Card className="border-t-4 border-fuchsia-500">
            <div className="text-gray-500 text-sm font-medium
mb-1">Total Dosen</div>
            <div className="text-3xl font-bold
text-gray-900">{stats.total}</div>
          </Card>

          <Card className="border-t-4 border-green-500">
            <div className="text-gray-500 text-sm font-medium
mb-1">Dosen Aktif</div>
            <div className="text-3xl font-bold
text-gray-900">{stats.aktif}</div>
          </Card>

          <Card className="border-t-4 border-gray-400">
            <div className="text-gray-500 text-sm font-medium
mb-1">Dosen Cuti</div>
            <div className="text-3xl font-bold
text-gray-900">{stats.cuti}</div>
          </Card>
        </div>
      </div>
    );
  }
```

- **Komponen Manajemen Data Dosen (`DosenList.jsx`):**

```
import { useState, useEffect } from "react";
import { useNavigate } from "react-router-dom";
import { Card } from "@/components/Card";
import { Button } from "@/components/Button";
import { Input } from "@/components/Input";
import { Label } from "@/components/Label";
import { Modal } from "@/components/Modal";

export default function DosenList() {
  const [dosen, setDosen] = useState([]);
  const [loading, setLoading] = useState(true);
```

```
  const [search, setSearch] = useState(""); // State buat bonus
search
  const navigate = useNavigate();

  // State buat Modal & Form
  const [isModalOpen, setIsModalOpen] = useState(false);
  const [isEdit, setIsEdit] = useState(false);
  const [formData, setFormData] = useState({ nidn: "", nama: "",
mataKuliah: "", status: "Aktif" });
  const [error, setError] = useState("");

  // Ambil data dengan delay 500ms (Syarat UTS)
  useEffect(() => {
    const timer = setTimeout(() => {
      const savedData =
JSON.parse(localStorage.getItem("dosenData")) || [];
      setDosen(savedData);
      setLoading(false);
    }, 500);
    return () => clearTimeout(timer);
  }, []);

  // Fungsi simpan ke localStorage
  const saveToLocal = (data) => {
    localStorage.setItem("dosenData", JSON.stringify(data));
    setDosen(data);
  };

  // Fungsi buka Modal (Bisa buat Tambah atau Edit)
  const handleOpenModal = (editData = null) => {
    setError("");
    if (editData) {
      setIsEdit(true);
      setFormData(editData);
    } else {
      setIsEdit(false);
      setFormData({ nidn: "", nama: "", mataKuliah: "", status:
"Aktif" });
```

```
      }
      setIsModalOpen(true);
    };

    // Fungsi Submit (Validasi NIDN 10 digit & No Duplicate)
    const handleSubmit = (e) => {
      e.preventDefault();
      setError("");

      if (formData.nidn.length !== 10 || isNaN(formData.nidn)) {
        setError("NIDN wajib 10 digit angka!");
        return;
      }

      if (!isEdit && dosen.some((d) => d.nidn === formData.nidn)) {
        setError("NIDN sudah terdaftar!");
        return;
      }

      let newData;
      if (isEdit) {
        newData = dosen.map((d) => (d.nidn === formData.nidn ?
formData : d));
      } else {
        newData = [...dosen, formData];
      }

      saveToLocal(newData);
      setIsModalOpen(false);
    };

    // Fungsi Hapus (Validasi Aktif dilarang hapus)
    const handleDelete = (d) => {
      if (d.status === "Aktif") return; // Pencegahan ganda

      if (window.confirm(`Yakin ingin menghapus dosen ${d.nama}?`))
{
```

```
        const newData = dosen.filter((item) => item.nidn !==
d.nidn);
        saveToLocal(newData);
      }
    };

    // Logika Bonus +5 Poin: Filter pencarian langsung saat ngetik
    const filteredDosen = dosen.filter((d) =>
      d.nama.toLowerCase().includes(search.toLowerCase())
    );

    if (loading) return <div className="text-center py-20
text-gray-500 animate-pulse font-medium">Memuat data
dosen...</div>;

    return (
      <div>
        <div className="flex flex-col md:flex-row justify-between
items-start md:items-center mb-6 gap-4">
          <h1 className="text-2xl font-bold text-gray-900">Daftar
Dosen</h1>
          <Button onClick={() => handleOpenModal()}>+ Tambah
Dosen</Button>
        </div>

        {/* Input Pencarian (Bonus +5 Poin) */}
        <div className="mb-6 max-w-md">
          <Input
            placeholder="Cari nama dosen..."
            value={search}
            onChange={(e) => setSearch(e.target.value)}
          />
        </div>

        {/* Grid Kartu Dosen */}
        <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
          {filteredDosen.map((d) => (
            <Card key={d.nidn} className="flex flex-col
justify-between">
```

```
            <div>
              <div className="flex justify-between items-start
mb-2">
                <div>
                  <h3 className="font-bold text-lg
text-gray-900">{d.nama}</h3>
                  <p className="text-sm text-gray-500">NIDN:
{d.nidn}</p>
                </div>
                <span className={`px-2 py-1 text-xs font-bold
rounded-md ${d.status === "Aktif" ? "bg-green-100 text-green-700"
: "bg-gray-200 text-gray-600"}`}>
                  {d.status}
                </span>
              </div>
              <p className="text-sm text-gray-700
mb-6">{d.mataKuliah}</p>
            </div>
            <div className="flex gap-2">
              <Button onClick={() =>
navigate(`/admin/dosen/${d.nidn}`)} className="flex-1
!bg-blue-600 hover:!bg-blue-700">Detail</Button>
              <Button onClick={() => handleOpenModal(d)}
className="flex-1 !bg-amber-500
hover:!bg-amber-600">Edit</Button>
              <Button
                onClick={() => handleDelete(d)}
                disabled={d.status === "Aktif"}
                className={`flex-1 ${d.status === "Aktif" ?
"!bg-gray-300 cursor-not-allowed text-gray-500" : "!bg-red-600
hover:!bg-red-700"}`}
              >
                Hapus
              </Button>
            </div>
          </Card>
        ))}
        {filteredDosen.length === 0 && (
```

```
            <div className="col-span-2 text-center py-10
text-gray-500">Data dosen tidak ditemukan.</div>
          )}
        </div>

        {/* Modal Tambah/Edit */}
        <Modal isOpen={isModalOpen} onClose={() =>
setIsModalOpen(false)} title={isEdit ? "Edit Dosen" : "Tambah
Dosen"}>
          {error && <div className="bg-red-100 text-red-600 p-2
rounded-md mb-4 text-sm font-medium">{error}</div>}
          <form onSubmit={handleSubmit} className="space-y-4">
            <div>
              <Label>NIDN</Label>
              <Input
                value={formData.nidn}
                onChange={(e) => setFormData({...formData, nidn:
e.target.value})}
                placeholder="Masukkan 10 digit NIDN"
                readOnly={isEdit}
                className={isEdit ? "bg-gray-100
cursor-not-allowed" : ""}
              />
            </div>
            <div>
              <Label>Nama</Label>
              <Input
                value={formData.nama}
                onChange={(e) => setFormData({...formData, nama:
e.target.value})}
                placeholder="Masukkan nama"
                required
              />
            </div>
            <div>
              <Label>Mata Kuliah</Label>
              <Input
                value={formData.mataKuliah}
```

```
                onChange={(e) => setFormData({...formData,
mataKuliah: e.target.value})}
                placeholder="Masukkan mata kuliah"
                required
              />
            </div>
            <div>
              <Label>Status</Label>
              {/* Ganti fuchsia dengan warna tema asli lu bos! */}
              <select
                value={formData.status}
                onChange={(e) => setFormData({...formData, status:
e.target.value})}
                className="w-full px-3 py-2 border border-gray-300
rounded-md focus:outline-none focus:ring-2
focus:ring-fuchsia-500"
              >
                <option value="Aktif">Aktif</option>
                <option value="Cuti">Cuti</option>
              </select>
            </div>
            <div className="flex gap-2 justify-end mt-6">
              <Button type="button" onClick={() =>
setIsModalOpen(false)} className="!bg-gray-500
hover:!bg-gray-600">Batal</Button>
              <Button type="submit">Simpan</Button>
            </div>
          </form>
        </Modal>
      </div>
    );
  }
```