

6. Implement a basic Jenkins CI/CD pipeline

Implement a basic Jenkins CI/CD pipeline that pulls source code from the GitHub repository and triggers an automated build.

The screenshot shows the Jenkins web interface in a browser window. The address bar indicates the URL is localhost:8081. The Jenkins logo and name are at the top left. Below the logo, there are links for "New Item" and "Build History". The "Build Queue" section shows "No builds in the queue." The "Build Executor Status" section shows a table of build executors. The table has columns for "S" (Status), "W" (Icon), "Name", "Last Success", "Last Failure", and "Last Duration". There is one executor named "Docker-Deployment" with a status of "Failed" (red X icon), a last failure of "17 sec #9", and a last duration of "0.32 sec". Below the table is a scroll bar and a filter section with "Icon:" and buttons for "S", "M", and "L". At the bottom right, there are links for "REST API" and "Jenkins 2.568.3".

Jenkins

+ New Item

Build History

Build Queue

No builds in the queue.

Build Executor Status

0/2

Add description

All +

S	W	Name	Last Success	Last Failure	Last Duration
⊗	☁	Docker-Deployment	N/A	17 sec #9	0.32 sec

Icon: S M L

REST API Jenkins 2.568.3



Jenkins

/ GitHub-CI-Pipeline



Status

Changes

Workspace

Build Now

Delete Project

Git Polling Log

Configure

Rename

Builds >

...

Pending



#1



Finished waiting

GitHub-CI-Pipeline

Add description

Permalinks

REST API

Jenkins 2.568.3



Jenkins

/ GitHub-CI-Pipeline / #1



Status

Changes

Console Output

Delete build '#1'

Polling Log

Git Build Data

Edit build information



#1 (Sep 9, 2026, 3:51:08 PM)

Add description

Keep this build forever



Started by an SCM change

Started 1 min 21 sec ago

Took 10 sec



git

Revision: 5a81cb80d3bd5ade1398b7a20bdd0e6b516745ae

Repository: <https://github.com/ayushi2323/Devops-lab>

• refs/remotes/origin/main



No changes.

REST API

Jenkins 2.568.3

```
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ cd ~/docker-project
nano main.py
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ ^C
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ git add .
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ git commit -m "Test Jenkins CI trigger"
[main 7ff62ae] Test Jenkins CI trigger (Ayushi Sharma)
 1 file changed, 1 insertion(+), 1 deletion(-)
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ git commit -m "Test Jenkins CI trigger"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
ayushi2323@LAPTOP-6LVIDNHT:~/docker-project$ |
```