
Problem D

Prince and Princess

Input: Standard Input
Output: Standard Output
Time Limit: 3 Seconds

In an \mathbf{n} \mathbf{x} \mathbf{n} chessboard, Prince and Princess plays a game. The squares in the chessboard are numbered $\mathbf{1}$, $\mathbf{2}$, $\mathbf{3}$... \mathbf{n} * \mathbf{n} , as shown below:



Prince stands in square 1, make p jumps and finally reach square n^*n . He enters a square at most once. So if we use x_p to denote the p-th square he enters, then $x_1, x_2, ..., x_{p+1}$ are all different. Note that $x_1 = 1$ and $x_{p+1} = n^*n$ Princess does the similar thing - stands in square 1, make q jumps and finally reach square n^*n . We use $y_1, y_2, ..., y_{q+1}$ to denote the sequence, and all q+1 numbers are different.

Figure 2 belows show a 3x3 square, a possible route for Prince and a different route for Princess.




Figure 2




Figure 3

The Prince moves along the sequence: $1 \rightarrow 7 \rightarrow 5 \rightarrow 4 \rightarrow 8 \rightarrow 9$ (Black arrows), while the Princess moves along this sequence: $1 \rightarrow 4 \rightarrow 3 \rightarrow 5 \rightarrow 6 \rightarrow 2 \rightarrow 9$ (White arrow).

The King -- their father, has just come. "Why move separately? You are brother and sister!" said the King, "Ignore some jumps and make sure that you're always together."

For example, if the Prince ignores his **2nd**, **3rd**, **6th** jump, he'll follow the route: 1 --> 4 --> 8 --> 9. If the Princess ignores her **3rd**, **4th**, **5th**, **6th** jump, she'll follow the same route: 1 --> 4 --> 8 --> 9, (The common route is shown in figure **3**) thus satisfies the King, shown above. The King wants to know the longest route they can move together, could you tell him?

Input

The first line of the input contains a single integer $t(1 \le t \le 10)$, the number of test cases followed. For each case, the first line contains three integers n, p, $q(2 \le n \le 250, 1 \le p, q < n*n)$. The second line contains p+1 different integers in the range [1..n*n], the sequence of the Princes. The third line contains q+1 different integers in the range [1..n*n], the sequence of the Princess.

Output

For each test case, print the case number and the length of longest route. Look at the output for sample input for details.

Sample Input

Output for Sample Input

3	Case 1: 4
3 6 7	Case 2: 10
1754839	Case 3: 2
1 4 3 5 6 2 8 9	
10 9 9	
1 2 3 4 5 6 7 8 9 10	
1 2 3 4 5 6 7 8 9 10	
4 2 2	
1 2 4	
1 3 4	

Problemsetter: Rujia Liu, Member of Elite Problemsetters' PanelPictures drawn by **Shahriar Manzoor**, Member of Elite Problemsetters' Panel

[&]quot;What was lost was found; what was found was never lost."