VULTR Login

Register / login with vultr. Feel free to use my reflink http://www.vultr.com/?ref=6929414-3B



Deploy a new system



Location

Choos a location next to you



Distribution

Select Ubuntu 16.04



Server Size

The $5 instance is perfect for up to 5 masternodes.



Enable Features

Toggle "Enable IPv6"



Hostnames and Deploy

Choose how many instances you want and click "Deploy Now".



SSH Access

Copy access credentials for SSH access by opening the server details.



SSH session

Login to your newly installed node as "root".



Masternode amount

Download the current stable masternode-vps script at https://raw.githubusercontent.com/marsmensch/masternode-vps-setup/master/dnet_vps.sh. Open the script with an editor and edit the variable to the desired number of masternodes. The default is 3 masternodes.



Installation

Run the script now. The initial compilation of DNET will take a while
https://raw.githubusercontent.com/marsmensch/masternode-vps-setup/master/dnet_vps.sh



Finished

The script will output lots of boring stuff and the DNET ascii banner when done.



Configuration

The generated configuration files are located at /etc/masternodes/. One file per masternode.



Insert your masternode private key

In 99% you can use the generated settings as is. The only value you MUST change is the masternode private key, generated in your Controller wallet.



Start your new masternodes

A script to enable masternode start at boot and local process monitoring has been created at /usr/local/bin/restart_maternodes.sh for your convenience. Run it after you finished configuration.

```
root@test:~# /usr/local/bin/restart_masternodes.sh
Created symlink from /etc/systemd/system/multi-user.target.wants/darknet_n1.service to /etc/systemd/system/darknet_n1.service.
Created symlink from /etc/systemd/system/multi-user.target.wants/darknet_n2.service to /etc/systemd/system/darknet_n2.service.
Created symlink from /etc/systemd/system/multi-user.target.wants/darknet_n3.service to /etc/systemd/system/darknet_n3.service.
```

The END

To activate your new node in the Controller wallet, add the bind address entries with port to a file called "masternode.conf" as usual.

MN1 [2002:470:1111:1a4:50]:51472 KEY TX OUTPUT
MN1 [2003:470:1111:1a4:50]:51472 KEY TX OUTPUT
.....