

Titr
November 2026
Titr
The Broadcast System for Local TV
michealbuilds.site/titr

One PC Runs the Whole Station

Titr puts the newsroom, on-air graphics and playout behind one login. Journalists write, the director approves, operators take graphics to air, and the engine plays the program, all from a browser on the station's own PC.

8 Rooms behind one login

5 Staff roles, one system



The Problem with Running Local TV Today

Small stations stitch together a newsroom tool, a graphics package and a playout server that never share data. Every hand-off is retyped, every slip goes straight to air, and each piece brings its own licence and its own login.

01

Three Systems That Don't Talk

Headlines are retyped from the newsroom into graphics, then into playout.

02

Mistakes Go Straight to Air

No preview, no approval step and no record of who put what on screen.

03

Licences and Lock-in

Every tool has its own licence, login and support contract to renew.

04

Built for Big Networks

Broadcast software assumes engineers, racks and a cloud contract a local station doesn't have.

One System from Newsroom to Air

Titr merges the newsroom, graphics and playout into one browser-based product with one login, one design and one program output.

It runs on a single Windows PC, keeps working without the internet, and drives the open-source CasparCG engine, so there is no licence server and nothing to renew.

01

Newsroom Desks

Journalists write headline packs. The director approves them and runs the newsroom strip.

02

Graphics Control

Cue a graphic, check it on preview, then take it to program on cue.

03

Template Designer

Lower thirds, tickers and cards built without code, in the station's own colours and fonts.

04

Playout Engine


CasparCG keys graphics over video and clips, out to NDI, DeckLink SDI, OBS or vMix.

Built for How a Station Actually Works



Runs Offline

Fonts, templates and data live on the station PC. Losing the internet doesn't take you off air.



Every Role, Its Own Rooms

Five roles, from journalist to director, each see only the rooms they need.




Safe by Design

Edits on air wait for TAKE, Clear air asks twice, and every action is logged.



Any Output

The same program goes to NDI, DeckLink SDI, a screen window, OBS or vMix.



Inside Titr

Example TV

A full working station on one PC: a morning show, guest supers, a topic bar and a live newsroom strip with exchange rates and weather, all on one program output.


59.94 fps NDI output

1080p fill and key, received by a real NDI receiver.

0 in the test Dropped frames


A 60-minute soak on the test PC. The 72-hour run is next.

Who Uses Titr




Operator
Graphics Control

Cues, previews and takes graphics to air, live.



Director
Director Desk

Approves packs and runs the newsroom strip.



Producer
Template Designer

Builds the station's graphics without code.

From Story to Air

01

Write

Journalists write a headline pack at their desk.

02

Approve

The director checks it. Nothing reaches air before that.

03

Prepare

The look of the strip and graphics is set for the show.

04

Take

The operator or director takes it to air on cue.

05

Record

Every take lands in the as-run log, ready to export.

Where Titr Is Today

Titr runs end to end on one PC today, and its NDI output is proven with a real receiver. Testing SDI with the station's own switcher and a 72-hour run on the playout PC are the last steps before real air.

Built

10 critical items

- Air stays up if the app crashes
- Hourly checked backups
- Append-only as-run record
- HTTPS and per-panel keys

Proven

1080p

- NDI fill and key to a real receiver
- 59.94 fps with no dropped frames in the test
- Runs on one Windows PC
- Live demo at michealbuilds.site/titrapp

Next

72 h soak test

- SDI and the real switcher
- 72-hour run on the playout PC
- Start on boot at the station
- Mongolian interface

Titr

Let's Put Your Station on One System

michealbuilds.site/titr

Live demo: /titrapp

