班級:五專資工五甲

姓名:許曜丞

學號:5BOGO034

課程名稱:視窗程式設計

MainWindow.xaml

```
<Window x:Class="WpfDrinkOrder.MainWindow"</p>
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
Title="飲料點餐系統" Height="600" Width="600">
<Grid Margin="10">
<StackPanel>
<GroupBox Header="請選擇內用或外帶" Margin="5">
<StackPanel Orientation="Horizontal">
<RadioButton Name="rbDineIn" Content="內用" Margin="10"/>
<RadioButton Name="rbTakeOut" Content="外帶" Margin="10"/>
```

```
</StackPanel>
             </GroupBox>
             <GroupBox Header="請選擇飲料" Margin="5">
                 <StackPanel>
                     <StackPanel Orientation="Horizontal" Margin="5">
                          <CheckBox Name="cbMilkTea" Content="珍珠奶茶 ($50)"
Margin="10"/>
                          <Slider Name="sliderMilkTea" Minimum="0" Maximum="10"
Width="100" TickFrequency="1" IsSnapToTickEnabled="True"/>
                          <Label Name="labelMilkTeaQty" Content="0杯" Width="50"/>
                     </StackPanel>
                     <StackPanel Orientation="Horizontal" Margin="5">
                          <CheckBox Name="cbGreenTea" Content="綠茶 ($40)" Margin="10"/>
                          <Slider Name="sliderGreenTea" Minimum="0" Maximum="10"
Width="100" TickFrequency="1" IsSnapToTickEnabled="True"/>
                          <Label Name="labelGreenTeaQty" Content="0杯" Width="50"/>
                     </StackPanel>
                     <StackPanel Orientation="Horizontal" Margin="5">
                          <CheckBox Name="cbLemonJuice" Content="檸檬汁 ($60)"
Margin="10"/>
                          <Slider Name="sliderLemonJuice" Minimum="0" Maximum="10"
Width="100" TickFrequency="1" IsSnapToTickEnabled="True"/>
                          <Label Name="labelLemonJuiceQty" Content="0杯" Width="50"/>
                     </StackPanel>
                 </StackPanel>
             </GroupBox>
            <Button Name="btnCalculate" Content="計算金額" Margin="5" Height="30"
Click="btnCalculate_Click"/>
             <TextBlock Name="txtResult" Text="點餐結果將顯示於此" Margin="10"
TextWrapping="Wrap" FontSize="14"/>
        </StackPanel>
    </Grid>
</Window>
```

MainWindow.xaml.cs

```
using System;
using System. Text;
using System. Windows;
using System. Windows. Controls;
namespace WpfDrinkOrder
    public partial class MainWindow: Window
         public MainWindow()
              InitializeComponent();
              sliderMilkTea.ValueChanged += Slider_ValueChanged;
              sliderGreenTea.ValueChanged += Slider_ValueChanged;
              sliderLemonJuice.ValueChanged += Slider_ValueChanged;
         private void Slider_ValueChanged(object sender, RoutedPropertyChangedEventArgs<double>
e)
              labelMilkTeaQty.Content = $"{(int)sliderMilkTea.Value}杯";
              labelGreenTeaQty.Content = $"{(int)sliderGreenTea.Value}杯";
              labelLemonJuiceQty.Content = $"{(int)sliderLemonJuice.Value}杯";
         }
         private void btnCalculate_Click(object sender, RoutedEventArgs e)
```

```
int total = 0;
StringBuilder sb = new StringBuilder();
sb.AppendLine("【訂單明細】");
if (rbDineIn.IsChecked == true)
    sb.AppendLine("用餐方式:內用");
else if (rbTakeOut.IsChecked == true)
    sb.AppendLine("用餐方式:外帶");
else
    sb.AppendLine("用餐方式:未選擇");
if (cbMilkTea.IsChecked == true)
    int qty = (int)sliderMilkTea.Value;
    int price = 50 * qty;
    total += price;
    sb.AppendLine($"珍珠奶茶 x{qty} 杯: ${price}");
if (cbGreenTea.IsChecked == true)
    int qty = (int)sliderGreenTea.Value;
    int price = 40 * qty;
    total += price;
    sb.AppendLine($"綠茶 x{qty} 杯: ${price}");
if (cbLemonJuice.IsChecked == true)
    int qty = (int)sliderLemonJuice.Value;
    int price = 60 * qty;
    total += price;
    sb.AppendLine($"檸檬汁 x{qty} 杯: ${price}");
sb.AppendLine($"原始總金額: ${total}");
```

```
double discountRate = 1.0;

if (total >= 500)

    discountRate = 0.8;

else if (total >= 300)
    discountRate = 0.85;

else if (total >= 200)
    discountRate = 0.9;

int finalPrice = (int)(total * discountRate);
int discount = total - finalPrice;

sb.AppendLine($"折扣後金額: ${finalPrice}");
sb.AppendLine($"您共節省: ${discount}");

txtResult.Text = sb.ToString();
}
```

程式執行範本:

■】飲料點餐系統			(2a) (3c) (y <	_		×		
請選擇內用或外帶 — ● 內用 ○ 外帶									
·請選擇飲料 ✓ 珍珠奶茶 (\$50)	-	1杯							
✔ 緑茶 (\$40)		3杯							
☑ 檸檬汁 (\$60)		3杯							
計算金額									

【訂單明細】

用餐方式:內用 珍珠奶茶 x1 杯:\$50 綠茶 x3 杯:\$120 檸檬汁 x3 杯:\$180 原始總金額:\$350 折扣後金額:\$297

您共節省:\$53

■ 飲料點餐系統 💮 📴 🟳 🔽 📵 🛱 🔞 🕏 🔘 <	_	×
● 内用 ○ 外帶		
請選擇飲料 ✓ 珍珠奶茶 (\$50)		
☑ 緑茶 (\$40)		
☑ 檸檬汁 (\$60)		
<u> </u>		

【訂單明細】

用餐方式:內用

珍珠奶茶 x6 杯:\$300 綠茶 x2 杯:\$80 檸檬汁 x10 杯:\$600 原始總金額:\$980 折扣後金額:\$784 您共節省:\$196