Chapter 10
Architectural Design

Software Engineering: A Practitioner's Approach, 6th edition
by Roger S. Pressman

概述

- 人们不能在没有图纸的情况下建房子，同样也不能通过勾画出房子的管道布局而开始绘制房子的蓝图．在开始考虑细节之前，需要关注整体视图---房子本身．这就是体系结构设计需要做的事情---它为你提供整体的视图并保证得到正确的理解.

Software Architecture

- The software architecture of a program or computing system **is the structure or structures of the system**, which comprise the software components, the externally visible properties of those components, and the relationships among them.

— Bass. et al.



Why Architecture?

- Architecture is a representation of a system that enables the software engineer to:
  - analyze the effectiveness of the design in meeting its stated requirements,
  - consider architectural alternatives at a stage when making design changes is still relatively easy, and
  - reduce the risks associated with the construction of the software.

Data Design

- Architectural level → Database design
  - data mining
  - data warehousing
- Component level → Data structure design

Architectural Styles

- Each style describes a system category that encompasses:
  - a set of components (e.g., a database, computational modules) that perform a function required by a system,
  - a set of connectors that enable “communication, coordination, and cooperation” among components,
  - constraints that define how components can be integrated to form the system, and
  - semantic models that enable a designer to understand the overall properties of a system.

Specific Styles

- Data-centered architecture
- Data flow architecture
- Call and return architecture
- Object-oriented architecture
- Layered architecture

Data-Centered Architecture



Data-Flow Architecture



Call and Return Architecture



Object-Oriented Architecture



Layered Architecture



Architectural Patterns

- Concurrency
  - operating system process management
  - task scheduler
- Persistence
  - database management system
  - application level persistence
- Distribution
  - broker

Architectural Design

- Architectural context diagrams model how software interacts with external entities
- Archetypes are classes or patterns that represent an abstraction critical to the system
- Architectural components are derived from the application domain, the infrastructure, and the interface.

Arch. Context Diagram



SafeHome ACD



SafeHome Archetype



Component Structure



Component Elaboration