AUTONOMOUS DATABASE SYSTEMS ENGINEERING

DATABASE SENTINEL • SELF-HEALING • RECONCILIATION • THREAT GUARD

Architecture Internals • Verification Metrics • CLI Handbook

UNIVERSAL ENGINEERING SPECIFICATION

DATABASE SENTINEL

An autonomous, domain-agnostic database self-healing, dataset reconciliation, security sentinel, and system state monitoring engine. Engineered to automatically detect and remediate database flaws, synchronize divergent datasets, isolate orphan foreign keys, neutralize SQL injection attacks, maintain persistent action audit logs, and compute real-time system health scores.

Project Author:	Ebi Lazarus (Software Engineering)

Technology Stack:	Python 3.10+ (Standard Library DB-API), SQLite 3 (WAL mode), PostgreSQL 16 Parity
Architecture:	Dynamic Catalog Introspection, ACID Boundaries, ECA Patterns, Drift Synchronization
Autonomous Healing:	Ledger Balance Repair, B-Tree Index Synthesis, Negative Clamping & Quarantine
Security Sentinel:	AST SQL Injection Interception (Boolean, Union, Blind, Stacked), Anomaly Guard
Test Automation:	41 Unit & Integration Tests (100% Passing • Zero External Dependencies)

PUBLIC GITHUB SOURCE REPOSITORY

Source Code & CI: `https://github.com/0xlazorr/database-sentinel`

1. EXECUTIVE ARCHITECTURAL OVERVIEW & CORE PURPOSE

Relational database management systems (RDBMS) such as PostgreSQL, MySQL, and SQLite are foundational to modern computing. However, conventional databases are inherently **passive**: they enforce static constraints, but if data arrives with subtle drift, orphaned foreign keys, unindexed queries, or ledger discrepancies, the engine either crashes with an unhandled exception (halting ingestion pipelines) or quietly allows performance to degrade.

Database Sentinel acts as an **Autonomous Database Operator and Self-Healing Layer**. It is entirely domain-agnostic: it does not assume university, e-commerce, or healthcare structures, but dynamically introspects any relational schema, automatically repairs corrupted ledgers, resolves orphaned relations, synthesizes performance indexes, and neutralizes injection attacks in real time.

100%	0	41 / 41	< 3.5s
DOMAIN AGNOSTIC	EXTERNAL DEPENDENCIES	AUTOMATED TESTS PASSED	FULL TEST SUITE RUNTIME

1.1 System Subsystems Architecture




Figure 1.1: Functional Architecture of Database Sentinel

2. DEEP TECHNICAL BREAKDOWN OF SUBSYSTEMS

2.1 Database Engine & Dynamic Catalog Introspection (sentinel/engine.py)

The foundation of Database Sentinel is the `DatabaseEngine` class. It establishes an ACID-compliant SQLite connection configured with Write-Ahead Logging (`PRAGMA journal_mode = WAL;`) and mandatory foreign key enforcement (`PRAGMA foreign_keys = ON;`).

Upon initialization, it dynamically bootstraps three core system catalogs:

`_system_actions_log`: Records every autonomous healing action, before/after JSON state snapshots, and execution timestamps.
`_quarantine_records`: Stores corrupted rows, unresolvable orphan records, and explicit rejection reasons.
`_security_incidents`: Maintains an immutable audit trail of intercepted injection payloads and anomaly events.
Dynamic Introspection: Rather than hardcoding table names, the engine queries SQLite's internal catalog (`sqlite_master`) and system pragmas (`table_info`, `foreign_key_list`, `index_list`) to dynamically discover user tables, column types, nullability, primary keys, and foreign key dependency graphs.

2.2 Autonomous Dataset Reconciler (sentinel/reconciler.py)

The `DatasetReconciler` solves the challenge of synchronizing external datasets (CSVs, third-party API payloads) into primary database tables without crashing on dirty records.

Field-Level Drift Synchronization: When an incoming record shares a primary/unique key with an existing row, the reconciler compares all columns. If values have changed (e.g. email update or tier upgrade), it issues an `UPDATE`, logs before/after state diffs to `_system_actions_log`, and increments `drift_updated` metrics. If values are identical, it is logged as an identical duplicate with zero transaction overhead.
Orphan Foreign Key Quarantine: Prior to insertion, the reconciler audits foreign key columns against parent tables. If an incoming row references a non-existent parent (e.g., an order referencing customer ID `999`), it does not abort the batch. Instead, it routes the orphan record into `_quarantine_records` with a high-severity alert, preserving parent-child invariants.
Mathematical Idempotency: Re-running the reconciliation against the same dataset produces 0 new inserts, 0 drift updates, and reports identical duplicate counts, guaranteeing $f(f(x)) = f(x)$.
Parity Auditing: The `audit_parity()` method evaluates database tables against external reference datasets, identifying missing keys in DB, missing keys in source, divergent records, and computing an exact mathematical parity score (0%–100%).

2.3 Autonomous Self-Healing & Bug Remediation Engine (sentinel/healer.py)

The `DatabaseHealer` automatically diagnoses storage flaws and executes self-healing remediation routines:

Ledger Balance Discrepancy Auto-Repair: In financial tables, stored balances can drift from transaction streams due to network timeouts or uncommitted webhooks. `reconcile_ledger_balances()` evaluates `SUM(transactions.amount)` against `accounts.balance`. When a discrepancy is detected, it auto-repairs the stored balance, writes a compensating adjustment entry, and logs the healed drift to the audit catalog.
Automatic Performance Index Synthesis: The healer scans foreign key relationships for unindexed columns. Unindexed foreign keys cause relational joins to trigger full sequential table scans ($\Theta(N)$). The healer automatically synthesizes and deploys B-Tree indexes (`CREATE INDEX idx_{tbl}_{col} ON {tbl}({col})`), reducing join latency to logarithmic time ($\Theta(\log N)$).
Negative Value Remediation: In domain columns where values must be non-negative (balances, stock levels, quantities), the healer detects illegal negative numbers and automatically clamps them to zero or quarantines the corrupted record.
Dangling Foreign Key Resolution: Scans existing tables for orphan child rows whose parent records were deleted in external transactions, moving orphans to quarantine and restoring 100% referential integrity.

2.4 Security Sentinel & Threat Detection (sentinel/security.py)

The `SecuritySentinel` provides zero-latency threat inspection for database queries and user inputs:

SQL Injection (SQLi) Defense: Evaluates queries against pre-compiled regex signatures identifying:
• Boolean tautologies (`' OR 1=1 --`, `' OR '1'='1`)

• UNION-based data exfiltration (`UNION SELECT ...`)
• Stacked destructive commands (`; DROP TABLE`, `; TRUNCATE`)
• Arbitrary command execution (`xp_cmdshell`, `EXEC()`)
• Time-based blind injection (`WAITFOR DELAY`, `SLEEP()`)
Mutation Anomaly Detection: The `check_mutation_anomaly()` method evaluates proposed write operations. If a client attempts an unconstrained mass deletion that would destroy more than 60% of an operational table, the sentinel intercepts and blocks the operation as a destructive anomaly.
Incident Registry: All threats are logged into `_security_incidents` with actor IPs/contexts, severity levels (`CRITICAL`, `HIGH`, `MEDIUM`), and mitigation statuses (`BLOCKED`).

2.5 Automated Action Logger & System Reporter (sentinel/reporter.py)

The `SystemReporter` compiles real-time telemetry from the database engine, reconciler, healer, and security guard:

Mathematical Health Score Formula: Calculates an objective system health score ($0 \le \text{Score} \le 100$):

```
Health Score = 100 - (5 * missing_indexes) - (5 * quarantine_count)
                   - (15 * critical_threats) - (10 * orphan_keys) - (10 * negative_flaws)
```

Categorizes health status as `EXCELLENT` (≥ 90), `WARNING` (70–89), or `CRITICAL` (< 70).
Multi-Format Exporters: Renders ASCII terminal dashboards, generates structured JSON telemetry, and exports comprehensive executive Markdown health reports with full inventory tables.

3. HANDS-ON CLI OPERATIONS GUIDE

Database Sentinel provides a unified command-line interface (`sentinel.py`) enabling operators to perform database initialization, self-healing, reconciliation, security audits, and continuous watchdog monitoring.

3.1 Command Reference & Terminal Outputs

1. Initialize Database & Seed Domain Relations

```
python3 sentinel.py init --seed
```

Console Output:

```
Database Sentinel initialized successfully: sentinel_store.db
Loaded enterprise demonstration seed records (customers, accounts, orders, ledger).
```

2. View System State Overview & Health Score

```
python3 sentinel.py status
```

Console Output:

```
================================================================================
                  DATABASE SENTINEL: SYSTEM STATE OVERVIEW
================================================================================
Database Target : sentinel_store.db (64.0 KB)
Health Score    : 75/100 [WARNING]
Threat Level    : NORMAL (GREEN)
--------------------------------------------------------------------------------
RELATIONAL STORAGE INVENTORY:
  User Tables   : 4 tables
  Total Records : 11 rows
  Total Indexes : 4 indexes
    • accounts             3 rows | 1 indexes
    • customers            3 rows | 1 indexes
    • orders               2 rows | 1 indexes
    • transactions         3 rows | 1 indexes
--------------------------------------------------------------------------------
AUTONOMOUS ACTIONS & REMEDIATION LOG:
  Total Logged  : 0 actions executed
--------------------------------------------------------------------------------
QUARANTINE & RELATIONAL INTEGRITY:
  Quarantined   : 0 corrupted/orphan records isolated
--------------------------------------------------------------------------------
SECURITY SENTINEL & ANOMALY DETECTION:
  Incidents     : 0 threats intercepted
================================================================================
```

3. Execute Autonomous Self-Healing Cycle

```
python3 sentinel.py heal
```

Console Output:

```
================================================================
AUTONOMOUS SELF-HEALING CYCLE COMPLETE
================================================================
Status                    : HEALTH_RESTORED
Total Flaws Remediated    : 5
Performance Indexes Added : 3 ['idx_accounts_customer_id', 'idx_orders_customer_id', 'idx_transactions_account_i
Dangling FKs Healed       : 0
Illegal Negatives Cleared : 1
Ledger Balances Repaired  : 1
================================================================
```

4. Reconcile External Dataset

```
python3 sentinel.py reconcile --source data/sample_incoming_customers.csv --table customers --key customer_code
```

Console Output:

```
================================================================
DATASET RECONCILIATION SUMMARY
================================================================
Total Processed       : 5
New Records Inserted  : 2
Drift State Updated   : 1
Identical Duplicates  : 1
Quarantined Orphans   : 0
Quarantined Corrupt   : 1
Actions Audit Logged  : 3
================================================================
```

5. Inspect Query for SQL Injection Threats

```
python3 sentinel.py security-audit --payload "admin' OR 1=1 --"
```

Console Output:

```
Analyzing payload for security threats: admin' OR 1=1 --
[BLOCKED] THREAT DETECTED: Malicious payload detected: BOOLEAN_INJECTION (Severity: HIGH)
Incident logged to _security_incidents table.
```

6. Export Executive Health & Audit Report

```
python3 sentinel.py report --output reports/system_health_report.md
```

Console Output:

```
Executive System State Overview exported to: reports/system_health_report.md
```

4. ENTERPRISE USE CASES & INDUSTRY APPLICATIONS

Enterprise Domain	The Production Challenge	Database Sentinel Solution
Fintech & Payment Ledgers	Microservices and payment webhooks (Stripe, Paystack) process transactions asynchronously. Network dropouts cause account balances to drift from ledger transaction sums.	`reconcile_ledger_balances()` evaluates transaction streams against stored balances, flags drift, and automatically executes compensating repairs with full before/after audit trails.
E-Commerce & Inventory	Ingesting supplier CSVs or third-party catalog feeds delivers dirty rows: updated prices/SKUs (drift), duplicate rows, or orders referencing customer IDs that haven't synced yet (orphan keys).	`reconcile_dataset()` performs field-level drift updates, deduplicates identical records, and routes orphan rows into `_quarantine_records` without crashing the ingestion job.
Database Performance Tuning (SRE)	As databases grow, developers forget to index foreign key or filter columns. Unindexed joins cause linear sequential table scans ($\Theta(N)$), spiking CPU and causing timeouts.	`auto_heal_indexes()` introspects the catalog for unindexed foreign keys and join columns, automatically generating and deploying B-Tree indexes to restore $\Theta(\log N)$ query speed.
Healthcare & EHR Compliance	Corrupt records (negative doses, null required fields, invalid timestamps) contaminate reporting tables and break downstream analytics pipelines.	The self-healing engine detects illegal values, clamps or quarantines corrupt rows with the exact rejection reason into `_quarantine_records`, and logs action records in `_system_actions_log`.
Application Security (AppSec)	Web applications and internal APIs are constantly probed for SQL injection vulnerabilities and rogue scripts attempting mass deletions.	`SecuritySentinel` inspects query payloads in real time for AST manipulation (`' OR 1=1 --`, `UNION SELECT`, stacked commands) and flags/blocks threats in `_security_incidents`.

5. AUTOMATED TEST SUITE (41 TEST CASES • 100% PASSING)

The codebase is accompanied by **41 automated unit and integration tests** executed via Python's native `unittest` framework with zero external dependencies:

Test Module	Count	Scope of Verification	Result
test_engine.py	5 Tests	Catalog table creation, schema introspection (tables, columns, foreign keys), action logging, quarantine.	**5 PASSED**
test_reconciler.py	5 Tests	New record insertion, drift update detection, duplicate handling, orphan foreign key quarantine, parity scoring.	**5 PASSED**
test_healer.py	5 Tests	Flaw diagnosis, missing index synthesis, ledger balance reconciliation, negative value quarantine, full healing cycle.	**5 PASSED**
test_security.py	5 Tests	SQLi detection (boolean, union, stacked destructive), benign query validation, incident registry.	**5 PASSED**
test_reporter.py	3 Tests	Health score calculation, ASCII console dashboard rendering, executive markdown export.	**3 PASSED**
test_cli.py	7 Tests	CLI commands execution (`init`, `status`, `heal`, `reconcile`, `security-audit`, `report`).	**7 PASSED**
test_comprehensive.py	11 Tests	End-to-end integration workflows, anomaly detection, blind injection interception, idempotency invariance.	**11 PASSED**
Total Test Cases	**41 Tests**	**Complete Autonomous Database Sentinel Verification**	**100% PASS**

6. VERBATIM SCHEMAS & TECHNICAL REFERENCE

6.1 Sentinel Internal Catalogs Definition

```
-- System Catalogs for Autonomous Operations
CREATE TABLE IF NOT EXISTS _system_actions_log (
    action_id INTEGER PRIMARY KEY AUTOINCREMENT,
    action_type TEXT NOT NULL,
    target_table TEXT NOT NULL,
    target_id TEXT,
    before_state TEXT,
    after_state TEXT,
    details TEXT,
    status TEXT NOT NULL DEFAULT 'SUCCESS',
    executed_at TEXT NOT NULL DEFAULT (datetime('now'))
);

CREATE TABLE IF NOT EXISTS _quarantine_records (
    quarantine_id INTEGER PRIMARY KEY AUTOINCREMENT,
    source_table TEXT NOT NULL,
    original_payload TEXT NOT NULL,
    rejection_reason TEXT NOT NULL,
    severity TEXT NOT NULL DEFAULT 'MEDIUM',
    status TEXT NOT NULL DEFAULT 'OPEN',
    quarantined_at TEXT NOT NULL DEFAULT (datetime('now'))
);

CREATE TABLE IF NOT EXISTS _security_incidents (
    incident_id INTEGER PRIMARY KEY AUTOINCREMENT,
    threat_type TEXT NOT NULL,
    query_payload TEXT NOT NULL,
    actor_context TEXT NOT NULL DEFAULT 'system',
    severity TEXT NOT NULL,
    mitigation_status TEXT NOT NULL DEFAULT 'BLOCKED',
    detected_at TEXT NOT NULL DEFAULT (datetime('now'))
);
```

6.2 Enterprise Demonstration Schema (data/seed_demo.sql)

```
PRAGMA foreign_keys = ON;

CREATE TABLE IF NOT EXISTS customers (
    customer_id INTEGER PRIMARY KEY AUTOINCREMENT,
    customer_code TEXT NOT NULL UNIQUE,
    full_name TEXT NOT NULL,
    email TEXT NOT NULL,
    tier TEXT NOT NULL DEFAULT 'STANDARD',
    created_at TEXT NOT NULL DEFAULT (datetime('now'))
);

CREATE TABLE IF NOT EXISTS accounts (
    account_id INTEGER PRIMARY KEY AUTOINCREMENT,
    customer_id INTEGER NOT NULL REFERENCES customers(customer_id) ON DELETE CASCADE,
    account_number TEXT NOT NULL UNIQUE,
    balance NUMERIC NOT NULL DEFAULT 0.0,
    status TEXT NOT NULL DEFAULT 'ACTIVE'
);

CREATE TABLE IF NOT EXISTS transactions (
    transaction_id INTEGER PRIMARY KEY AUTOINCREMENT,
    account_id INTEGER NOT NULL REFERENCES accounts(account_id) ON DELETE CASCADE,
    amount NUMERIC NOT NULL,
    tx_type TEXT NOT NULL,
    reference TEXT NOT NULL UNIQUE,
    timestamp TEXT NOT NULL DEFAULT (datetime('now'))
);

CREATE TABLE IF NOT EXISTS orders (
    order_id INTEGER PRIMARY KEY AUTOINCREMENT,
    customer_id INTEGER NOT NULL REFERENCES customers(customer_id) ON DELETE RESTRICT,
    order_code TEXT NOT NULL UNIQUE,
    total_amount NUMERIC NOT NULL,
    status TEXT NOT NULL DEFAULT 'PENDING',
    created_at TEXT NOT NULL DEFAULT (datetime('now'))
);
```

Production Readiness & Verification Sign-Off: Database Sentinel is verified, tested across 41 automated test cases with 100% pass rate, and published as an open-source systems engineering deliverable at https://github.com/0xlazorr/database-sentinel.