Android UX SDK 4.8 Release Notes

Release Date

2018.10.30

Highlights

 Addition of widgets and panels supporting Mavic 2 Enterprise features and accessories including Access Locker, Speaker, Spotlight and Beacon

Other Changes

- · Addition of grid overlays of various types for the video feeds
- Addition of internal storage support in all widgets for aircraft that support it.
- · Addition of maximum altitude limitation and maximum flight distance limitation to the preflight checklist
- · Addition of video compression standard in camera settings for aircraft that support it.
- Addition of portrait mode for aicraft that support it (Mavic Pro)
- Addition of VPS (visual positioning system) widget to the camera dashboard
- · Addition of new photo modes supported by the Mavic 2 series

Supported Android Mobile SDK

DJI Android Mobile SDK v4.8 download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Mavic 2 Enterprise * Mavic 2 Pro * Mavic 2 Zoom * Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced, Phantom 4 Pro V2.0 * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT, Zenmuse XT2

• Mavic 2 Enterprise: 00.01.0300

Mavic 2 Pro: 01.00.0100Mavic 2 Zoom: 01.00.0100

• Mavic Air: 01.00.0500

• Phantom 4 Pro V2.0: 01.00.2200

Zenmuse XT2: 1.0.0.6Spark: 01.00.1000

Matrice 200 series: 01.01.0913Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.02.0200

Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0500Matrice 600 Pro: 1.0.1.66

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Known Issues

- Incompatibility of Mobile SDK 4.8 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.
- Inability to customize video and photo button behavior on Mavic 2 series RC: Mavic 2 series
 aircraft allow developers to customize the behavior of photo and video buttons on the RC. Because the
 UX SDK does not currently give these buttons a default behavior, the user needs to assign behaviors
 to them before using.
- **FPVOverlay only works with primary camera:** FPVOverlay will always work only with the primary camera on dual camera aircrafts even when overlaid on the secondary camera view.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.7.1 Release Notes

Release Date

2018.09.04

Highlights

• Support for Android Mobile SDK v4.7.1

Other Changes

 The Mavic 2 Pro and Mavic 2 Zoom's distortion calibration feature requires additional resource files, increasing the size of the Mobile SDK package. If your app doesn't support these aircraft you can exclude these resource files with a one line gradle configuration. Please see the sample demo for details.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.7.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Mavic Air: 01.00.0300

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues:

• Incompatibility of Mobile SDK 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.7 Release Notes

Release Date

2018.8.23

Highlights

- Support for Android Mobile SDK v4.7
- FlySafe features such as self-unlock and custom unlock have been added to MapWidget. User can also customize the color of each flyzone type.
- MapWidget now has login state.
- Preflight Checklist now exposes remaining SD card error and slow SD card error.
- User can now enable/disable FPV items such as Grids, Histogram, Radar, and ColorWaveform.
- Bug fixes

Other Changes

 The Mavic 2 Pro and Mavic 2 Zoom's distortion calibration feature requires additional resource files, increasing the size of the Mobile SDK package. If your app doesn't support these aircraft you can exclude these resource files with a one line gradle configuration. Please see the sample demo for details.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.7: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Mavic Air: 01.00.0300

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Known Issues:

• Incompatibility of Mobile SDK 4.7 with x86 devices: On x86 devices that run Android API 23 or above, if the application is targeted with API 23 or above, FFmpeg lib might lead to runtime crashes or warnings.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.6 Release Notes

Release Date

2018.6.29

Highlights

- Support for Android Mobile SDK v4.6
- · Bug fixes

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.6 download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Mavic Air: 01.00.0300

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

Mavic Pro: 01.04.0300Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700Zenmuse XT: 1.31.0.00

• Zenmuse Z3: 1.11.01.50

• Inspire 1 series: 1.11.01.50

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

Known Issues

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.5.1 Release Notes

Release Date

2018.5.2

Highlights

- Support for Android Mobile SDK v4.5.1
- · Bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.5.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

• Mavic Pro: 01.04.0300

• Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

- MapWidget crash: Fixed crashes related to MapWidget initialization.
- MapWidget and GoogleMaps: Fixed bug where GoogleMaps behavior with showDirectionToHome
 was unstable.

© 2018 DJI. All Rights Reserved.

Android UX SDK 4.5 Release Notes

Release Date

2018.4.4

Highlights

- Name change: UI Library has been renamed "UX SDK".
- Full support of X7 camera, which includes the following:
 - SSD support
 - Exposure Index (EI)
 - Dewarping
 - Dedusting
- Color Waveform for both X7 and X5S cameras
- Map widget that currently supports:
 - Amaps
 - Google Maps
- Bug fixes

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.5: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UX SDK is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Mavic Air * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Osmo Mobile 2 * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Mavic Air: 01.00.0300Osmo Mobile 2: 2.1.0.20

• Spark: 01.00.0900

Matrice 200 series: 01.01.0600Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0300

• Phantom 4 Pro: 01.05.0600

Z30: 1.0.0.47N3: 1.7.1.5

• Mavic Pro: 01.04.0300

Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0700
Zenmuse XT: 1.31.0.00
Zenmuse Z3: 1.11.01.50
Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

- Mavic: Fixed issue where HD signal status widget was always empty on Mavic.
- Phantom 4 Pro & Mavic: Resetting camera gave false-negative time-out. Fixed.

Known Issues

• MapWidget and GoogleMaps: GoogleMaps behavior with showDirectionToHome is not stable.

© 2018 DJI. All Rights Reserved.

Android UI Library 4.4 Release Notes

Release Date

2017.12.22

Highlights

- Histogram
- · Gimbal control through FPV long press
- · Collision detection widgets
- Optional grid mode as FPV overlay
- Bug fixes
- **SDK Integration:** Some of SDK classes now need to be loaded before using. Loading process is done by Helper.install(). Developer needs to call this method before using any SDK functionality. Failling to do so will result in unexpected crashes. UILIb sample has add this to reflect the new requirement. Please refer to the sample app for more detail.

Supported Android Mobile SDK

DJI Android Mobile SDK v4.4: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Library is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder * Cendence
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S, X7 * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0701

Matrice 200 series: 01.01.0412Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0200

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.04.0100Matrice 600 Pro: 1.0.1.65

• Matrice 600, RTK and Ronin MX: 1.0.1.65

Phantom 4: 02.00.0106Zenmuse XT: 1.24.0.10

Zenmuse Z3: 1.11.01.50Inspire 1 series: 1.11.01.50

• Osmo: 1.11.2.70

• Osmo Pro/RAW: 1.3.0.40

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

• Phantom 3 Professional & Advanced: 1.11.20

• Phantom 3 Standard: 1.9.20

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

• Inspire 2 flight time remaining read 00:00: This has been fixed.

Known Issues

- Mavic Pro: HD signal status widget is empty.
- Phantom 4 Pro & Mavic Pro: Resetting camera gives false-negative time-out, camera does reset.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.3.2 Release Notes

Release Date

2017.10.09

Highlights

• Compatibility with Android SDK v4.3.2.

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.3.2: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Library is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0600

• Matrice 200: 01.0.0100

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0010

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.03.1000Matrice 600 Pro: 1.0.1.60

• Matrice 600, RTK and Ronin MX: 1.0.1.60 Phantom 4: 02.00.0106

Zenmuse XT: 1.30.0.10Zenmuse Z3: 1.11.1.50

• Inspire 1: 1.10.1.50

Inspire 1 Pro (X5 camera): 1.10.1.50

• Inspire 1 RAW (X5R camera): 1.10.1.50 Osmo: 1.11.2.70

Osmo Pro (X5 camera): 1.4.0.70Osmo RAW (X5R camera): 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.11.20 Phantom 3 Standard: 01.09.0200

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

Bug Fixes

• Improved widget scaling.

Known Issues

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.
- Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.3 Release Notes

Release Date

2017.09.17

Highlights

- Picture-in-picture (PiP) which provides secondary FPV
- · Center exposure handling
- · Preflight checklist improvements, such as being able to reorder checklist items
- Z30 support
- · Ability to independently toggle on/off battery icon, voltage, and percentage

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.3: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark * Matrice 210 * Matrice 210RTK * Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Spark Camera * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Spark: 01.00.0400

• Matrice 200: 01.00.00.0000

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.37N3: 1.7.0.0

Mavic Pro: 01.03.0900Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.10.2.60

• Osmo Pro (X5 camera): 1.3.0.40

• Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

• Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

Bug Fixes

• Improved widget scaling.

Known Issues

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.
- Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

Android UI Library 4.2.1 Release Notes

Release Date

2017.07.04

Highlights

- Compatibility with Mobile SDK 4.2.1
- · Support for DJI Spark
- · Preflight checklist improvements
- Added manual focus widget, whereby use can click on FPV to focus on that spot
- · Minor bug fixes

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.2.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark * Inspire 2 * Mavic Pro * Phantom 4 & Phantom 4 Pro * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

Spark: 1.00.0400Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

Phantom 4: 1.2.602
Zenmuse XT: 1.24.0.10
Zenmuse Z3: 1.10.1.40
Inspire 1: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.50

Known Issues

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: "Film B" instead of "Blockbuster".

©	2017	DJI.	ΑII	Rights	Reserved.
---	------	------	-----	--------	-----------

Android UI Library 4.1.1 Release Notes

Release Date

2017.06.06

Highlights

- Compatibility with Android Mobile SDK 4.1.1
- · Minor bug fixes

Supported Android Mobile SDK

DJI Android Mobile SDK v4.1.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Matrice 200 * Inspire 2 * Mavic Pro * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Osmo, Osmo Pro, Osmo RAW & Osmo+ * Osmo Mobile * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Matrice 200: upcoming

• Phantom 4 Advanced: 2.1.0.0

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.0509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.7

• Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.8.2.40

• Inspire 1: 1.10.1.40

• Osmo Pro (X5 camera): 1.3.0.40

Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

• Osmo Mobile: 1.5.0.70

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

Known Issues

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

© 2017 DJI. All Rights Reserved.

Android UI Library 4.0.1.1.0.0 Release Notes

Release Date

2017.04.18

Highlights

- UI widgets for aircraft state seen typically on an FPV screen (e.g. Battery icon)
- UI widgets for some automated controls (e.g. auto take-off)
- UI panels for camera settings (exposure and others)
- · A preflight checklist panel
- · Elements with assets and logic tied to the SDK
- Elements which are more responsive to settings changes than in the public beta

Included in this Release

- UI Library
- A sample app showing how to use the UI Library in its default implementation, and how to customize widgets
- Documentation introducing UI Libraries

Supported Android Mobile SDK

• DJI Android Mobile SDK v4.0.1: download at https://developer.dji.com/mobile-sdk/downloads/.

Android Compatibility

UI Libraries is compatible with Android 4.2 and above.

Products	* Inspire 2 * Mavic Pro * Phantom 4 & Phantom 4 Pro * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX * Phantom 3 Standard, Advanced, 4K & Professional * Inspire 1, Inspire 1 Pro & Inspire 1 RAW * Matrice 100 with X3, X5 & X5R * Lightbridge 2 with A2 * Lightbridge 2 with standalone A3 or N3 * Focus * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S * Phantom 4 Pro Camera * Mavic Pro Camera * Phantom 4 Camera * Phantom 3 Cameras * Zenmuse XT

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.50

• A3: 1.7.0.0

Known Issues

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

©	2	017	7 [J	l. <i>i</i>	٩II	R	igl	nts	s F	$\exists \epsilon$	es	er	ve	∍d																																												
11		111		11	11		10	00	00	100	101	10	m.	//	11	11	100	100	10	11	11	10	 0	10	11	m.	,,	9	,,	9	.,	2	m.	,,	9	11	,,	11	9	10	//	11	0	m.	11	11	100	11	11	100	100	11	11	0	10	10	//	100	11