# **Android UI Library 4.3.2 Release Notes**

#### **Release Date**

2017.10.09

# **Highlights**

• Compatibility with Android SDK v4.3.2.

## **Supported Android Mobile SDK**

• DJI Android Mobile SDK v4.3.2: download at <a href="https://developer.dji.com/mobile-sdk/downloads/">https://developer.dji.com/mobile-sdk/downloads/</a>.

# **Android Compatibility**

UI Library is compatible with Android 4.2 and above.

Products	* Spark  * Matrice 210  * Matrice 210RTK  * Matrice 200  * Inspire 2  * Mavic Pro  * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced  * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX  * Phantom 3 Standard, Advanced, 4K & Professional  * Inspire 1, Inspire 1 Pro & Inspire 1 RAW  * Matrice 100 with X3, X5 & X5R  * Osmo, Osmo Pro, Osmo RAW & Osmo+  * Osmo Mobile  * Lightbridge 2 with A2  * Lightbridge 2 with standalone A3 or N3  * Focus  * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S  * Spark Camera  * Phantom 4 Pro Camera  * Mavic Pro Camera  * Phantom 4 Camera  * Phantom 3 Cameras  * Zenmuse XT

• Spark: 01.00.0600

• Matrice 200: 01.0.0100

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 01.01.0010

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.43N3: 1.7.1.5

Mavic Pro: 01.03.1000Matrice 600 Pro: 1.0.1.60

• Matrice 600, RTK and Ronin MX: 1.0.1.60 Phantom 4: 02.00.0106

Zenmuse XT: 1.30.0.10Zenmuse Z3: 1.11.1.50

• Inspire 1: 1.10.1.50

• Inspire 1 Pro (X5 camera): 1.10.1.50

• Inspire 1 RAW (X5R camera): 1.10.1.50 Osmo: 1.11.2.70

Osmo Pro (X5 camera): 1.4.0.70Osmo RAW (X5R camera): 1.4.0.70

• Osmo+: 1.6.1.00

• Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.11.20 Phantom 3 Standard: 01.09.0200

Phantom 3 4K: 1.6.50Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.1.5

### **Bug Fixes**

• Improved widget scaling.

#### **Known Issues**

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.
- Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

# **Android UI Library 4.3 Release Notes**

#### **Release Date**

2017.09.17

### **Highlights**

- Picture-in-picture (PiP) which provides secondary FPV
- · Center exposure handling
- · Preflight checklist improvements, such as being able to reorder checklist items
- Z30 support
- · Ability to independently toggle on/off battery icon, voltage, and percentage

### **Supported Android Mobile SDK**

• DJI Android Mobile SDK v4.3: download at <a href="https://developer.dji.com/mobile-sdk/downloads/">https://developer.dji.com/mobile-sdk/downloads/</a>.

#### **Android Compatibility**

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark  * Matrice 210  * Matrice 210RTK  * Matrice 200  * Inspire 2  * Mavic Pro  * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced  * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX  * Phantom 3 Standard, Advanced, 4K & Professional  * Inspire 1, Inspire 1 Pro & Inspire 1 RAW  * Matrice 100 with X3, X5 & X5R  * Osmo, Osmo Pro, Osmo RAW & Osmo+  * Osmo Mobile  * Lightbridge 2 with A2  * Lightbridge 2 with standalone A3 or N3  * Focus  * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S  * Spark Camera  * Phantom 4 Pro Camera  * Mavic Pro Camera  * Phantom 4 Camera  * Phantom 3 Cameras  * Zenmuse XT

• Spark: 01.00.0400

• Matrice 200: 01.00.00.0000

• Phantom 4 Advanced: 01.00.0128

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 01.04.0602

Z30: 1.0.0.37N3: 1.7.0.0

Mavic Pro: 01.03.0900Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.10.2.60

Osmo Pro (X5 camera): 1.3.0.40

• Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

Osmo Mobile: 1.6.0.80

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

#### **Bug Fixes**

• Improved widget scaling.

#### **Known Issues**

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- "UNKNOWN" ISO and EV in DLog color mode: When in DLog color mode ISO and EV will read "UNKNOWN" in the camera config info status widget.
- Inspire 2 flight time remaining reads 00:00.

© 2017 DJI. All Rights Reserved.

# **Android UI Library 4.2.1 Release Notes**

#### **Release Date**

2017.07.04

### **Highlights**

- Compatibility with Mobile SDK 4.2.1
- · Support for DJI Spark
- · Preflight checklist improvements
- Added manual focus widget, whereby use can click on FPV to focus on that spot
- · Minor bug fixes

### **Supported Android Mobile SDK**

• DJI Android Mobile SDK v4.2.1: download at <a href="https://developer.dji.com/mobile-sdk/downloads/">https://developer.dji.com/mobile-sdk/downloads/</a>.

### **Android Compatibility**

UI Libraries is compatible with Android 4.2 and above.

Products	* Spark  * Inspire 2  * Mavic Pro  * Phantom 4 & Phantom 4 Pro  * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX  * Phantom 3 Standard, Advanced, 4K & Professional  * Inspire 1, Inspire 1 Pro & Inspire 1 RAW  * Matrice 100 with X3, X5 & X5R  * Lightbridge 2 with A2  * Lightbridge 2 with standalone A3 or N3  * Focus  * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S  * Phantom 4 Pro Camera  * Mavic Pro Camera  * Phantom 4 Camera  * Phantom 3 Cameras  * Zenmuse XT

Spark: 1.00.0400Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

Phantom 4: 1.2.602
Zenmuse XT: 1.24.0.10
Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.50

#### **Known Issues**

- Mavic: HD signal status widget is empty.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: "Film B" instead of "Blockbuster".

©	2017	DJI.	ΑII	Rights	Reserved.
---	------	------	-----	--------	-----------

# **Android UI Library 4.1.1 Release Notes**

#### **Release Date**

2017.06.06

### **Highlights**

- Compatibility with Android Mobile SDK 4.1.1
- · Minor bug fixes

# **Supported Android Mobile SDK**

DJI Android Mobile SDK v4.1.1: download at <a href="https://developer.dji.com/mobile-sdk/downloads/">https://developer.dji.com/mobile-sdk/downloads/</a>.

### **Android Compatibility**

UI Libraries is compatible with Android 4.2 and above.

Products	* Matrice 200  * Inspire 2  * Mavic Pro  * Phantom 4, Phantom 4 Pro & Phantom 4 Advanced  * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX  * Phantom 3 Standard, Advanced, 4K & Professional  * Inspire 1, Inspire 1 Pro & Inspire 1 RAW  * Matrice 100 with X3, X5 & X5R  * Osmo, Osmo Pro, Osmo RAW & Osmo+  * Osmo Mobile  * Lightbridge 2 with A2  * Lightbridge 2 with standalone A3 or N3  * Focus  * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S  * Phantom 4 Pro Camera  * Mavic Pro Camera  * Phantom 4 Camera  * Phantom 3 Cameras  * Zenmuse XT

• Matrice 200: upcoming

• Phantom 4 Advanced: 2.1.0.0

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.0509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.7

• Matrice 600 Pro: 1.0.1.20

• Matrice 600, RTK and Ronin MX: 1.0.1.20

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

Inspire 1 Pro (X5 camera): 1.10.1.40Inspire 1 RAW (X5R camera): 1.10.1.40

• Osmo: 1.8.2.40

• Osmo Pro (X5 camera): 1.3.0.40

Osmo RAW (X5R camera): 1.3.0.40

• Osmo+: 1.5.0.90

• Osmo Mobile: 1.5.0.70

Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.60

• A3: 1.7.0.0

#### **Known Issues**

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

© 2017 DJI. All Rights Reserved.

# **Android UI Library 4.0.1.1.0.0 Release Notes**

#### **Release Date**

2017.04.18

#### **Highlights**

- UI widgets for aircraft state seen typically on an FPV screen (e.g. Battery icon)
- UI widgets for some automated controls (e.g. auto take-off)
- UI panels for camera settings (exposure and others)
- · A preflight checklist panel
- · Elements with assets and logic tied to the SDK
- Elements which are more responsive to settings changes than in the public beta

#### Included in this Release

- UI Library
- A sample app showing how to use the UI Library in its default implementation, and how to customize widgets
- Documentation introducing UI Libraries

### **Supported Android Mobile SDK**

• DJI Android Mobile SDK v4.0.1: download at <a href="https://developer.dji.com/mobile-sdk/downloads/">https://developer.dji.com/mobile-sdk/downloads/</a>.

### **Android Compatibility**

UI Libraries is compatible with Android 4.2 and above.

Products	* Inspire 2  * Mavic Pro  * Phantom 4 & Phantom 4 Pro  * Matrice 600 & Matrice 600 Pro, RTK and Ronin MX  * Phantom 3 Standard, Advanced, 4K & Professional  * Inspire 1, Inspire 1 Pro & Inspire 1 RAW  * Matrice 100 with X3, X5 & X5R  * Lightbridge 2 with A2  * Lightbridge 2 with standalone A3 or N3  * Focus  * N1 Video Encoder
Cameras	* Zenmuse X3, X5, X5R, Z3, Z30, X4S, X5S  * Phantom 4 Pro Camera  * Mavic Pro Camera  * Phantom 4 Camera  * Phantom 3 Cameras  * Zenmuse XT

• Inspire 2: 1.0.0330

• Phantom 4 Pro: 1.3.509

Z30: 1.0.0.20N3: 1.7.0.0

• Mavic Pro: 1.3.6

• Matrice 600 Pro: 1.0.0.80

• Matrice 600, RTK and Ronin MX: 1.0.0.80

Phantom 4: 1.2.602Zenmuse XT: 1.24.0.10Zenmuse Z3: 1.10.1.40

• Inspire 1: 1.10.1.40

• Inspire 1 Pro (X5 camera): 1.10.1.40

• Inspire 1 RAW (X5R camera): 1.10.1.40

• Phantom 3 Professional & Advanced: 1.10.90

• Phantom 3 Standard: 1.8.10

Phantom 3 4K: 1.5.40Matrice 100: 1.3.1.0Lightbridge 2: 1.1.50

• A3: 1.7.0.0

#### **Known Issues**

- UI Library is currently incompatible with the Osmo products on Android.
- Mavic: HD signal status widget is empty.
- Sometimes Preflight Checklist values are stale: Stale values are refreshed when aircraft pushes new data.
- Phantom 4 Pro & Mavic: Resetting camera gives false-negative time-out; camera does reset.
- Camera settings on some aircraft: Color filters have literal string names, instead of descriptive names, e.g.: ""Film B" instead of "Blockbuster".

©	2	017	7 [	J	l. <i>i</i>	٩II	R	igl	nts	s F	$\exists \epsilon$	es	er	ve	∍d																																											
11		111		11	11		10	00	00	100	101	10	m.	//	11	11	100	100	10	11	11	10	 0	10	11	m.	,,	9	,,	9	,,	2	m.	,,	9	11	,,	11	9	10	,,	//	11	9	m.	11	//	00	10	11	11	20	10	m.	11	11	00	101