1. You are given the head of a **singly circular linked list.** **[12]**

At each node, if the value is **odd**, it should be reversed among all odd-valued nodes, while:

- Keeping the list **circular**
- Keeping **Even-valued** nodes in their **original positions**
- You need to modify the original linked list
- You may create a temporary linked list if needed

Return the head of the modified circular linked list.

*No data Structure can be used other than Linked List

Sample Given Linked List	**Output**	**Explanation**
11 → **21** → 6→ **41** → 56 → **63** → (back to 11)	**63** → **41** → 6 → **21** → 56 → **11** → (back to 63)	Odd values: 11, 21, 41, 63 Reverse Order: 63, 41, 21, 11 Even values remain in their original position

According to your programming language preference, complete the following methods only:

Java	**Python**

public static Node **reverseOdd**(Node head){
        #To Do
}
	def **reverseOdd**(head):
	# To Do

2. In **column-major** storage, which element comes next after **arr[i+1][j]?** **[2]**

Ans:

3. If a 2D array is square, row-major and column-major storage are- **[1]**

a) Same **b)** Different **c)** Depends on elements **d)** Undefined

4. If you are given a 2D array arr with rows = n and columns = m, what is the **condition** to check if all columns are sorted in descending order. **[2]**

Ans:

5. Which operation in a singly linked list requires traversal? **[1]**

a) Insertion at beginning **b)** Deletion at beginning **c)** Insertion at end

d) Access first node